

***“MEDICINES THAT CARE FROM
HEART TO HEALTH”***



Clidē



**WHO GMP ISO
CERTIFIED PRODUCTS**

Company Profile

Clide International

Your Partner in Healing and Innovating

At Clide international, we are dedicated to improving global healthcare through cutting-edge research, innovation, and the production of high-quality pharmaceuticals. With a relentless commitment to advancing medicine and enhancing patient well-being, we have earned our reputation as a trusted and ethics based pharmaceutical company From 2013.

Our Mission

Improving Lives, One Medication at a Time

Our mission is simple yet profound: to discover, develop, and deliver innovative pharmaceutical solutions that enhance the quality of life for individuals around the world. We are driven by a passion for scientific excellence and a deep sense of responsibility to make healthcare accessible and affordable.

Core Values

- Integrity:** *We uphold the highest ethical standards in everything we do, ensuring transparency, honesty, and accountability at every step.*
- Innovation:** *We foster a culture of continuous improvement and innovation, pushing the boundaries of science and technology to develop groundbreaking treatments.*
- Quality:** *We are committed to producing pharmaceuticals of the highest quality, meeting or exceeding international standards in safety and efficacy. along with minimum WHO (World health Organisation) Standards.*
- Patient-Centricity:** *Patients are at the heart of our work. We strive to improve their lives by providing safe and effective medicines.*

Our Expertise

Science Meets Compassion

Clide international boasts a team of world-class scientists, researchers, and medical professionals who collaborate tirelessly to address some of the most challenging healthcare issues of our time. Our areas of expertise include:

- Research and Development:** *We invest heavily in R&D to discover and develop novel therapies for a wide range of diseases, from rare disorders to common ailments.*
- Manufacturing Excellence:** *Our state-of-the-art production facilities adhere to stringent quality standards as per WHO (World health Organisation) Standards and above , ensuring the consistent delivery of safe and effective medications.*

Join Us on Our Journey

We invites you to join us on our mission to improve lives through groundbreaking pharmaceuticals. Whether you're a healthcare professional, a researcher, or someone who shares our passion for making a difference, we welcome collaboration and partnership.

Together, we can create a healthier, happier world. Discover more about Clide international and explore how we're pioneering healthcare solutions for a brighter future.

Director

INDEX

S.No.	Brand Name	Composition	Page No.
TABLETS			
1	ACARSAVE-50	Each uncoated tablet contains: Acarbose IP 50 mg Excipients q.s.	1
2	ACETPURE-600	Each Film coated tablet Contains: N-Acetylcysteine BP 600 mg + Excipients q.s.	1
3	ACETPURE-AC	Each Film coated tablet Contains: N-Acetylcysteine BP 600 mg + Acebrophylline 100mg Excipients q.s.	1
4	ACETPURE-T	Each Film Coated Tablet Contains: N-Acetylcysteine USP 150 mg + Taurine USP 500 mg + Excipients q.s. + Taurine USP 500 mg + Excipients q.s.	1
5	ALENPHONE-70	Each Uncoated Tablet Contains: Sodium Alendronate Trihydrate USP Eq.to Alendronic Acid 70 mg + Excipients q.s.	2
6	ALFUZAP-10	Each Film Coated Extended Release Tablet Contains: Alfuzosin Hydrochloride IP 10 MG + Excipients q.s.	2
7	ALFUZAP-D	Each Film Coated Bilayered Tablet Contains: Alfuzosin Hydrochloride IP 10 MG (In extended release form) + Dutasteride 0.5 mg +Excipients q.s.	2
8	AMLOEASE-10	Each uncoated tablet contains: Amlodipine Besylate IP Eq. to amlodipine 10 mg + Excipients q.s.	2
9	AMLOEASE-2.5	Each uncoated tablet contains: Amlodipine Besylate IP Eq. to amlodipine 2.5 mg + Excipients q.s.	2
10	AMLOEASE-5	Each uncoated tablet contains: Amlodipine Besylate IP Eq. to amlodipine 5 mg + Excipients q.s.	2
11	ATOREASE-10	Each film coated tablet contains : Atorvastatin Calcium IP Eq. to Atorvastatin 10 mg + Excipients q.s.	3
12	ATOREASE-20	Each film coated tablet contains : Atorvastatin Calcium IP Eq. to Atorvastatin 20 mg + Excipients q.s.	3
13	ATOREASE-40	Each film coated tablet contains : Atorvastatin Calcium IP Eq. to Atorvastatin 40 mg + Excipients q.s.	3
14	AUGOSHIELD-625 (10x10)	Each Film coated tablet contains: Amoxicillin Trihydrate IP Eq. to Amoxicillin 500 mg + Potassium Clavulanate Diluted IP Eq. to Clavulanic Acid 125 mg	3
15	AUGOSHIELD-625 (10x1x10)	Each Film coated tablet contains: Amoxicillin Trihydrate IP Eq. to Amoxicillin 500 mg + Potassium Clavulanate Diluted IP Eq. to Clavulanic Acid 125 mg	3
16	AUGOSHIELD-625 (10x1x6)	Each Film coated tablet contains: Amoxicillin Trihydrate IP Eq. to Amoxicillin 500 mg + Potassium Clavulanate Diluted IP Eq. to Clavulanic Acid 125 mg	3
17	AUSPOD-CV	Each Film coated tablet contains: Cefpodoxime Proxetil IP eq. to Cefpodoxime 200 mg + Potassium Clavulanate Diluted IP eq. to Clavulanic Acid 125mg	4
18	AUSPOD-O 200	Each Film coated tablet contains: Cefpodoxime Proxetil IP 200 mg.	4
19	AXCLOCLIDE-200 SR	Each film coated sustained Release tablet contains: Aceclofenac I.P 200MG	4
20	AXCLOCLIDE-MR	Each film coated tablet contains: Aceclofenac IP 100 mg. + Paracetamol IP 325 + mg. Chlorzoxazone USP 250 mg.	4

Note : MRP Can change anytime as per the guidelines given by DPCO

21	AXCLOCLIDE-PLUS	Each film coated tablet contains: Aceclofenac IP 100 mg. + Paracetamol IP 325 mg. + Excipients q.s.	4
22	AXCLOCLIDE-S	Each film coated tablet contains: Aceclofenac IP 100 mg. + Paracetamol IP 325 mg +Serritiopeptidase IP 10mg + Excipients q.s.	4
23	AXCLOCLIDE-SP	Each film coated tablet contains: Aceclofenac IP 100 mg. + Paracetamol IP 325 mg +Serritiopeptidase IP 15mg	5
24	AXCLOCLIDE-TH	Each film coated tablet contains: Aceclofenac IP 100 mg. + Thiocolchicoside IP 4mg.	5
25	AXCLOCLIDE-THP	Each Film coated tablet contains: Aceclofenac IP 100 mg. + Paracetamol IP 325 mg. + Thiocolchicoside IP 4 mg. + Excipients q.s.	5
26	AZATHPRO-50	Each uncoated tablet contains : Azathioprine IP 50mg.	5
27	BENIPULSE-4	Each film coated tablet Contains : Benidipine Hydrochloride IP 4mg	5
28	BENIPULSE-8	Each film coated tablet Contains : Benidipine Hydrochloride IP 8mg	5
29	BETHIRE -25	Each Uncoated Tablet Contains: Bethanechol Chloride USP 25 mg + Excipients q.s.	6
30	BILABLIX-M	Each Film coated Tablet Contains: Bilastine 20 mg + Montelukast Sodium IP Eq. to Montelukast 10 mg + Excipients q.s.	6
31	BOSNIC-62.5	Each Film Coated Tablet Contains: Bosentan Monohydrate Eq.to Bosentan 62.5 mg + Excipients q.s.	6
32	BRYBRAIN-50	Each Film-Coated Tablet Contains: Brivaracetam 50 mg + Excipients q.s.	6
33	BRYBRAIN-100	Each Film-Coated Tablet Contains: Brivaracetam 100 mg + Excipients q.s.	6
34	CABEREASE-0.5	Each Uncoated Tablet Contains: Cabergoline IP 0.5 mg	6
35	CALCLIDE	Each film coated tablet contains: Calcium 500mg. + Vitamin D3 25 I.U	7
36	CETICLIDE	Each Uncoated Tablet Contains: Cetrizine 5mg	7
37	CETICLIDE PLUS (ROUND)	Each uncoated tablet contains: Cetrizine HCL I.P 5MG + Phnylephrin HCL I.P 5MG + Paracetamol I.P 325MG(Tartrazine)	7
38	CILNIPULSE-10	Each film coated tablet contains: Cilnidipine IP 10mg.	7
39	CILNIPULSE-20	Each film coated tablet contains: Cilnidipine IP 20mg.	7
40	CILNIPULSE-5	Each film coated tablet contains: Cilnidipine IP 5mg.	7
41	CLICOLINE-500	Each Film coated tablet contains:Citicoline Sodium IP Eq. to Citicoline 500 mg	8
42	CLICOLINE-PLUS	Each Film coated tablet contains:Citicoline Sodium IP Eq. to Citicoline 500 mg + Piracetam IP 800mg.	8
43	CLIDE ZINC	Each Film coated tablet contains:Citicoline Sodium IP Eq. to Citicoline 500 mg + Piracetam IP 800mg.	8

Note : MRP Can change anytime as per the guidelines given by DPCO

44	CLIGRA-100	Each film coated tablet contains: sildenafil 100mg. + Excipients q.s.	8
45	CLIZYME-FORTE	Each Enteric-Coated Tablet Contains: 1,00,000 Armour Unit of enzymatic Activity (Supplied by a Purified Concentrate Which has Specific Trypsin and Chymotrypsin Activity In a Ratio of Approximately Six to One)	8
46	CLOPYGREAT-75	Each Film Coated Tablet contains: Clopidogrel Bisulphate IP eq. to Clopidogrel 75 mg + Excipients q.s.	8
47	CLOPYGREAT-AS	Each film coated tablet contains: Clopidogrel Bisulphate IP Eq. to Clopidogrel 75 mg. + Aspirin IP 75 mg + Excipients q.s.	9
48	DAPADUFOZIN-10	Each Film coated tablet contains: Dapagliflozin Propanediol Monohydrate Eq. to Dapagliflozin 10mg. + Excipients q.s.	9
49	DAPADUFOZIN-M	Each Film coated bilayered tablet contains: Dapagliflozin Propanediol Monohydrate Eq. to Dapagliflozin 10mg. + Metformin Hydrochloride IP 500 mg. (In extended release form) Excipients q.s.	9
50	DAPADUFOZIN-M FORTE	Each Film coated bilayered tablet contains: Dapagliflozin Propanediol Monohydrate Eq. to Dapagliflozin 10mg. + Metformin Hydrochloride IP 1000 mg. (In extended release form) Excipients q.s.	9
51	DEFIME-6	Each uncoated tablet contains: Deflazacort 6 mg	9
52	DILTACOX-90	Each uncoated sustained release tablet contains: Diltiazem Hydrochloride IP 90 mg + Excipients q.s	9
53	DOMLOC	Each uncoated tablet contains: Domperidone IP 10 mg.	10
54	DOXOSPIRE-400	Each film coated tablet contains: Doxofylline IP 400 mg + Excipients q.s	10
55	DIOLIDIN-500	Each Film Coated Tablet contains : Diosmin 450mg + Hesperidin 50mg Excipients q.s	10
56	DROTAZAP	Each film coated tablet contains: Drotaverine Hydrochloride I.P. 40 mg	10
57	DROTAZAP-DS	Each film coated tablet contains: Drotaverine Hydrochloride I.P. 80 mg + Excipients q.s	10
58	DROTAZAP-M	Each film coated tablet contains: Drotaverine Hydrochloride 80 mg. + Mefenamic Acid I.P 250MG	10
59	DYDROLUXE-10	Each Film coated tablet contains: Dydrogesterone IP 10 mg	11
60	ENACLIDE-2.5	Each uncoated tablet contains: Enalapril Maleate IP 2.5 mg	11
61	ENACLIDE-5	Each uncoated tablet contains: Enalapril Maleate IP 5 mg	11
62	ENTEVIVE-0.5	Each Film Coated Tablet Contains: Entecavir IP 0.5 mg (As monohydrate) + Excipients q.s.	11
63	ESMOCLEAR-40	Each enteric coated tablet contains: Esomeprazole Magnesium Trihydrate IP Equivalent to Esomeprazole 40 mg + Excipients q.s.	11
64	ETOGLIDE-120	Each Film Coated Tablet Contains: Etoricoxib IP 120 mg + Excipients q.s EC	11
65	ETOGLIDE-60	Each Film Coated Tablet Contains: Etoricoxib IP 60 mg + Excipients q.s	12
66	ETOGLIDE-90	Each Film Coated Tablet Contains: Etoricoxib IP 90 mg + Excipients q.s	12

Note : MRP Can change anytime as per the guidelines given by DPCO

67	ETOGLIDE-TH	Each Film Coated Tablet Contains: Etoricoxib IP 60 mg + Thiocolchicoside IP 4 mg + Excipients q.s	12
68	FAROCLIDE-200	Each Film Coated Tablet Contains: Faropenem Sodium 200 Hydrate eq. to Faropenem 200 mg + Excipients q.s	12
69	FERRICLIDE-XT	Each Film Coated Tablet Contains: Ferrous Ascorbate Eq. to Elemental Iron 100 mg. + Folic Acid 1.5 mg. + Excipients q.s	12
70	FEXQURE-120	Each film coated tablet contains : Fexofenadine Hydrochloride I.P. 120 mg + Excipients q.s.	12
71	FEXQURE-180	Each film coated tablet contains : Fexofenadine Hydrochloride I.P. 180 mg + Excipients q.s.	13
72	FEXQURE-M	Each film coated tablet contains: Fexofenadine Hydrochloride I.P. 120 mg + Montelukast Sodium I.P. Eq. to Montelukast 10 mg + Excipients q.s.	13
73	FLUSITY-AZ	Each combiKit Contains: (A) 1 Fluconazole Tablet IP, Each uncoated tablet contains: Fluconazole IP 150 mg, Colour : Ponceau 4R + (B) 1 Azithromycin Tablet IP, Each Film coated tablet contains: Azithromycin Dihydrate IP Eq. to Azithromycin anhydrous 1 gm, Colour : Ponceau 4R + (C) 2 Secnidazole Tablets IP, Each Film coated tablet contains: Secnidazole IP. 1 gm, Colour : Titanium Dioxide IP + Excipients q.s.	13
74	FOLIWER-5	Each Uncoated tablet contains: Folic Acid IP 5 mg + Excipients q.s	13
75	GABACLIDE-NT	Each Film Coated Tablet Contains: Gabapentin IP 400 mg + Nortriptyline HCl IP 10 mg + Excipients q.s.	13
76	GABACLIDE-NT 100/10	Each Film Coated Tablet Contains: Gabapentin IP 100 mg + Nortriptyline HCl IP 10 mg + Excipients q.s.	13
77	GLIDAEASE-30 MR	Each Uncoated Modified Release Tablet Contains: Gliclazide IP 30 mg + Excipients q.s.	14
78	GLIDAEASE-60 MR	Each Uncoated Modified Release Tablet Contains: Gliclazide IP 60 mg + Excipients q.s.	14
79	GLIMSEREN-1	Each uncoated tablet contains : Glimepride IP 1mg + Excipients q.s.	15
80	GLIMSEREN-2	Each uncoated tablet contains : Glimepride IP 2mg + Excipients q.s.	15
81	ISONALIDE-100	Each uncoated tablet contains : Isoniazid IP 100mg. Excipients q.s.	16
82	ISONALIDE-300	Each uncoated tablet contains : Isoniazid IP 300mg. Excipients q.s.	16
83	ISOSMOOTH-10	Each uncoated tablet contains: Diluted Isosorbide Mononitrate IP Eq. to Isosorbide Mononitrate 10 mg + Excipients q.s.	16
84	ISOSMOOTH-20	Each uncoated tablet contains: Diluted Isosorbide Mononitrate IP Eq. to Isosorbide Mononitrate 20 mg + Excipients q.s.	16
85	IVASYNC-5	Each Film Coated Tablet Contains: Ivabradine Hydrochloride Eq. to Ivabradine 5 mg + Excipients q.s.	16
86	KETALOGUES	Alpha Ketoanalogues & Essential Amino Acid	16
87	LECOZINE-5	Each Film coated tablet Contains : Levocetirizine 5mg+ Excipients q.s.	17
88	LECOZINE-M	Each Film coated tablet Contains : Montelukast 10mg + Levocetirizine 5mg + Excipients q.s.	17
89	LEVELYX-1000	Each Film coated tablet Contains : Levetiracetam IP 1000 mg + Excipients q.s.	17

Note : MRP Can change anytime as per the guidelines given by DPCO

90	LEVELYX-750	Each Film coated tablet Contains : Levetracetam IP 750 mg + Excipients q.s.	17
91	LEVELYX-500	Each Film coated tablet Contains : Levetracetam IP 500 mg + Excipients q.s.	17
92	LINAEASE-5	Each Film coated tablet contains : Linagliptin 5mg + Excipients q.s.	17
93	LINAEASE-DZ 5/10	Each Film coated tablet contains : Linagliptin 5mg + Dapaglifozin 10mg + Excipients q.s.	18
94	LINAEASE-M	Each film coated tablet contains : Linagliptin 2.5mg + Metformin 500mg + Excipients q.s.	18
95	LINAEASE-M FORTE	Each film coated tablet contains : Linagliptin 2.5mg + Metformin 1000mg + Excipients q.s.	18
96	LINESOT-600	Each Film Coated Tablet Contains: Linezolid IP 600 mg + Excipients q.s.	18
97	MEFLIDE-PLUS	Each uncoated tablet contains: Dicyclomine HCl IP 20 mg. + Paracetamol IP 325 mg.	18
98	MEFLIDE-SPAS	Each uncoated tablet contains: Mefenamic Acid IP 250 mg.+ Dicyclomine IP 10 mg. + Excipients q.s.	18
99	MELPREDON-4	Each Uncoated tablet Contains: Methylprednisolone IP 4 mg + Excipients q.s.	19
100	MELPREDON-8	Each Uncoated tablet Contains: Methylprednisolone IP 8 mg + Excipients q.s.	19
101	MESBON-400	Each Delayed Release Tablet Contains: Mesalamine IP 400 mg + Excipients q.s.	19
102	MIRARELIEF-25	Each Film coated extended release tablet contains: Mirabegron 25mg , Excipients q.s.	19
103	MIRARELIEF-50	Each Film coated extended release tablet contains: Mirabegron 50mg , Excipients q.s.	19
104	MIRARELIEF-S 50/5	Each film coated Tablet Contains:Mirabegron IP 50mg. + (As Extebded Release) Solifenacin Succinate IP 5mg. + Excipients q.s.	19
105	MYCOQUELL-200 SR	Each film coated sustained release tablet contains : Progesterone IP 200 mg. (Natural Micronized) + Excipients q.s.	20
106	MYCOREVIVE-M	Each Film coated tablet contains : Mycophenoate Mofetil IP 500 mg + Excipients q.s.	20
107	MYCOREVIVE-S	Each Enteric Coated Tablet Contains: Mycophenolate Sodium USP Eq.to Mycophenolic Acid 360 mg + Excipients q.s.	20
108	NAPGRID-250	Each Film Coated Tablet Contains: Naproxen Sodium PH EUR 250 mg + Excipients q.s.	20
109	NAPGRID-500	Each Film Coated Tablet Contains: Naproxen Sodium PH EUR 500 mg + Excipients q.s.	20
110	NAPGRID-D	Each Film coated tablet contains: Naproxen Sodium USP 500 mg + Domperidone Maleate I.P. eq. to Domperidone 10 mg + Excipients q.s.	20
111	NEWCLOTIN-2.6	Each Uncoated Tablet Contains: Concentrated Glyceril Trinitrate Solution IP Eq to Glyceril Trinitrate2.6mg.	21
112	NIMUGUD	Each uncoated tablet contains : Nimesulide BP 100mg + Excipients q.s.	21

Note : MRP Can change anytime as per the guidelines given by DPCO

113	NIMUGUD-P	Each uncoated tablet contains : Nimesulide 100mg + Paracetamol 325mg + Excipients q.s.	21
114	OFCLIDE-OZ	Each film coated tablet contains : Ofloxacin 100mg + Ornidazole 250mg + Excipients q.s.	21
115	OLMESPARK-20	Each Film coated tablet contains : Olmesartan Medoxomil IP 20 mg + Excipients q.s.	21
116	OLMESPARK-40	Each Film coated tablet contains : Olmesartan Medoxomil IP 40 mg + Excipients q.s.	21
117	OLMESPARK-20 H	Each Film coated tablet contains : Olmesartan Medoxomil IP 40 mg + Excipients q.s.	22
118	OLMESPARK-40 H	Each film coated tablet contains : Olmesartan Medoxomil IP 40 mg. + Hydrochlorothiazide IP 12.5 mg + Excipients q.s.	22
119	OXCAPEAK-150	Each Film coated Tablet Contains: Oxcarbazepine IP 150 mg + Excipients q.s.	22
120	OXCAPEAK-30	Each Film coated Tablet Contains: Oxcarbazepine IP 300 mg + Excipients q.s.	22
121	OXOVID-OZ	Each film coated tablet contains : Ofloxacin 200mg + Ornidazole 500mg + Excipients q.s.	22
122	PANTOSPORT-40	Each enteric coated tablet contains : Pantoprazole Sodium IP eq. to Sodium IP eq. to Pantoprazole 40 mg.	22
123	PANTOSPORT-D	Each enteric coated tablet contain:Pantoprazole I.P 40MG+Domperidone I.P 10MG(colour : Yellow Oxide of iron)	23
124	PARASEREN-1000	Each uncoated bilayered tablet contains : Paracetamol IP 300 mg. (As Immediate Release) + paracetamol IP 700 mg (As sustained Release) + Excipients q.s.	23
125	PARASEREN-650	Each uncoated tablet contains : Paracetamol IP 650 mg Excipients q.s.	23
126	PG CLIDE-NT	Each film coated tablet contains: Pregabalin IP 75 mg +Nortriptyline Hydrochloride IP Equivalent to Nortriptyline 10 mg + Excipients q.s.	23
127	PG CLIDE-NM	Each Film Coated Tablet Contains: Nortriptyline HCl IP Eq.to Nortriptyline 10 mg + Methycobalamin IP 1500 mcg + Pregabalin IP 75 mg + Excipients q.s.	23
128	PICORITE	Each uncoated tablet contains : Sodium Picosulphate 10 mg + Excipients q.s.	23
129	PIOSPADE-15	Each uncoated tablet contains: Pioglitazone Hydrochloride IP Eq. to Pioglitazone 15 mg + Excipients q.s.	24
130	PIOSPADE-30	Each uncoated tablet contains: Pioglitazone Hydrochloride IP Eq. to Pioglitazone 30 mg + Excipients q.s.	24
131	PIRNIDO-200	Each Film coated tablet contains : Pifenidone IP 200 mg	24
132	PIXANIC-2.5	Each Film coated tablet contains: Apixaban 2.5 mg, Excipients.	24
133	PIXANIC-5	Each Film coated tablet contains: Apixaban 5 mg, Excipients.	24
134	PROPRON-40	Each Uncoated Tablet Contains: Propranolol Hydrochloride IP 40 mg + Excipients q.s.	24
135	RAMIEASE-10	Each uncoated tablet contains : Ramipril 10mg + Excipients q.s.	25

Note : MRP Can change anytime as per the guidelines given by DPCO

136	RAMIEASE-2.5	Each uncoated tablet contains : Ramipril 2.5mg + Excipients q.s.	25
137	RAMIEASE-5	Each uncoated tablet contains : Ramipril 5mg + Excipients q.s.	25
138	RHUMAZOX-MR	Each uncoated tablet contains : Diclofenac Potassium BP 50 mg. + Paracetamol IP 325 mg. + Chlorzoxazone USP 250 mg.	25
139	RHUMAZOX-SP	Each film coated tablet contains : Diclofenac Potassium BP 50 mg + Paracetamol IP 325 mg + Serratiopeptidase IP 10 mg (eq. to 20,000 Serratiopeptidase units)	25
140	RIFLIC-400	Each Film Coated Tablet Contains: Rifaximin Ph.Eur 400 mg + Excipients q.s.	25
141	RIFLIC-550	Each Film Coated Tablet Contains: Rifaximin Ph.Eur 550 mg + Excipients q.s.	26
142	RIVACLAN-10	Each Film Coated Tablet Contains: Rivaroxaban Micronised 10 mg + Excipients q.s.	26
143	RIVACLAN-2.5	Each Film Coated Tablet Contains: Rivaroxaban Micronised 2.5 mg + Excipients q.s.	26
144	ROSUEASE-10	Each Film coated contains: Rosuvastatin Calcium IP Eq. to Rosuvastatin 10 mg. + Excipients q.s.	26
145	ROSUEASE-20	Each Film coated contains: Rosuvastatin Calcium IP Eq. to Rosuvastatin 20 mg. + Excipients q.s.	26
146	ROXYTHRIVE-150	Each Film Coated Tablet Contains: Roxithromycin 150mg + Excipients q.s.	26
147	SEVENOVA-400	Each Film Coated Tablet Contains: Sevelamer Carbonate 400 mg + Excipients q.s.	27
148	SEVENOVA-800	Each Film Coated Tablet Contains: Sevelamer Carbonate 800 mg + Excipients q.s.	27
149	SITASEREN-100	Each Film coated tablet contains: Sitagliptin Phospate Monohydrate IP Eq. to Sitagliptin 100 mg	27
150	SITASEREN-50	Each Film coated tablet contains: Sitagliptin Phospate Monohydrate IP Eq. to Sitagliptin 50 mg	27
151	SITASEREN-DZ 10/100	Each Film coated tablet contains: Sitagliptin Phospate Monohydrate IP 100mg Eq. to Sitagliptin + Dapagliflozin Propanediol MonohydPTS eq. to Dapagliflozin 10mg	27
152	SITASEREN-M 1000	Each Film coated tablet contains: Sitagliptin Phospate Monohydrate IP Eq. to Sitagliptin 50 mg + Metformin Hydrochloride IP 1000mg + Excipients q.s.	27
153	SITASEREN-M 500	Each Film coated tablet contains: Sitagliptin Phospate Monohydrate IP Eq. to Sitagliptin 50 mg + Metformin Hydrochloride IP 500mg + Excipients q.s.	28
154	SODIDAY-500	Each Film Coated Tablet Contains: Sodium Bicarbonate IP 500 mg + Excipients q.s.	28
155	SUGASTAT-1000 SR	Each uncoated sustained release tablet contains: Metformin Hydrochloride IP 1000 mg. Excipients q.s.	28
156	SUGASTAT-500	Each uncoated tablet contains: Metformin Hydrochloride IP 500 mg. + Excipients q.s.	28
157	SUGASTAT-500 SR	Each uncoated sustained release tablet contains: Metformin Hydrochloride IP 500 mg. Excipients q.s.	28
158	SUGASTAT-G1 FORTE	Each uncoated bilayered tablet contains: Glimpeptide IP 1mg + Metformin Hydrochloride IP 1000mg (In sustained Release Form) Excipients q.s.	29

Note : MRP Can change anytime as per the guidelines given by DPCO

159	SUGASTAT-G1 SR	Each uncoated bilayered tablet contains: Glimepiride IP 1mg + Metformin Hydrochloride Ip 500mg (In sustained Release Form) Excipients q.s.	29
160	SUGASTAT-G2 FORTE	Each uncoated bilayered tablet contains; Glimepiride IP 2mg + Metformin Hydrochloride Ip 1000mg (In sustained Release Form) Excipients q.s.	30
161	SUGASTAT-G2 SR	Each uncoated bilayered tablet contains; Glimepiride IP 2mg + Metformin Hydrochloride Ip 500mg (In sustained Release Form) Excipients q.s.	30
162	SUGASTAT-PG1	Each uncoated bilayered tablet contains: Glimepiride IP 1 mg + Pioglitazone Hydrochloride IP Eq. to Pioglitazone 15 mg + Metformin Hydrochloride IP 500 mg (In Extended Release Form) + Excipients q.s.	31
163	SUGASTAT-PG2	Each uncoated bilayered tablet contains; Glimepiride IP 2 mg + Pioglitazone Hydrochloride IP Eq. to Pioglitazone 15 mg + Metformin Hydrochloride IP 500 mg (In Extended Release Form) + Excipients q.s.	31
164	TELMISPARK-20	Each Film coated tablet contains : Telmisartan I.P. 20mg. + Excipients q.s.	32
165	TELMISPARK-40	Each uncoated tablet contains : Telmisartan I.P. 40mg. + Excipients q.s.	32
166	TELMISPARK-AM	Each Film coated tablet contains : Telmisartan I.P. 40 mg. + Amlodipine Besylate equivalent to amlodipine 5 mg.+ Excipients q.s.	32
167	TELMISPARK-C	Each Film coated tablet contains : Telmisartan I.P. 40 mg. + Amlodipine Besylate equivalent to amlodipine 5 mg.+ Excipients q.s.	32
168	TELMISPARK-CC	Each Film coated tablet contains Telmisartan IP 40 mg. + Chlorthalidone IP 12.5 mg. + Clindipine IP 10 mg. Excipients q.s.	32
169	TELMISPARK-CH 40/12.5	Each Film coated tablet contains; Telmisartan IP 40 mg. Chlorthalidone IP 12.5 mg. Excipients q.s.	32
170	TELMISPARK-CH 40/6.25	Each Film coated tablet contains; Telmisartan IP 40 mg. Chlorthalidone IP 6.25 mg. Excipients q.s.	33
171	TELMISPARK-H	Each uncoated tablet contains :Telmisartan I.P. 40 mg. + Hydrochlorothiazide I.P. 12.5 mg. + Excipients q.s.	33
172	TELMISPARK-M 25	Each uncoated bilayer tablet contains: Telmisartan IP 40 mg. (in Immediate Release Form) + Metoprolol Succinate IP 23.75 mg. Eq. to Metoprolol Tartrate 25 mg. (In Extended Release Form) Excipients q.s.	33
173	TELMISPARK-M 50	Each uncoated bilayer tablet contains: Telmisartan IP 40 mg. (in Immediate Release Form) + Metoprolol Succinate IP 47.5 mg. Eq. to Metoprolol Tartrate 50 mg. (In Extended Release Form) Excipients q.s.	33
174	TENEBLEND-20	Each Film coated tablet contains : Teneligliptin Hydrobromide Hydrate IP Equivalent to Teneligliptin 20 mg. + Excipients q.s.	33
175	TENEBLEND-M	Each Film coated tablet contains : Teneligliptin Hydrobromide Hydrate IP eq. to Teneligliptin 20 mg. + Metformin Hydrochloride IP 500 mg. (In extended release form) Excipients q.s.	33
176	TENEBLEND-M FORTE	Each uncoated/bilayered tablet contains : Teneligliptin Hydrobromide Hydrate IP eq. to Teneligliptin 20 mg. + Metformin Hydrochloride IP 1000 mg. (In extended release form) Excipients q.s. (DOUBLE COLOUR)	34
177	TENOFLOW-300	Each film coated tablet contains : Tenofovir Disoproxil + Fumarate IP 300mg.+ Excipients q.s.	34
178	TERBINT	Each uncoated tablet contains : Terbinafine Hydrochloride IP Eq. to Terbinafine 250 mg + Excipients q.s.	34
179	THYROAST-100	Each uncoated tablet contains; Thyroxine Sodium I.P. eq. to Anhydrous Thyroxine Sodium 100 mcg + Excipients q.s.	34
180	THYROAST-25	Each uncoated tablet contains; Thyroxine Sodium I.P. eq. to Anhydrous Thyroxine Sodium 100 mcg + Excipients q.s.	34
181	THYROAST-50	Each uncoated tablet contains; Thyroxine Sodium I.P. eq. to Anhydrous Thyroxine Sodium 100 mcg + Excipients q.s.	34

Note : MRP Can change anytime as per the guidelines given by DPCO

182	THYROAST-75	Each uncoated tablet contains: Thyroxine Sodium I.P. eq. to Anhydrous Thyroxine Sodium 100 mcg + Excipients q.s.	35
183	TICLADOR-60	Each Film Coated Tablet Contains:Ticagrelor IP 60 mg + Excipients q.s.	35
184	TICLADOR-90	Each Film Coated Tablet Contains:Ticagrelor IP 90 mg + Excipients q.s.	35
185	TOFCLIDE-5	Each Film coated tablet contains: Tofacitinib Citrate IP 5mg eq. to Tofacitinib, Excipients q.s	35
186	TOFCLIDE-11	Each film coated extended release tablet contains: Tofacitinib Citrate 11 mg, eq. to Tofacitinib, Excipient q.s	35
187	TOLVASURE-15	Each uncoated Tablet Contains: Tolvaptan IP 15 mg + Excipients q.s.	35
188	TRAMESTIC-500	Each Film coated tablet contains : Tranexamic Acid IP 500 mg + Excipients q.s.	36
189	TRAMESTIC-MF	Each Film coated tablet contains : Tranexamic Acid IP 500 mg + Mefenamic Acid IP 250 mg + Excipients q.s.	36
190	TRAMESTIC-PLUS	Each Film coated tablet contains : Tranexamic Acid IP 250 mg + Pine Bark Extract 50mg + Excipients q.s.	36
191	UDIGLIDE-150	Each Film coated tablet contains: Ursodeoxycholic Acid IP 150 mg + Excipients q.s.	36
192	UDIGLIDE-300	Each uncoated tablet contains: Ursodeoxycholic Acid IP 300 mg + Excipients q.s.	36
193	URIGIVE-200	Each Film coated tablet contains: Flavoxate HCL IP 200 mg + Excipients q.s.	36
194	VILINGTIN-50	Each uncoated tablet contains: Vildagliptin 50mg. + Excipients q.s.	37
195	VILINGTIN-DZ 10/100 SR	Each film coated Bi-layared tablet contains: Dapagliflozin Propanediol Monohydrate eq. to Dapagliflozin 10 mg + Vildagliptin IP 100 mg (As Sustained release) Excipients q.s.	37
196	VILINGTIN-DZ 5/100 SR	Each film coated Bi-layared tablet contains: Dapagliflozin Propanediol Monohydrate eq. to Dapagliflozin 5 mg + Vildagliptin IP 100 mg (As Sustained release) Excipients q.s.	37
197	VILINGTIN-M	Each Film coated tablet contain : Vildagliptin 50mg. + Metformin Hydrochloride IP 500mg. + Excipients q.s.	37
198	VILINGTIN-M FORTE	Each Film coated tablet contain : Vildagliptin 50mg. + Metformin Hydrochloride IP 1000mg. + Excipients q.s.	37
199	VOGLIPIOT-0.2	Each uncoated mouth dissolving tablet contains: Voglibose IP 0.2 mg + Excipients q.s.	37
200	VOGLIPIOT-0.3	Each uncoated mouth dissolving tablet contains: Voglibose IP 0.3 mg + Excipients q.s.	38
201	VOGLIPIOT-MG-2	Each Uncoated Bilayered tablet contains : Voglibose IP 0.2 mg. + Glimepiride IP 2 mg. + Metformin Hydrochloride IP 500 mg.(As Sustained Release)	38
202	VOMIKILL-DS	Each uncoated tablet contain : Ondensterone 8mg Mouth Dissolving + Excipients q.s.	38
203	VOMIKILL-MD	Each uncoated tablet contain : Ondensterone 4mg Mouth Dissolving + Excipients q.s.	38
204	VOVEZAP	Each Enteric coated tablet contains : Diclofenac Sodium IP 50 mg.	38

Note : MRP Can change anytime as per the guidelines given by DPCO

HARD GELATIN CAPSULES

205	CLIMADOSE-300	Each hard gelatin capsule contains : Clindamycin HCl IP + Eq. to Clindamycin 300mg + Excipients q.s.	39
206	DABTRON-110	Each Hard Gelatin Capsule Contains: Dabigatran Etexilate Mesylate 126.83 mg Eq. to Dabigatran Etexilate 110 mg + Excipients q.s.	39
207	DABTRON-150	Each Hard Gelatin Capsule Contains: Dabigatran Etexilate Mesylate 172.95 mg Eq. to Dabigatran Etexilate 150 mg + Excipients q.s.	39
208	ESMOCLEAR-DSR	Each hard Gelatin Capsule Contains : Esomeprazole 40 mg + Domperidone 30 mg + Excipients q.s.	39
209	ESMOCLEAR-LS	Each hard Gelatin Capsule Contains : Esomeprazole 40 mg + Domperidone 75 mg + Excipients q.s.	40
210	GABACLIDE-300	Each hard Gelatin Capsule Contains :Gabaclicide 300mg + Excipients q.s.	40
211	INTOZOX-100	Each HPMC capsule contains: Itraconazole BP 100 mg (In the pellets form) + Excipients q.s.	40
212	INTOZOX-200	Each HPMC capsule contains: Itraconazole BP 200 mg (In the pellets form) + Excipients q.s.	40
213	OCITAMVIR-75	Each Hard Gelatin Capsule contains: Oseltamivir Phosphate IP Eq.to Oseltamivir 75 mg	40
214	PANTOSPORT-DSR	Each hard gelatin capsule contain : Pantoprazole Sodium Sesquihydrate IP 40mg. (As enteric coated pellets) Domperidone IP 30 mg. (as sustained release pellets) Excipients q.s.	40
215	PANTOSPORT-IT	Each hard gelatin capsule Contains: Pantoprazole Sodium I.P.eq. to Pantoprazole 40 mg. (as enteric coated granules) + Itopride Hydrochloride I.P. 150mg. (as sustained release Pellets) Excipients q.s.	41
216	PANTOSPORT-LS	Each hard gelatin capsule contains: Pantoprazole Sodium Sesquihydrate IP 40 mg. + Levosulpiride 75 mg.	41
217	PG CLIDE-75	Each hard gelatin capsule contains: Pregabalin IP 75 mg + Excipients q.s.	41
218	RABIFOG-DSR	Each hard gelatin capsule contains:Rabeprazole sodium IP 20mg. (as enteric coated Pellets) Levosulpride 75mg. (as sustained release pellets) Excipients q.s.	41
219	RABIFOG-IT	Each hard gelatin capsule Contains: Rabeprazole Sodium IP 20mg. + Itopride 150mg. Excipients q.s.	41
220	RABIFOG-LS	Each hard gelatin capsule contains: Rabeprazole IP 20 mg. + Levosulpiride 75 mg.	41
221	ROSUEASE-AS 10	Each Hard Gelatin Capsule Contains: Rosuvastatin Calcium IP Equivalent to Rosuvastatin 10 mg (As Granules) + Aspirin IP 75 mg (As gastro-resistant tablet) + Excipients q.s.	42
222	ROSUEASE-AS 20	Each Hard Gelatin Capsule Contains: Rosuvastatin Calcium IP Equivalent to Rosuvastatin 20 mg (As Granules) + Aspirin IP 75 mg (As gastro-resistant tablet) + Excipients q.s.	42
223	ROSUEASE-GOLD 10	Each Hard Gelatin Capsule Contains: Rosuvastatin Calcium IP Eq.to Rosuvastatin 10 mg (As Granules) + Clopidogrel Bisulphate IP Eq.to Clopidogrel 75 mg + (As Granules) + Aspirin IP 75 mg (As Gastro-resistant tablets IP) + Excipients q.s.	42
224	ROSUEASE-GOLD 20	Each Hard Gelatin Capsule Contains: Rosuvastatin Calcium IP Eq.to Rosuvastatin 20 mg (As Granules) + Clopidogrel Bisulphate IP Eq.to Clopidogrel 75 mg + (As Granules) + Aspirin IP 75 mg (As Gastro-resistant tablets IP) + Excipients q.s.	42

Note : MRP Can change anytime as per the guidelines given by DPCO

225	SILORELIEF-8	Each hard gelatin Capsule Contains: Silodosin 8 mg + Excipients q.s.	42
226	SILORELIEF-4	Each hard gelatin Capsule Contains: Silodosin 4 mg + Excipients q.s.	42
227	SILORELIEF-D	Each hard gelatin Capsule Contains: Silodosin 8 mg + Dutasteride IP 0.5 mg (As uncoated tablet) + Excipients q.s.	43
228	THIOSEREN-4	Each hard gelatin capsule contain : Thiocolchicoside IP 4mg. + Excipients q.s.	43

INJECTION

229	CEFTALIN- 1GM	Each Vial contains : Ceftriaxone Sodium I.P. (Sterile) Eq. to Ceftriaxone 1000 mg.	44
230	CEFTALIN-SB 1.50GM	Each ML. contains: Ceftriaxone Sodium IP 1000 MG.+ Sulbactam Sodium USP 500 mg.	44
231	CLICOLINE	Each ml. Contains: Cliticoline Sodium IP eq. to Cliticoline 250 mg. + Water for injection IP q.s.	44
232	DROTAZAP	Each 2 ml Contains: Drotaverine HCl IP 40 mg + Benzyl Alcohol IP 1.5%w/v	44
233	PANTOSPORT	Each Vial Contains:Pantoprazole IP 40 mg.	45
234	RANIPLAY	Each ML. Contains: Ranitidine Hydrochloride IP Eq. To Ranitidine 25 mg. + Phenol 0.5% w/v (As Preservative) Water for injection IP q.s.	45
235	TRAMESTIC	Each 5ml contains: Tranexamic Acid IP 500 mg.	45
236	VOMIKILL 2ML	Each ML. contains: Ondansetron Hydrochloride IP 2 mg/ml.	45
237	VOMIKILL 10ML	Each ML. contains:Ondansetron HCL IP EQ to Ondansetron Water for injection IP q.s.	45
238	VOVEZAP	Each 1 ML. contains:Diclofenac Sodium IP 75 mg. + Benzyl Alcohol IP 4% w/v.	45

OINTMENTS

239	ORANIL	Choline Salicylate Sol. BP. (equivalent to Choline Salicylate) 8.7% w/w. + Lignocaine Hydrochloride I.P. 2.0% w/w + Preservative Benzalkonium Chloride Solution IP 0.01% w/w.	46
240	CUTTIEECREAM	Hydroquinone USP 2% w/w Tretinoin USP 0.025% w/w Mometasone Furoate IP 0.1% w/w Cream Base q.s.	46
241	DERMIRAX-5	Clobetasol Propionate BP 0.05 % w/w + Neomycin Sulphate IP 0.10% w/w + Tolnate IP 1.00% w/w + Ledochlorhydroxyquinoline IP 1.00 % w/w + Ketoconazole IP 2.00 % w/w	46
242	FITXTRA	Diclofenac Diethylamine IP 1.16% w/w + (Eq. to Diclofenac Sodium I.P. 1.00% w/w) + Linseed Oil BP 3.00% w/w +Methyl Salicylate IP 10.00% w/w Menthol IP 0.5% w/w + Benzyl Alcohol IP 1.00% w/w (As Preservative) + In Gel Base	46

Note : MRP Can change anytime as per the guidelines given by DPCO

243	GABACLIDE CREAM	Gabapentin IP. 8% w/w + Ketoprofen IP 5%w/w + Capsaicin USP 0.035%w/w + Methyl Salicylate IP 5%w/w + Cream Base q.s.	47
244	OFLOCATE-TC	Itraconazole Hydrochloride IP 1.0% w/w + Ofloxacin IP 0.75% w/w Clobetasol Propionate IP 0.05% w/w Ornidazole Preservative IP 2.0% w/w + Methylparaben IP 0.20% w/w + Propylparaben IP 0.02% w/w	47
245	OXOVID-TC	Itraconazole Hydrochloride IP 1.0% w/w + Ofloxacin IP 0.75% w/w Clobetasol Propionate IP 0.05% w/w Ornidazole Preservative IP 2.0% w/w + Methylparaben IP 0.20% w/w + Propylparaben IP 0.02% w/w	47
246	PILECLIDE CREAM	Bedomethasone Dipropionate IP 0.025% w/w + Phenylephrine Hydrochloride IP 0.10% w/w + Lignocaine Hydrochloride IP 2.50% w/w + Chlorocresol IP q.s. (as presevative) In aqueous cream base	47
247	POVICLIDE	Povidone-Iodine IP 5% w/w	47
248	TERBINT	Terbinafine Hydrochloride B.P 1 % W/W	47

SOFT GELATIN CAPSULES

249	CLIDE D3 CAP	Each Soft gelatin capsule contains: Cholecalciferol I.P 60,000 IU	48
250	CLIDE-Q10 FORTE	Each Soft gelatin capsule contains: CO-Enzyme Q10-100mg , Lcarnitine Cyanocobalamin, Lycopene, Multivitamin with DHA, L-Arginine & Green Tea Extract	48
251	CLIDE-Q10 GOLD	Each Soft gelatin capsule contains: CO-Enzyme Q10-300mg , Lcarnitine Cyanocobalamin, Lycopene, Multivitamin with DHA, L-Arginine & Green Tea Extract	48
252	HEALTHY DAYZ-5G	Omega3 fatty acid,EPA,DHA,green tea extract,garlic oil etc.	48
253	MYCOQUELL-200	Each Soft gelatin capsule contains: Progesterone IP 200 mg.	49
254	OMIXGRO-4G MIX	Each soft gelatin capsule per serving contains: Omega 3, Omega 6, Omega 9 Essential Fatty Acids, Derived from Flax Seed Oil (Alpha Linolenic Acid 253 mg, Linoleic Acid 88.3 mg, Oleic Acid 21.3 mg) + Excipients q.s.Other Ingredients: Gelatin (Capsule shell), Glycerin, Sorbitol, Refined Soyabean Oil, Butylated Hydroxy Anisole & Class II Preservative (218)	49
255	OXYGRAIN-GM	Each Soft gelatin capsule contains: Antioxidant, Lycopene, Multivitamin, Minerals, Ginseng & Cyanocobalamin Softgel.+ ETC	49

EYE DROPS

256	HYALOLIDE	Sodium Hyaluronate B.P. 0.1% w/v + Sodium Perborate B.P. 0.028% w/v (as Preservative) Sterile Aqueous base q.s.	50
257	TOBRACLIDE	Tobramycin Sulphate U.S.P. Eq. to Tobramycin 0.3% w/v, Benzalkonium Chloride Solution I.P. 0.004% v/v (as Preservative), Sterile Aqueous base q.s.	50
258	TOBRACLIDE-F	Tobramycin Sulphate U.S.P. Tobramycin 0.3% w/v eq, Fluorometholone I.P. 0.1% w/v + Benzalkonium Chloride Solution I.P. 0.004% v/v (as Preservative) Sterile aqueous base q.s.	50
259	TRAVALIDE	Travoprost IP 0.004% w/v + Benzalkonium Chloride Solution IP 0.02% w/v (as preservative) + Sterile Aqueous Base q.s.	50

Note : MRP Can change anytime as per the guidelines given by DPCO

RESPULES

260	BUDELUXE-1MG	Each 2ml Respules contains: Budesonide IP 0.5mg	51
261	BUDELUXE-0.5MG	Each 2ml Respules contains: Budesonide IP 0.5mg	51

SYRUPS

262	CALCLIDE SYRUP	Each 5 ml. contains:Calcium carbonate I.P. 625mg + eq. To elemental calcium 250 mg + vitamin D3 I.P. 125 I.U.(colour: Erythrosine), flavoured syrupy base q.s. (BANANA FLAVOURED)	52
263	CETICLIDE (60ML)	Each 5ml. Contains.: Cetirizine Hydrochloride I.P. 5mg.	52
264	CETICLIDE (30ML)	Each 5ml. Contains.: Cetirizine Hydrochloride I.P. 5mg.	52
265	CETICLIDE COLD-DS	Each 5 ml. Contains : Cetirizine Hydrochloride IP 5mg. + Phenylephrine HCl IP 5mg+ Paracetamol IP 250 mg, flavoured syrupy base q.s.	52
266	CLIDE-D3 PLUS (NANO SHOT)	Each 5 ml Contains: Cholecalciferol Concentrate IP (as stabilized) eq. to Cholecalciferol 80000 IU (In nano Droplet from)	53
267	CLIDE ZINC SYR	Each 5 ml contains: Zinc Gluconate USP (as Dihydrate) eq. to Elemental zinc 20 mg, in a flavored syrupy base	53
268	CLIZYME SYR	DIGESTIVE ENZYME, B-COMPLEX WITH L-LYSINE SYRUP	53
269	COUGH CLIDE DS	AYURVEDIC COUGH SYURP	53
270	CYPOCLIDE SYR	Each 5ml. Contains : Cyproheptadine Hydrochloride IP 2 mg. + Tricholine CitPTS Solution (65%) 275mg.	53
271	FERRICLIDE SYR	IRON AND FOLIC ACID SYRUP	53
272	HEMCLIDE SYRUP	An Ideal Uterine Tonic	54
273	LACTVIEW (100ml)	Each 15ml. Contains:Lactulose Concentrate USP Eq. To lactulose (66% w/v) 10gm + Aqueous base q.s.	54
274	LACTVIEW (200ml)	Each 15ml. Contains:Lactulose Concentrate USP Eq. To lactulose (66% w/v) 10gm + Aqueous base q.s.	54
275	LACTVIEW (450ml)	Each 15ml. Contains:Lactulose Concentrate USP Eq. To lactulose (66% w/v) 10gm + Aqueous base q.s.	54
276	LECOZINE SYR	Each 5ml. Contains.Levocetirizine Hydrochloride IP 2.5 mg	54
277	LEUKOLIDE	Herbal Syrup For Leukorea (Uterine Tonic)	54
278	MEFCLIDE-PLUS	Each 5ml contains: Mefenamic Acid IP 100mg. + Paracetamol IP 250mg. + Flavoured Syrup Base Q.S	55

Note : MRP Can change anytime as per the guidelines given by DPCO

279	MAHADEX-MINT	Each 5ml.contains: Dextromethorphan Hydrobromide IP 5 mg. + Phenylephrine HCL 2.5 mg. + Cetirizine HCL IP 5 mg, In a flavoured syrupy base q.s	55
280	MULTIPACE SYRUP 200ML	Anti-oxidant and L-lysine with Multivitamin,Multiminerals and Cyanocobalamin syrup	55
281	MULTIPACE SYRUP 300ML	Anti-oxidant and L-lysine with Multivitamin,Multiminerals and Cyanocobalamin syrup	55
282	PARASEREN SYR	Each 5ml.contains Paracetamol IP 125 mg,	55
283	PARASEREN-DS SYR	Each 5ml. Contains : Paracetamol Ip 250 mg,	55
284	RANIPLAY SYRUP	Each 5 ml contact : Ranitidine Hydrochloride IP eq to ranitidine 75mg	56

DRY SYRUPS

285	AUSPOD DRY SYR	Each 5ml after Reconstitution contains: Cefpodoxime Proxetil I.P. 50 mg eq. to Cefpodoxime (Anhydrous), Excipients q.s.	57
286	AUGOSHIELD DRY SYR	Each 5 ml. of the Reconstituted suspension contains: Amoxycillin Trihydrate I.P 200 mg eq. to Amoxycillin, + Potassium Clavulanate Diluted I.P. 28.5mg eq. to Clavulanic Acid, Excipients q.s.)	57

WASH AND SPRAY

287	CLIDE FACE WASH	FACE WASH	58
288	CLIDE MOUTH WASH	Chlorhexidine Gluconate I.P. 0.2% w/v	58
289	CLIDE VAGINAL WASH	Chlorhexidine Gluconate I.P. 0.2% w/v	58
290	MINOX EASY-10	Each ml contains: Minoxidil IP 10% w/v Base q.s.	58
291	MINOX EASY-5	Each ml contains: Minoxidil IP 5% w/v Base q.s.	59
292	MINOX EASY-F	Each ml contains: Minoxidil IP 5% w/v + Finesteride 0.1% w/v Base q.s.	59

Note : MRP Can change anytime as per the guidelines given by DPCO

AYURVEDIC AND NUTRACETICALS

293	CLIDE ASHOKA CARDIAL 200ML	TONIC FOR WOMEN	60
294	CLIDE ASHOKA CARDIAL 450ML	TONIC FOR WOMEN	60
295	CLIDE JAMUN KARELA CAPSULE	USEFUL FOR MAINTAINING HEALTHY BLOOD SUGAR LEVELS	60
296	CLIDE JAMUN KARELA PLUS JUICE 500 ML	ANTI DIABETIC JUICE	60
297	CLIDE MUSLI PLUS	Each hard gelatin capsule contains : Safed Musli + swarn Bhasm + Shllajeet + Ashwagandha	61
298	CLIDE NONI JUICE 500ML	Herbal Health Supplement	61
299	FITXTRA PAIN OIL	Oil For:-Osteoarthritis,Spondylitis,Low Back Pain,Muscular pain	61
300	KESH CLIDE OIL 100 ML	HAIR OIL WITH HERBS	61
301	LEUKOLIDE CAPSULES	Herbal Capsule For Leukorea	61
302	LIV CLIDE-DS	Liver Tonic Ayurvedic Sryup	61
303	LIV P ZIME 100 ML	Enzyme with Liver Tonic	62
304	LIV P ZIME 200 ML	Enzyme with Liver Tonic	62
305	LIV P ZIME DS 225 ML	Herbal Enzyme with the Benefits of Liver Syrup	62
306	PILECLIDE CAPSULE (1x60)	USEFUL AGAINST PILES	62
307	PILECLIDE CAPSULE (10x1x10)	USEFUL AGAINST PILES	62

308	UPCOMING PRODUCTS	63 To 76
-----	------------------------------	----------------

Note : MRP Can change anytime as per the guidelines given by DPCO

TABLETS



ACARSAVE-50



Composition :

Each uncoated tablet contains:
 Acarbose IP 50 mg.
 Excipients q.s.

Indication: Acarbose is used (with diet only or diet and other medications) to treat type 2 diabetes (condition in which the body does not use insulin normally and therefore cannot control the amount of sugar in the blood).

10X10 Tablets
(ALUMINIUM)

M.R.P. 152/- Strip

ACETPURE-600



Composition :

Each film coated tablet contains :
 N-Acetylcysteine BP 600mg.
 Excipients q.s.

Indication: When inhaled by mouth, acetylcysteine is used to help thin and loosen mucus in the airways due to certain lung diseases (such as emphysema, bronchitis, cystic fibrosis, pneumonia.) This effect helps you to clear the mucus from your lungs so that you can breathe easily.

10X10 Tablets
(ALU-ALU)

M.R.P. 220/- Strip

ACETPURE-AC



Composition :


Each Film coated tablet Contains:
 N-Acetylcysteine BP 600 mg.
 Acebrophylline 100mg.
 Excipients q.s.

Indication: Acebrophylline+Acetylcysteine 100mg/600mg Tablet is used to treat and prevent asthma and symptoms of chronic obstructive pulmonary disorder such as coughing, wheezing, and shortness of breath.

10X15 Tablets
(ALUMINIUM)

M.R.P. 290/- Strip

ACETPURE-T



Composition :

Each Film Coated Tablet Contains:
 N-Acetylcysteine USP 150mg.
 Taurine USP 500mg.
 Excipients q.s.

Indication: Taurine + Acetylcysteine is a combination of two antioxidants: Taurine and Acetylcysteine. These antioxidants work by protecting the kidneys from damage by harmful chemical (free radicals).

10X15 Tablets
(ALUMINIUM)

M.R.P. 174/- Strip

TABLETS

ALENPHONE-70



Composition :
Each uncoated tablet contains :
Sodium Alendronate Trihydrate
USP
Eq. to Alendronate Acid 70mg.
Excipients q.s.

Indication: Alendronate acid, sold under the brand name Fosamax among others, is a bisphosphonate medication used to treat osteoporosis and Paget's disease of bone. It is taken by mouth.

10X1X4 Tablets
(ALU-ALU)

M.R.P. 165/- Strip

ALFUZAP-10




Composition :
Each Film Coated Extended Release
Tablet Contains:
Alfuzosin Hydrochloride IP 10mg.
Excipients q.s.

Indication: Alfuzosin is used to treat the signs and symptoms of benign enlargement of the prostate (benign prostatic hyperplasia or BPH). Benign enlargement of the prostate is a problem that can occur in men as they get older. The prostate gland is located below the bladder.

10X15 Tablets
(BLISTER)

M.R.P. 247.50/- Strip

ALFUZAP-D



Composition :
Each Film Coated Bilayered Tablet
Contains:
Alfuzosin Hydrochloride IP 10mg.
(In extended release form)
Dutasteride 0.5mg.
Excipients q.s.

Indication: Alfuzosin is an alpha-blocker. It works by relaxing the muscle around the bladder exit and prostate gland so as to allow easy passage of urine. get older.

10X15 Tablets
(BLISTER)

M.R.P. 358.50/- Strip

AMLOEASE-10



Composition :
Each uncoated tablet contains:
Amlodipine Besylate IP
Eq. to Amlodipine 10mg.
Excipients q.s.

Indication: Amlodipine is used alone or in combination with other medications to treat high blood pressure in adults and children 6 years and older. It is also used to treat certain types of angina (chest pain) and coronary artery disease (narrowing of the blood vessels that supply blood to the heart).

5X4X15 Tablets
(BLISTER)

M.R.P. 91.38/- Strip

AMLOEASE-2.5



Composition :
Each uncoated tablet contains:
Amlodipine Besylate IP
Eq. to Amlodipine 2.5 mg.
Excipients q.s.

Indication: Amlodipine is used alone or in combination with other medications to treat high blood pressure in adults and children 6 years and older. It is also used to treat certain types of angina.

5X4X15 Tablets
(BLISTER)

M.R.P. 30.06/- Strip

AMLOEASE-5



Composition :
Each uncoated tablet contains:
Amlodipine Besylate IP
Eq. to Amlodipine 5 mg.
Excipients q.s.

Indication: Amlodipine is used alone or in combination with other medications to treat high blood pressure in adults and children 6 years and older. It is also used to treat certain types of angina (chest pain) and coronary artery disease.

5X4X15 Tablets
(BLISTER)

M.R.P. 37.46/- Strip

TABLETS

ATOREASE-10



Composition :

Each film coated tablet contains :
 Atorvastatin Calcium IP
 Eq. to Atorvastatin 10 mg.
 Excipients q.s.

Indication: Atorvastatin is used to lower lipids known as cholesterol and triglycerides in the blood when a low fat diet and life style changes on their own have failed. Atorvastatin can also be used to reduce such risk even if your cholesterol levels are normal.

5X4X15 Tablets
(BLISTER)

M.R.P. 73.57/- Strip

ATOREASE-20



Composition :

Each film coated tablet contains :
 Atorvastatin Calcium IP
 Eq. to Atorvastatin 20 mg.
 Excipients q.s.

Indication: Atorvastatin is used to lower lipids known as cholesterol and triglycerides in the blood when a low fat diet and life style changes on their own have failed. If you are at an increased risk of heart disease, Atorvastatin can also be used to reduce such risk even if your cholesterol levels are normal.

5X4X15 Tablets
(BLISTER)

M.R.P. 207.36/- Strip

ATOREASE-40



Composition :

Each film coated tablet contains :
 Atorvastatin Calcium IP
 Eq. to Atorvastatin 40 mg.
 Excipients q.s.

Indication: Atorvastatin is used to lower lipids known as cholesterol and triglycerides in the blood when a low fat diet and life style changes on their own have failed. Atorvastatin can also be used to reduce such risk even if your cholesterol levels are normal.

5X4X15 Tablets
(BLISTER)

M.R.P. 324.06/- Strip

AUGOSHIELD-625



Composition :

Each Film coated tablet contains:
 Amoxicillin Trihydrate IP
 Eq. to Amoxycillin 500 mg.
 Potassium Clavulanate Diluted IP
 Eq. to Clavulanic Acid 125mg.

Indication: Amoxicillin/clavulanic acid is a combination penicillin type antibiotic used to treat a wide variety of bacterial infections. It works by stopping the growth of bacteria. This antibiotic treats only bacterial infections.

10X10 Tablets
(ALU-ALU)

M.R.P. 204.84/- Strip

AUGOSHIELD-625



Composition :


Each Film coated tablet contains:
 Amoxicillin Trihydrate IP
 Eq. to Amoxycillin 500 mg.
 Potassium Clavulanate Diluted IP
 Eq. to Clavulanic Acid 125mg.

Indication: Amoxicillin/clavulanic acid is a combination penicillin type antibiotic used to treat a wide variety of bacterial infections. It works by stopping the growth of bacteria. This antibiotic treats only bacterial infections.

10X1X10 Tablets
(ALU-ALU)

M.R.P. 204.84/- Strip

AUGOSHIELD-625



Composition :

Each Film coated tablet contains:
 Amoxicillin Trihydrate IP
 Eq. to Amoxycillin 500 mg.
 Potassium Clavulanate Diluted IP
 Eq. to Clavulanic Acid 125mg.

Indication: Amoxicillin/clavulanic acid is a combination penicillin type antibiotic used to treat a wide variety of bacterial infections. It works by stopping the growth of bacteria. This antibiotic treats only bacterial infections.

10X1X6 Tablets
(ALU-ALU)

M.R.P. 122.90 /- Strip

TABLETS

AUSPOD-CV



Composition :

Each film coated tablet contains :
 Cefpodoxime Proxetil IP
 Eq. to Cefpodoxime 200mg.
 Potassium Clavulanate IP
 Eq. to Clavulanic Acid 125 mg.
 Excipients q.s.

Indication: Cefpodoxime Proxetil and Potassium Clavulanate Tablet is an antibiotic is used to treat various bacterial infection such as tonsillitis, ear infection, urinary tract infections (UTIs), bronchitis, and other infection.

10X1X10 Tablets
(Aluminium)

M.R.P. 590/- Strip

AUSPOD-O 200



Composition :

Each film coated tablet contains :
 Cefpodoxime Proxetil IP
 Eq. to Cefpodoxime 200mg.
 Excipients q.s.

Indication: Cefpodoxime is used to treat certain infections caused by bacteria such as bronchitis (infection of the airway tubes leading to the lungs); pneumonia; gonorrhoea (a sexually transmitted disease); and infections of the skin, ear, sinuses, throat, tonsils, and urinary tract.

10X1X10 Tablets
(ALU-ALU)

M.R.P. 360/- Strip

AXCLOCLIDE-200 SR



Composition :

Each film coated sustained Release tablet contains:
 Aceclofenac I.P 200MG.

Indication: Aceclofenac is prescribed for people with painful rheumatic conditions such as osteoarthritis, rheumatoid arthritis and ankylosing spondylitis. It eases pain and reduces inflammation. Aceclofenac works by blocking the effect of natural substances called cyclo-oxygenase (COX) enzymes.

2X5X10 Tablets
(BLISTER)

M.R.P. 45/- Strip

AXCLOCLIDE-MR



Composition :

Each film coated tablet contains:
 Aceclofenac IP 100mg.
 Paracetamol IP 325mg.
 Chlorzoxazone USP 250mg.
 Excipients q.s.

Indication: Aceclofenac+Paracetamol+Chlorzoxazone Tablet is a combination medicine that is used to relieve pain, inflammation, and swelling in conditions that affect muscles. Also, it effectively relieves muscle stiffness or spasm, thereby improving muscle movement.

20X10 Tablets
(ALU-ALU)

M.R.P. 105/- Strip

AXCLOCLIDE-PLUS



Composition :

Each film coated tablet contains:
 Aceclofenac IP 100 mg.
 Paracetamol IP 325 mg.
 Excipients q.s.

Indication: Aceclofenac+Paracetamol is a pain-relieving medicine. It is used to reduce pain and inflammation in conditions like rheumatoid arthritis, ankylosing spondylitis, and osteoarthritis. It may also be used to relieve muscle pain, back pain, or pain in the ear and throat.

10X2X10 Tablets
(BLISTER)

M.R.P. 75/- Strip

AXCLOCLIDE-S



Composition :

Each film coated tablet contains:
 Aceclofenac IP 100 mg.
 Paracetamol IP 325 mg.
 Serratiopeptidase IP 10mg.
 Excipients q.s.

Indication: Aceclofenac, Paracetamol & Serratiopeptidase Tablet is used as a pain killer or pain relief medicines. This is effective in cases where acute and mild pains are felt due to a headache, mild migraine, menstrual cramps, musculoskeletal pain etc.

20X10 Tablets
(ALU-ALU)

M.R.P. 120/- Strip

TABLETS

AXCLOCLIDE-SP



Composition :

Each film coated tablet contains:
Aceclofenac IP 100 mg.
Paracetamol IP 325 mg.
Serratiopeptidase IP 15mg.
Excipients q.s.

Indication: Aceclofenac, Paracetamol & Serratiopeptidase Tablet is used as a pain killer or pain relief medicines. This is effective in cases where acute and mild pains are felt due to a headache, mild migraine, menstrual cramps, musculoskeletal pain etc.

20X10 Tablets
(ALU-ALU)

M.R.P. 130/- Strip

AXCLOCLIDE-TH



Composition :

Each film coated tablet contains:
Aceclofenac IP 100 mg.
Thiolcolchicoside IP 4mg.
Excipients q.s.

Indication: ACECLOFENAC+THIOLCOLCHICOSIDE is a combination medication used to reduce and relieve pain due to muscle spasms associated with degenerative vertebral disorders, vertebral static problems, dorsal pain, low back pain, and torticollis.

10X10 Tablets
(ALU-ALU)

M.R.P. 270/- Strip

AXCLOCLIDE-THP



Composition :

Each Film coated tablet contains:
Aceclofenac IP 100 mg.
Paracetamol IP 325 mg.
Thiolcolchicoside IP 4 mg.
Excipients q.s.

Indication: ACECLOFENAC+PARACETAMOL+THIOLCOLCHICOSIDE is a combination medicine used to relieve pain and inflammation associated with osteoarthritis, rheumatoid arthritis, ankylosing spondylitis, muscle pain, bone and joint

10X1X10 Tablets
(ALU-ALU)

M.R.P. 325/- Strip

AZATHPRO-50



Composition :

Each uncoated tablet contains :
Azathioprine IP 50mg.
Excipients q.s.

Indication: Azathioprine is used to prevent organ rejection in people who have received a kidney transplant. It is usually taken alongwith other medications to allow your new kidney to function normally.

10X14 Tablets
(BLISTER)

M.R.P. 142.25/- Strip

BENIPULSE-4



Composition :

Each film coated tablet Contains :
Benidipine Hydrochloride IP 4mg.
Excipients q.s.

Indication: BENIDIPINE belongs to a class of medicines called calcium channel blockers, which is primarily used to treat hypertension (high blood pressure) and angina-pectoris (chest pain).

10X10 Tablets
(ALU-ALU)

M.R.P. 75/- Strip

BENIPULSE-8



Composition :

Each film coated tablet Contains :
Benidipine Hydrochloride IP 8mg.
Excipients q.s.

Indication: BENIDIPINE belongs to a class of medicines called calcium channel blockers, which is primarily used to treat hypertension (high blood pressure) and angina-pectoris (chest pain).

10X10 Tablets
(ALU-ALU)

M.R.P. 140/- Strip

TABLETS

BETHIRE -25



Composition :

Each uncoated tablet contains :
Bethanechol Chloride USP 25mg.
Excipients q.s.

Indication: This medication is used to treat certain bladder problem such as the inability to urinate or empty the bladder completely due to certain causes (e.g., surgery, bladder muscle problem). It works by helping the bladder muscle to squeeze better, thereby improving your ability to urinate.

10X10 Tablets
(Aluminium)

M.R.P. 145/- Strip

BILABLIX-M



Composition :

Each Film coated Tablet Contains:
Bilastine 20 mg.
Montelukast Sodium IP Eq. to
Montelukast 10 mg.
Excipients q.s.

Indication: BILASTINE+MONTELUKAST belongs to a class of medication called 'anti-allergic medication, primarily used to treat allergic conditions like sneezing, runny nose, congestion, stuffy nose or watery eyes.

10X10 Tablets
(Alu-Alu)

M.R.P. 245/- Strip

BOSNIC-62.5



Composition :

Each film coated tablet contains :
Bosentan Monohydrate
eq. to Bosentan 62.5mg.
Excipients q.s.

Indication: Bosentan is used to treat pulmonary arterial hypertension, which is high blood pressure of the blood vessels between the heart and lungs. Bosentan works to block the effect of a natural compound called endothelin.

10X1X10 Tablets
(BLISTER)

M.R.P. 795/- Strip

BRYBRAIN-50



Composition :

Each film coated tablet contains :
Brivaracetam 50mg.
Excipients q.s.

Indication: Brivaracetam is used along with other medications to control partial onset seizures (seizures that involve only one part of the brain) in adult and children 4 years of age and older. Brivaracetam is in a class of medications called anticonvulsants.

5X2X14 Tablets
(BLISTER)

M.R.P. 338/- Strip

BRYBRAIN-100



Composition :

Each film coated tablet contains :
Brivaracetam 100mg.
Excipients q.s.

Indication: Brivaracetam is used along with other medications to control partial onset seizures (seizures that involve only one part of the brain) in adult and children 4 years of age and older. Brivaracetam is in a class of medications called anticonvulsants.

5X2X14 Tablets
(BLISTER)

M.R.P. 672/- Strip

CABEREASE-0.5



Composition :

Each uncoated Tablet Contains:
Cabergoline IP 0.5 mg.
Excipients q.s.

Indication: Cabergoline 0.5 Tablet contains Cabergoline, which belongs to a group of medicines that reduces the level of prolactin. It is used to treat medical problems such as galactorrhoea due to abnormally high level of prolactin.

10x1x4 Tablets
(ALUMINIUM)

M.R.P. 399/- Strip

TABLETS

CALCLIDE



Composition :

Each film coated tablet contains:
Calcium 500mg.
Vitamin D3 25 I.U
Excipients q.s.

Indication: Calcium And Vitamin D3 Tablet is used for the treatment of vitamin D and calcium deficiency. It is used for the treatment of osteoporosis or bone-related disorders.

20x15 Tablets
(BLISTER)

M.R.P. 105/- Strip

CETICLIDE



Composition :

Each Uncoated Tablet Contains:
Cetrizine 10mg.
Excipients q.s.

Indication: Cetrizine Tablet belongs to a group of medicines called antihistamines. It is used to treat various allergic conditions such as hay fever, conjunctivitis and some skin reactions, and reactions to bites and stings.

10x5x10 Tablets
(BLISTER)

M.R.P. 21.05/- Strip

CETICLIDE PLUS (ROUND)



Composition :

Each uncoated tablet contains:
Cetrizine HCL IP 5mg.
Phenylephrine HCL IP 5mg.
Paracetamol IP 325mg.

Indication: Cetrizine Dihydrochloride 5 Mg + Phenylephrine Hcl 5 Mg + Paracetamol 325 Mg tablet is commonly used for the relief of symptoms associated with allergic rhinitis, sinusitis, and the common cold.

30x10 Tablets
(BLISTER)

M.R.P. 65/- Strip

CILNIPULSE-10



Composition :

Each film coated tablet contains:
Cilnidipine IP 10mg.
Excipients q.s.

Indication: Cilnidipine 5mg Tablet is a medicine used to treat high blood pressure (hypertension). It belongs to a class of medicines known as a calcium channel blocker which helps to lower blood pressure.

20x10 Tablets
(ALU-ALU)

M.R.P. 69/- Strip

CILNIPULSE-20



Composition :

Each film coated tablet contains:
Cilnidipine IP 20mg.
Excipients q.s.

Indication: Cilnidipine 5mg Tablet is a medicine used to treat high blood pressure (hypertension). It belongs to a class of medicines known as a calcium channel blocker which helps to lower blood pressure. This helps prevent heart attacks and strokes. It may also be prescribed to prevent angina.

20x10 Tablets
(ALU-ALU)

M.R.P. 120/- Strip

CILNIPULSE-5



Composition :

Each film coated tablet contains:
Cilnidipine IP 5mg.
Excipients q.s.

Indication: Cilnidipine 5mg Tablet is a medicine used to treat high blood pressure (hypertension). It belongs to a class of medicines known as a calcium channel blocker which helps to lower blood pressure. This helps prevent heart attacks and strokes.

10x10 Tablets
(ALU-ALU)

M.R.P. 48/- Strip

TABLETS

CLICOLINE-500



Composition :


Each film coated tablet contains :
Citicoline Sodium IP
Eq. to Citicoline 500mg.
Excipients q.s.

Indication: Citicoline is taken by mouth or given as an injection to help memory loss due to aging, improve vision in people with glaucoma. It is also used for Alzheimer disease, Parkinson disease, bipolar disorder, lazy eye, and other conditions of the brain.

10X1X10 Tablets
(ALU-ALU)

M.R.P. 540/- Strip

CLICOLINE-PLUS



Composition :



Each film coated tablet contains :
Citicoline Sodium IP
Eq. to Citicoline 500mg.
Piracetam IP 800mg.
Excipients q.s.

Indication: Citicoline + Piracetam is generally prescribed for memory enhancement, neurological and cognitive disorders and conditions such as Stroke, Parkinsonism and Alzheimer diseases.

10X1X10 Tablets
(ALU-ALU)

M.R.P. 670/- Strip

CLIDE ZINC



Composition :

Each Uncoated Dispersible tablet
Contains :
Zinc Sulphate (Monohydrate) IP
Eq. to Elemental Zinc 20mg.
Excipients q.s.

Indication: Zinc is a naturally occurring mineral. Zinc is important for growth and for the development and health of body tissues. Zinc sulfate is used to treat and to prevent zinc deficiency and it also helps in the immune system function.

4X5X10 Tablets
(BLISTER)

M.R.P. 35/- Strip

CLIGRA-100



Composition :


Each film coated tablet contains:
sildenafil 100mg.
Excipients q.s.

Indication: Sildenafil is used to treat men who have erectile dysfunction (also called sexual impotence). Sildenafil belongs to a group of medicines called phosphodiesterase 5 (PDE5) inhibitors. These medicines prevent an enzyme called phosphodiesterase type-5 from working too quickly.

20X1X4 Tablets
(BLISTER)

M.R.P. 102/- Strip

CLIZYME-FORTE



Composition :

Each enteric coated tablet contains:
1,00,000 Armour units of enzymatic activity (supplied by a purified concentrate which has specific trypsin and chymotrypsin activity in a ratio of approximately six to one)

Indication: People use chymotrypsin to make medicine. People take chymotrypsin by mouth or as a short to reduce redness and swelling associated with pockets of infection ulcers, surgery, or traumatic injuries; and lung diseases, and sinus

10X20 Tablets
(BLISTER)

M.R.P. 499/- Strip

CLOPYGREAT-75



Composition :

Each Film Coated Tablet contains:
Clopidogrel Bisulphate IP eq. to Clopidogrel 75mg.
Excipients q.s.

Indication: Clopidogrel is used alone or with aspirin to prevent serious or life-threatening problems with the heart and blood vessels in people who have had a stroke, heart attack, or severe chest pain.

20X10 Tablets
(ALU-ALU)

M.R.P. 74.30/- Strip

TABLETS

CLOPYGREAT-AS



Composition :

Each film coated tablet contains:
 Clopidogrel Bisulphate IP 75mg.
 Eq. to Clopidogrel 75mg.
 Aspirin IP 75mg.
 Excipients q.s.

Indication: Clopidogrel 75Mg + Aspirin 75Mg tablet is commonly indicated for the prevention of blood clots in individuals at risk of cardiovascular events such as heart attacks and strokes.

10X10 Tablets
(ALUMINIUM)

M.R.P. 95/- Strip

DAPADUFOZIN-10



Composition :

Each Film coated tablet contains:
 Dapagliflozin Propanediol Monohydrate 10mg.
 Eq. to Dapagliflozin 10mg.
 Excipients q.s.

Indication: Dapagliflozin is used with a proper diet and exercise program to control high blood sugar in people with type 2 diabetes prevent kidney damage, blindness, nerve problems, loss of limbs,



10X14 Tablets
(ALU-ALU)

M.R.P. 340/- Strip

DAPADUFOZIN-M



Composition :

Each Film coated tablet contains:
 Dapagliflozin Propanediol Monohydrate 10mg.
 Eq. to Dapagliflozin 10mg.
 Metformin Hydrochloride IP 500 mg. (In extended release form)
 Excipients q.s.

Indication: Dapagliflozin is used with a proper diet and exercise program to control high blood sugar in people with type 2 diabetes. Controlling high blood sugar helps prevent kidney damage, blindness, nerve problems, loss of limbs, and sexual function problems.



10X14 Tablets
(BLISTER)

M.R.P. 336/- Strip

DAPADUFOZIN-M FORTE



Composition :

Each film coated tablet contains:
 Dapagliflozin Propanediol Monohydrate 10mg.
 Eq. to Dapagliflozin 10mg.
 Metformin Hydrochloride IP

Indication: Dapagliflozin is used with a proper diet and exercise program to control high blood sugar in people with type 2 diabetes. sugar helps prevent kidney damage, blindness, nerve problems, and sexual function



10X14 Tablets
(BLISTER)

M.R.P. 395/- Strip

DEFIME-6



Composition :

Each uncoated tablet contains:
 Deflazacort 6 mg.
 Excipients q.s.

Indication: Deflazacort is used to treat Duchenne muscular dystrophy (DMD). DMD is a rare, inherited muscle disease that occurs usually in children and young adults and is caused by an absence of a protein called dystrophin, which helps keep muscle cells intact. Deflazacort is corticosteroid (cortisone-like medicine or steroid).



10X10 Tablets
(ALU-ALU) (Perforated)

M.R.P. 135/- Strip

DILTACOX-90



Composition :

Each Film coated sustained release tablet contains:
 Diltiazem Hydrochloride IP 90 mg.
 Excipients q.s.

Indication: Diltiazem is an oral and parenteral non-dihydropyridine calcium channel blocker. It is used in many clinical scenarios as an antihypertensive, anti-arrhythmic, and anti-anginal.



10X10 Tablets
(BLISTER)

M.R.P. 135 /- Strip

TABLETS

DOMLOC

**Composition :**

Each uncoated tablet contains:
Domperidone IP 10 mg.

Indication: Domperidone is a medicine that increases the movements or contractions of the stomach and bowel. Domperidone is also used to treat nausea and vomiting caused by other drugs used to treat Parkinson's Disease.

10X5X10 Tablets
(BLISTER)

M.R.P. 25.87 /- Strip

DOXOSPIRE-400

**Composition :**

Each film coated tablet contains:
Doxofylline IP 400mg.
Excipients q.s.

Indication: Doxofylline is a bronchodilator used for the treatment of asthma and chronic obstructive pulmonary disease (COPD). It helps to relieve breathlessness and cough thereby providing symptomatic relief.

10X10 Tablets
(BLISTER)

M.R.P. 135/- Strip

DIOLIDIN-500

**Composition :**

Each Film coated tablet contains:
Diosmin 450mg.
Hesperidil 50mg.
Excipients q.s.

Indication: Diosmin+Hesperidin is used in the treatment of Varicoseveins. Diosmin+Hesperidin is a flavonoid. It works by blocking the action of chemical messenger which cause in flammation (swelling) of the veins. This improves blood flow in the veins and restore vein function.

10X1X10 Tablets
(BLISTER)

M.R.P. 299/- Strip

DROTAZAP

**Composition :**


Each film coated tablet contains:
Drotaverine Hydrochloride IP 40 mg

Indication: Drotaverine hydrochloride is an antispasmodic drug, a pain relief medicine; used to treated and relieve smooth muscle spasms i.e. is seen in menstrual pain, abdominal pain, pain due to kidney stone and biliary stone and gastrointestinal colicky pain.

4X5X10 Tablets
(BLISTER)

M.R.P. 95 /- Strip

DROTAZAP-DS

**Composition :**

Each film coated tablet contains:
Drotaverine Hydrochloride IP 80 mg

Indication: Drotaverine hydrochloride is an antispasmodic drug, a pain relief medicine; used to treated and relieve smooth muscle spasms i.e. is seen in menstrual pain, abdominal pain, pain due to kidney stone and biliary stone and gastrointestinal colicky pain.

4X5X10 Tablets
(BLISTER)

M.R.P. 130 /- Strip

DROTAZAP-M

**Composition :**

Each film coated tablet contains:
Drotaverine Hydrochloride 80 mg.
Mefenamic Acid IP 250mg.

Indication: The medication helps provide relief from abdominal pain, cramps, and muscle spasm. The combination medicine is also useful to treat other body parts pain such as migraine headaches, dysmenorrhea, functional bowel disorders, etc.

4X5X10 Tablets
(BLISTER)

M.R.P. 190/- Strip

TABLETS

DYDROLUXE-10



Composition :

Each film coated tablet contains:
Dydrogesterone IP 10mg.
Excipients q.s.

Indication: Dydrogesterone is used for the treatment of various disorders like dysfunctional uterine bleeding, premenstrual syndrome, threatened abortion and habitual abortion. This medicine is used to prevent pregnancy. It is often referred to as the "mini-pill".

10X10 Tablets
(BLISTER)

M.R.P. 820/- Strip

ENACLIDE-2.5



Composition :


Each uncoated tablet contains:
Enalapril Maleate IP 2.5mg.
Excipients q.s.

Indication: ENALAPRIL' is used: To treat high blood pressure – also called hypertension. To treat heart failure (weakening of heart function). It can lower the need to go to hospital and can help some patients live longer.

20X15 Tablets
(BLISTER)

M.R.P. 35.85/- Strip

ENACLIDE-5



Composition :

Each uncoated tablet contains:
Enalapril Maleate IP 5mg.
Excipients q.s.

Indication: ENALAPRIL' is used: To treat high blood pressure – also called hypertension. To treat heart failure (weakening of heart function). It can lower the need to go to hospital and can help some patients live longer.

20X15 Tablets
(BLISTER)

M.R.P. 62.15/- Strip

ENTEVEVE-0.5



Composition :

Each Film coated tablet contains:
Entecavir IP 0.5mg.
(As monohydrate)
Excipients q.s.

Indication: Entecavir is used to treat liver infection caused by hepatitis B virus. It belongs to the family of medicines called antivirals. Antivirals are used to treat infections that are caused by viruses.

10X10 Tablets
(ALU-ALU)

M.R.P. 760/- Strip

ESMOCLEAR-40



Composition :

Each enteric coated tablet contains:
Esomeprazole Magnesium Trihydrate IP Equivalent to Esomeprazole 40mg.
Excipients q.s.

Indication: Esomeprazole is used to treat conditions where there is too much acid in the stomach. It is used to treat duodenal and gastric ulcers, gastroesophageal reflux disease, and stomach produces too much acid.

10X15 Tablets
(ALU-ALU)

M.R.P. 262/- Strip

ETOGLIDE-120



Composition :

Each Film coated tablet contains:
Etoricoxib IP 120mg.
Excipients q.s.


Indication: Etoricoxib eases pain and swelling (inflammation) in conditions like osteoarthritis, rheumatoid arthritis and ankylosing spondylitis, and it may also be used for short periods of time in gout

5X2X15 Tablets
(BLISTER)

M.R.P. 285/- Strip

TABLETS

ETOGLIDE-60



Composition :


Each Film coated tablet contains:
Etoricoxib IP 60mg.
Excipients q.s.

Indication: Etoricoxib eases pain and swelling (inflammation) in conditions like osteoarthritis, rheumatoid arthritis and ankylosing spondylitis, and it may also be used for short periods of time in gout

5X2X15 Tablets
(BLISTER)

M.R.P. 135/- Strip

ETOGLIDE-90



Composition :


Each Film coated tablet contains:
Etoricoxib IP 90mg.
Excipients q.s.

Indication: Etoricoxib eases pain and swelling (inflammation) in conditions like osteoarthritis, rheumatoid arthritis and ankylosing spondylitis, and it may also be used for short periods of time in gout

5X2X15 Tablets
(BLISTER)

M.R.P. 180/- Strip

ETOGLIDE-TH



Composition :

Each Film coated tablet contains:
Etoricoxib IP 60mg.
Thiocolchicoside IP 4mg.
Excipients q.s.

Indication: Etoricoxib eases pain and swelling (inflammation) in conditions like osteoarthritis, rheumatoid arthritis and ankylosing spondylitis, and it may also be used for short periods of time in gout

10X15 Tablets
(BLISTER)

M.R.P. 277.50/- Strip

FAROCLIDE-200



Composition :

Each Film Coated Tablet Contains:
Faropenem Sodium 200 Hydrate
eq. to Faropenem 200 mg.
Excipients q.s.

Indication: FAROPENEM is used in the treatment of several bacterial infections of the urinary tract, respiratory tract, skin, ears, nose, and gynecological infections.

10X1X6 Tablets
(ALUMINIUM)

M.R.P. 870/- Strip

FERRICLIDE-XT



Composition :

Each Film Coated Tablet Contains:
Ferrous Ascorbate 100mg.
Eq. to Elemental Iron 15mg.
Folic Acid 1.5mg.
Excipients q.s.

Indication: Ferrous Ascorbate tablets are crucial for the treatment of anaemia resulting from iron deficiency. Folic Acid helps to produce red blood cells, promoting oxygen supply to all parts of the body.

10X1X10 Tablets
(ALU-ALU)

M.R.P. 170/- Strip

FEXQURE-120



Composition :

Each film coated tablet contains:
Fexofenadine Hydrochloride IP 120mg.
Excipients q.s.

Indication: Fexofenadine hydrochloride 120mg Film-Coated Tablets are used in adults and adolescents of 12 years and older to relieve the symptoms that occur with hay fever (seasonal allergic rhinitis) such as sneezing, itchy, runny or blocked nose and itchy, red and watery eyes.

10x10 Tablets
(BLISTER)

M.R.P. 180/- Strip

TABLETS

FEXQURE-180



Composition :

Each film coated tablet contains:
Fexofenadine Hydrochloride IP 180mg.
Excipients q.s.

Indication: Fexofenadine hydrochloride 180 mg Film-Coated Tablets are used in adults and adolescents of 12 years and older to relieve the symptoms that occur with long term allergic skin reactions (chronic idiopathic urticaria) such as itching, swelling and rashes.

10x10 Tablets
(BLISTER)

M.R.P. 215/- Strip

FEXQURE-M



Composition :

Each Film coated tablet contains:
Fexofenadine HCl IP 120mg.
Montelukast Sodium IP
Eq. to Montelukast 10mg.
Excipients q.s.

Indication: fexofenadine+montelukast belongs to a class of medication called 'anti-allergic' medication primarily used to treat allergic symptoms like sneezing, runny nose, congestion, stuffy

10X1X10 Tablets
(ALU-ALU)

M.R.P. 193/- Strip

FLUSITY-AZ




Composition :

Each combikit Contains:
A. One Fluconazole Tablet IP 150mg
Each uncoated tablet contains:
Fluconazole IP 150mg
Permitted
Colour : Ponceau 4R
B. One Azithromycin Tablet IP 1g
Each film coated tablets contains:
Azithromycin Dihydrate IP
equivalent to Azithromycin 1g
Permitted
Colour: Ponceau 4R
and Titanium Dioxide IP
C. Two Secnidazole Tablets IP 1g
Each film coated tablet contain:
Secnidazole IP 1g
Excipients q.s.

10X1X4 Tablets
(BLISTER)

M.R.P. 103/- Strip

FOLIWER-5



Composition :


Each Uncoated tablet contains:
Folic Acid IP 5mg.
Excipients q.s.

Indication: Folic acid is indicated for the treatment of megaloblastic anaemia due to folic acid deficiency. It is also used for prophylaxis in chronic haemolytic states, in renal dialysis, and in drug induced folate deficiency.

20X45 Tablets
(BLISTER)

M.R.P. 76.10/- Strip

GABA CLIDE-NT



Composition :

Each Film coated tablet contains:
Gabapentin IP 400mg.
Nortriptyline HCl IP 10mg.
Excipients q.s.

Indication: Gabapentin treats seizures by decreasing abnormal excitement in the brain. Gabapentin relieves the pain of PHN by changing the way the body senses pain. It is not known exactly how gabapentin works to treat restless legs syndrome.

10X15 Tablets
(BLISTER)

M.R.P. 523.50/- Strip

GABA CLIDE-NT 100/10



Composition :

Each Film Coated Tablet Contains:
Gabapentin IP 100mg.
Nortriptyline HCl IP 10mg.
Excipients q.s.

Indication: Gabapentin relieves pain arising due to nerve damage, compression in nerves and nortriptyline acts on the central nervous system and offers relief from neuropathic pain. Gabapentin+Nortriptyline is available in the form of a tablet.

10X15 Tablets
(BLISTER)

M.R.P. 225 /- Strip

TABLETS

GLIDAEASE-30 MR



10X10 Tablets
(BLISTER)

Composition :
Each Uncoated Modified Release
Tablet Contains:
Gliclazide IP 30 mg.
Excipients q.s.

Indication: Gliclazide is used to treat type 2 diabetes. It's a medicine known as a sulfonylurea. Sulfonylureas increase the amount of insulin your pancreas makes. This lowers your blood sugar.

M.R.P. 83/- Strip

GLIDAEASE-60 MR



10X10 Tablets
(BLISTER)

Composition :
Each Uncoated Modified Release
Tablet Contains:
Gliclazide IP 60 mg.
Excipients q.s.


Indication: Gliclazide is used to treat type 2 diabetes. It's a medicine known as a sulfonylurea. Sulfonylureas increase the amount of insulin your pancreas makes. This lowers your blood sugar.

M.R.P. 143/- Strip




Confidence in Good Healthcare

TABLETS



GLIMSEREN-1



Composition :

Each uncoated tablet contains:
Glimepiride IP 1mg.
Excipients q.s.

Indication: Glimepiride is used to treat high blood sugar levels caused by type 2 diabetes. It may be used alone, or in combination with insulin or another oral medicine such as metformin.

10X5X10 Tablets
(BLISTER)

M.R.P. 44.90/- Strip

GLIMSEREN-2



Composition :

Each uncoated tablet contains:
Glimepiride IP 2mg.
Excipients q.s.

Indication: Glimepiride is used to treat high blood sugar levels caused by type 2 diabetes. It may be used alone, or in combination with insulin or another oral medicine such as metformin.

10X5X10 Tablets
(BLISTER)

M.R.P. .57.20/- Strip

TABLETS

ISONALIDE-100



Composition :
Each uncoated tablet contains:
Isoniazid IP 100mg.
Excipients q.s.

Indication: Isoniazid is used to treat tuberculosis (TB) or prevent its return (reactivation). It may be given alone, or in combination with other medicines, to treat TB or to prevent its return. This medicine may also be used for other problems as determined by your doctor.

20X10 Tablets
(BLISTER)

M.R.P. 6.82/- Strip

ISONALIDE-300



Composition :
Each uncoated tablet contains:
Isoniazid IP 300mg.
Excipients q.s.

Indication: Isoniazid is used to treat tuberculosis (TB) or prevent its return (reactivation). It may be given alone, or in combination with other medicines, to treat TB or to prevent its return (reactivation). This medicine may also be used for other problems as determined by your doctor.

20X10 Tablets
(BLISTER)

M.R.P. 13.54/- Strip

ISOSOOTH-10



Composition :
Each uncoated tablet contains:
Diluted Isosorbide Mononitrate IP
Eq. to Isosorbide Mononitrate 10mg.
Excipients q.s.

Indication: Isosorbide mononitrate is indicated for the prevention and management of angina pectoris due to coronary artery disease. The onset of action of oral isosorbide mononitrate is not sufficiently rapid to be useful in aborting an acute anginal episode.

20X10 Tablets
(BLISTER)

M.R.P. 24.10/- Strip

ISOSOOTH-20



Composition :
Each uncoated tablet contains:
Diluted Isosorbide Mononitrate IP
Eq. to Isosorbide Mononitrate 20mg.
Excipients q.s.

Indication: Isosorbide mononitrate is indicated for the prevention and management of angina pectoris due to coronary artery disease. The onset of action of oral isosorbide mononitrate is not sufficiently rapid to be useful in aborting an acute anginal episode.

20X10 Tablets
(BLISTER)

M.R.P. 34/- Strip

IVASYN-5



Composition :
Each Film Coated Tablet Contains:
Ivabradine Hydrochloride
Eq. to Ivabradine 5mg.
Excipients q.s.

Indication: Genericart Ivabradine Hydrochloride 5mg Tablet is a medicine used for the treatment of angina and chronic heart failure. It makes the heart work more efficiently by lowering the heart rate.

10X10 Tablets
(ALU-ALU)

M.R.P. 205/- Strip

KETALOGUES



Composition :
Each Film coated tablet contains:
Calcium 3-methyl-2-oxovalerate
□-Ketoanalogue of isoleucine, Calcium salt) 67mg.
Calcium 4-methyl-2-oxovalerate
□-Ketoanalogue of leucine, Calcium salt) 101mg.
Calcium 2-methyl-3-phenylpropionate
□-Ketoanalogue of phenylalanine, Calcium salt) 68mg.
Calcium 3-methyl-2-oxobutyrate
□-Ketoanalogue of valine, Calcium salt) 86mg.
Calcium Di-2-hydroxy-4-(methylthio)-butyrate
□-hydroxyanalogue of methionine, Calcium salt) 59mg.
L-Lysine Acetate USP 105mg.
L-Threonine USP 53mg.
L-Tryptophan USP 23mg.
L-Histidine USP 38mg.
L-Tyrosine USP 30mg.
Total Nitrogen content/tablet 36 mg.
Calcium / tablet 1.25mmol=0.05g.
Color:Ponceau4R

10X10 Tablets
(ALU-ALU)

M.R.P. 410/- Strip

TABLETS

LECOZINE-5



Levocetirizine 5mg
Tablets

LECOZINE-5

ORAL USE

ClidÉ



Composition :

Each Film coated tablet Contains :
Levocetirizine 5mg.
Excipients q.s.

Indication: Levocetirizine is used to relieve the symptoms of hay fever and hives of the skin. It is an antihistamine that works by preventing the effects of a substance called histamine, which is produced by the body. Histamine can cause itching, sneezing, runny nose, and watery eyes.

20X15 Tablets
(ALU-ALU)

M.R.P. 58/- Strip

LECOZINE-M



Levocetirizine &
Montelukast Tablets

LECOZINE-M

ORAL USE

ClidÉ



Composition :

Each Film coated tablet Contains :
Montelukast 10mg.
Levocetirizine 5mg.
Excipients q.s.

Indication: Levocetirizine is used to relieve the symptoms of hay fever and hives of the skin. It is an antihistamine that works by preventing the effects of a substance called histamine, which is produced by the body. Histamine can cause itching, sneezing, runny nose, and watery eyes.

20X15 Tablets
(ALU-ALU)

M.R.P. 205/- Strip

LEVELYX-1000



Levetiracetam Tablets IP 1000mg

LEVELYX-1000

ClidÉ



Composition :

Each Film coated tablet contains:
Levetiracetam IP 1000mg.
Excipients q.s.

Indication: Levetiracetam is indicated as monotherapy in the treatment of partial onset seizures with or without secondary generalisation in adults and adolescents from 16 years of age with newly diagnosed epilepsy.

10X10 Tablets
(BLISTER)

M.R.P. 360/- Strip

LEVELYX-750



Levetiracetam Tablets
IP 750 mg

LEVELYX-750

ClidÉ



Composition :

Each Film coated tablet contains:
Levetiracetam IP 750mg.
Excipients q.s.

Indication: Levetiracetam 750mg tablet is used to treat certain types of seizures in people with epilepsy, including partial onset seizures, myoclonic seizures, and tonic-clonic seizures.

10X10 Tablets
(BLISTER)

M.R.P. 190/- Strip

LEVELYX-500



Levetiracetam Tablets IP 500mg

LEVELYX-500

ClidÉ



Composition :

Each Film coated tablet contains:
Levetiracetam IP 500mg.
Excipients q.s.

Indication: Levetiracetam is indicated as monotherapy in the treatment of partial onset seizures with or without secondary generalisation in adults and adolescents from 16 years of age with newly diagnosed epilepsy.

10X10 Tablets
(BLISTER)

M.R.P. 145/- Strip

LINAEASE-5



Linagliptin Tablets 5 mg

LINAEASE-5

ClidÉ



Composition :

Each film coated tablet contains :
Linagliptin 5mg.
Excipients q.s.

Indication: Linagliptin is used along with diet and exercise and sometimes with other medications to lower blood sugar levels in patients with type 2 diabetes (condition in which blood sugar is too high because the body does not produce or use insulin normally).

10X10 Tablets
(BLISTER)

M.R.P. 309/- Strip

TABLETS

LINAEASE-DZ 5/10



Composition :

Each film coated tablet contains :
 Linagliptin 5mg.
 Dapagliflozin 10mg.
 Excipients q.s.

Indication: Dapagliflozin is a drug that helps the kidneys remove excess sugar from the body through urine. As a result, blood sugar levels are lowered, and also helps with weight loss. Linagliptin is another drug that helps control blood sugar levels.

10X10 Tablets
(ALU-ALU)

M.R.P. 390/- Strip

LINAEASE-M



Composition :

Each film coated tablet contains :
 Linagliptin 2.5mg.
 Metformin 500mg.
 Excipients q.s.

Indication: Linagliptin and metformin combination is used to treat high blood sugar levels caused by type 2 diabetes. Linagliptin helps to control blood sugar levels by increasing substances in the body that make the pancreas release more insulin.

10X10 Tablets
(BLISTER)

M.R.P. 179/- Strip

LINAEASE-M FORTE



Composition :


Each film coated tablet contains :
 Linagliptin 2.5mg.
 Metformin 1000mg.
 Excipients q.s.

Indication: Linagliptin and metformin combination is used to treat high blood sugar levels caused by type 2 diabetes. Linagliptin helps to control blood sugar levels by increasing substances in the body that make the pancreas release more insulin.

10X10 Tablets
(BLISTER)

M.R.P. 286/- Strip

LINESOT-600



Composition :

Each Film-coated tablet contains:
 Linezolid IP 600mg.
 Excipients q.s.

Indication: Linezolid is used to treat certain bacterial infections in many different parts of the body, including certain types of skin infections or pneumonia. Linezolid belongs to the family of medicines called antibiotics. It works by killing bacteria or preventing their growth.

10X1X10 Tablets
(ALUMINIUM)

M.R.P. 356.20/- Strip

MEFCLIDE-PLUS



Composition :

Each uncoated tablet contains:
 Dicyclomine HCl IP 20mg.
 Paracetamol IP 325mg.

Indication: Dicyclomine + Paracetamol is a combination of two medicines: dicyclomine and paracetamol, which relieves abdominal pain and cramps.

4X5X10 Tablets
(BLISTER)

M.R.P. 53 /- Strip

MEFCLIDE-SPAS



Composition :

Each uncoated tablet contains:
 Mefenamic Acid IP 250mg.
 Dicyclomine IP 10mg.
 Excipients q.s.

Indication: Dicyclomine+Mefenamic Tablet is a prescription medicine that helps to provide symptomatic relief from menstrual pain and cramps. It is also used to treat abdominal pain by relieving spasms of the muscles in the stomach.

4X5X10 Tablets
(BLISTER)

M.R.P. 29/- Strip

TABLETS

MELPREDON-4



Composition :

Each uncoated tablet contains:
Methylprednisolone IP 4mg.
Excipients q.s.

Indication: Methylprednisolone is used to treat conditions such as arthritis, blood disorders, severe allergic reactions, certain cancers, eye conditions, skin/kidney/intestinal/lung diseases, and immune system disorders.

20x10 Tablets
(BLISTER)

M.R.P. 65/- Strip

MELPREDON-8



Composition :

Each uncoated tablet contains:
Methylprednisolone IP 8mg.
Excipients q.s.

Indication: Methylprednisolone is used to treat conditions such as arthritis, blood disorders, severe allergic reactions, certain cancers, eye conditions, skin/kidney/intestinal/lung diseases, and immune system disorders.

20X14 Tablets
(BLISTER)

M.R.P. 88.74/- Strip

MESBON-400



Composition :

Each delayed release tablet contains:
Mesalamine IP 400mg.
Excipients q.s.

Indication: Mesalamine is used to treat and prevent flare-ups of mild to moderately active ulcerative colitis (an inflammatory bowel disease). It works inside the bowels to reduce inflammation and other symptoms of the disease. This medicine is available only with your doctor's prescription.

10X10 Tablets
(BLISTER)

M.R.P. 112/- Strip

MIRARELIEF-25



Composition :

Each Film coated extended release tablet contains:
Mirabegron 25mg.
Excipients q.s.

Indication: Mirabegron is used alone or in combination with solifenacin to treat overactive bladder (a condition in which the bladder muscles contract uncontrollably and cause frequent urination, urgent need to urinate, and inability to control urination) in adults.

10X1X10 Tablets
(ALU-ALU)

M.R.P. 195/- Strip

MIRARELIEF-50



Composition :

Each Film coated extended release tablet contains:
Mirabegron 50mg.
Excipients q.s.

Indication: Mirabegron is used alone or in combination with solifenacin to treat overactive bladder (a condition in which the bladder muscles contract uncontrollably and cause frequent urination, urgent need to urinate, and inability to control urination) in adults.

10X1X10 Tablets
(ALU-ALU)

M.R.P. 360/- Strip

MIRARELIEF-S 50/5



Composition :

Each film coated Tablet Contains:
Mirabegron IP 50mg.
(As Extended Release)
Solifenacin Succinate IP 5mg.
Excipients q.s.

Indication: Mirabegron + Solifenacin is a combination of two medicines: Mirabegron and Solifenacin. Mirabegron is a beta 3-receptor agonist. It works by activating the receptor in the bladder, causing the bladder muscles to relax.

10X10 Tablets
(ALU-ALU)

M.R.P. 560 /- Strip

TABLETS

MYCOQUELL-200 SR



Composition :
Each film coated sustained release tablet contains:
Progesterone IP 200 mg.
(Natural Micronized)
Excipients q.s.

Indication: Progesterone is used to help prevent changes in the uterus (womb) in women who are taking conjugated estrogens after menopause. It is also used to properly regulate the menstrual cycle and treat unusual stopping of menstrual periods in women who are still menstruating.

10X10 Tablets
(BLISTER)

M.R.P. 270/- Strip

MYCOREVIVE-M



Composition :
Each film coated tablet contains :
Mycophenoate Mofetil IP 500mg.
Excipients q.s.

Indication: Mycophenolate belongs to a group of medicines known as immunosuppressive agents. It is used with other medicines (eg, cyclosporine, steroid medicine) to lower the body's natural immunity in patients who receive organ transplants.

10X10 Tablets
(ALU-ALU)

M.R.P. 737.90/- Strip

MYCOREVIVE-S



Composition :
Each Enteric Coated Tablet Contains:
Mycophenolate Sodium USP Eq.to
Mycophenolic Acid 360 mg.
Excipients q.s.

Indication: Mycophenolate belongs to a group of medicines known as immunosuppressive agents. It is used with other medicines (eg, cyclosporine, steroid medicine) to lower the body's natural immunity in patients who receive organ transplants.

10X10 Tablets
(ALU-ALU)

M.R.P. 875/- Strip

NAPGRID-250



Composition :
Each film coated tablet contains:
Naproxen Sodium PH EUR 250mg.
Excipients q.s.

Indication: Naproxen is used in the treatment of rheumatoid arthritis, osteoarthritis (degenerative arthritis), ankylosing spondylitis, acute musculoskeletal disorders, dysmenorrhoea and acute gout. Children: Juvenile rheumatoid arthritis.

10X15 Tablets
(BLISTER)

M.R.P. 111/- Strip

NAPGRID-500



Composition :
Each film coated tablet contains:
Naproxen Sodium PH EUR 500mg.
Excipients q.s.

Indication: Naproxen is used in the treatment of rheumatoid arthritis, osteoarthritis (degenerative arthritis), ankylosing spondylitis, acute musculoskeletal disorders, dysmenorrhoea and acute gout. Children: Juvenile rheumatoid arthritis.

10X15 Tablets
(BLISTER)

M.R.P. 267/- Strip

NAPGRID-D



Composition :
Each Film coated tablet contains:
Naproxen Sodium USP 500mg.
Domperidone Maleate IP
eq. to Domperidone 10 mg.
Excipients q.s.

Indication: Naproxen+Domperidone is a combination of two medicines: Naproxen and Domperidone. This combination helps in relieving the symptoms of migraine like headache, nausea and vomiting.

10X10 Tablets
(BLISTER)

M.R.P. 210/- Strip

TABLETS

NEWCLOTIN-2.6



Composition :
Each Uncoated Tablet Contains:
Concentrated Glyceryl Trinitrate
Solution IP
Eq to Glyceryl Trinitrate 2.6mg.

Indication: Nitrocontin 2.6 tablet is used for the prevention of chest pain (angina pectoris) due to blockages in the vessels that supply blood to the heart (coronary artery disease).

1X30 Tablets
(BOTTLE)

M.R.P. 159/- Strip

NIMUGUD




Composition :
Each uncoated tablet contains :
Nimesulide BP 100mg.
Excipients q.s.

Indication: Nimesulide 100mg Tablet is used to treat aches and pains. It blocks chemical messengers in the brain that tell us we have pain. It is effective in relieving pain caused by headache, migraine, nerve pain, toothache, sore throat, period (menstrual) pains, arthritis, and muscle aches.

20X15 Tablets
(BLISTER)

M.R.P. 45/- Strip

NIMUGUD-P




Composition :
Each uncoated tablet contains :
Nimesulide 100mg.
Paracetamol 325mg.
Excipients q.s.

Indication: NIMESULIDE+PARACETAMOL is prescribed mainly to treat pain and relieve discomfort caused by conditions like tooth pain, arthritis, period pain and other types of short-term pains. It helps treat pain by blocking the chemical messenger in the brain responsible for causing fever, pain and inflammation.

10X2X10 Tablets
(BLISTER)

M.R.P. 40.50/- Strip

OFCLIDE-OZ



Composition :
Each film coated tablet contains :
Ofloxacin 100mg.
Ornidazole 250mg.
Excipients q.s.

Indication: Ofloxacin+Ornidazole 100mg/250mg Tablet is a combination of two antibiotics. It is used in the treatment of bacterial and parasitic infections. It effectively treats a wide range of bacterial infections.

20X10 Tablets
(BLISTER)

M.R.P. 88/- Strip

OLMESPARK-20



Composition :
Each film coated tablet contains:
Olmesartan Medoxomil IP 20mg.
Excipients q.s.

Indication: Olmesartan medoxomil belongs to a group of medicines called angiotensin-II receptor antagonists. They lower blood pressure by relaxing the blood vessels. The tablets are used for the treatment of high blood pressure in adults and in children.

10X15 Tablets
(ALU-ALU)

M.R.P. 165/- Strip

OLMESPARK-40



Composition :
Each film coated tablet contains:
Olmesartan Medoxomil IP 40mg.
Excipients q.s.

Indication: Olmesartan medoxomil belongs to a group of medicines called angiotensin-II receptor antagonists. They lower blood pressure by relaxing the blood vessels. The tablets are used for the treatment of high blood pressure in adults and in children.

10X15 Tablets
(ALU-ALU)

M.R.P. 260/- Strip

TABLETS

OLMESPARK-20 H



Composition :

Each film coated tablet contains :
 Olmesartan Medoxomil 20mg.
 Hydrochlorothiazide IP 12.5mg.
 Excipients q.s.

Indication: This drug is used to treat high blood pressure (hypertension). Lowering high blood pressure helps prevent strokes, heart attacks, and kidney problems.

10X15 Tablets
(ALU-ALU)

M.R.P. 141/- Strip

OLMESPARK-40 H



Composition :

Each film coated tablet contains :
 Olmesartan Medoxomil 40mg.
 Hydrochlorothiazide IP 12.5mg.
 Excipients q.s.

Indication: This drug is used to treat high blood pressure (hypertension). Lowering high blood pressure helps prevent strokes, heart attacks, and kidney problems.

10X15 Tablets
(ALU-ALU)

M.R.P. 240/- Strip

OXCAPEAK-150



Composition :

Each film coated tablet contain:
 Oxcarbazepine IP 150mg.
 Excipients q.s.

Indication : It works by decreasing nerve impulses that cause seizures and pain. Oxcarbazepine is used either alone or with other medicines to treat partial seizures. The Trileptal brand of oxcarbazepine is used as a single medicine in adults and children who are at least 4 years old.

10X10 Tablets
(BLISTER)

M.R.P. 149/- Strip

OXCAPEAK-300



Composition :

Each film coated tablet contain:
 Oxcarbazepine IP 300mg.
 Excipients q.s.

Indication : It works by decreasing nerve impulses that cause seizures and pain. It is used either alone or with other medicines to treat partial seizures. The Trileptal brand of oxcarbazepine is used as a single medicine in adults and children who are at least 4 years old.

10X10 Tablets
(BLISTER)

M.R.P. 299/- Strip

OXOVID-OZ



Composition :

Each film coated tablet contains :
 Ofloxacin 200mg.
 Ornidazole 500mg.
 Excipients q.s.

Indication: Ofloxacin+Ornidazole 200mg/500mg Tablet is a combination of two antibiotics. It is used in the treatment of bacterial and parasitic infections. It effectively treats a wide range of bacterial infections that may occur in the teeth, lung.

20X10 Tablets
(BLISTER)

M.R.P. 105/- Strip

PANTOSPORT-40



Composition :

Each enteric coated tablet contains :
 Pantoprazole Sodium IP
 eq. to Sodium IP
 Pantoprazole 40mg.
 Excipients q.s.

Indication: It's used for heartburn, acid reflux and gastro-oesophageal reflux disease (GORD) – GORD is when you keep getting acid reflux. It's also taken to prevent and treat stomach ulcers.

20X10 Tablets
(ALU-ALU)

M.R.P. 118/- Strip

TABLETS

PANTOSPORT-D



Composition :

Each enteric coated tablet contains:
 Pantoprazole Sodium IP 40 mg.
 Domperidone IP 10 mg.
 Excipients q.s.

Indication: Domperidone+Pantoprazole 10mg/40mg Tablet is a prescription medicine used to treat gastroesophageal reflux disease and peptic ulcer disease by relieving the symptoms of acidity such as, heartburn, stomach pain.

20X10 Tablets
(ALU-ALU)

M.R.P. 148/- Strip

PARASEREN-1000



Composition :

Each uncoated bilayered tablet contains:

Paracetamol IP 300 mg.
 (As Immediate Release)
 Paracetamol IP 700 mg.
 (As Sustained Release)
 Excipients q.s.

Indication: Paracetamol is an analgesic and antipyretic drug that is used to temporarily relieve mild-to-moderate pain and fever. It is commonly included as an ingredient in cold and flu medications and is also used on its own.

10X10 Tablets
(BLISTER)

M.R.P. 99/- Strip

PARASEREN-650



Composition :

Each uncoated Tablet contains:
 Paracetamol IP 650mg.
 Excipients q.s.

Indication: Paracetamol is an analgesic and antipyretic drug that is used to temporarily relieve mild-to-moderate pain and fever. It is commonly included as an ingredient in cold and flu medications and is also used on its own. Paracetamol is exactly the same drug as acetaminophen.

20X15 Tablets
(BLISTER)

M.R.P. 33.60/- Strip

PG CLIDE-NT



Composition :

Each film coated tablet contains:
 Pregabalin IP 75mg.
 Nortriptyline Hydrochloride IP
 Equivalent to Nortriptyline 10mg.
 Excipients q.s.

Indication: P.G. More-NT Tablet is a combination of medicines used to treat long-lasting (chronic) pain caused by nerve damage due to diabetes, shingles, or spinal cord injury.

10X10 Tablets
(ALU-ALU)

M.R.P. 235/- Strip

PG CLIDE-NM



Composition :

Each Film Coated Tablet Contains:
 Nortriptyline HCl IP 10mg.
 Eq.to Nortriptyline 10mg.
 Methycobalamin IP 1500mcg.
 Pregabalin IP 75mg.
 Excipients q.s.

Indication: It works by decreasing pain by controlling calcium channel activity of the nerve cells. It also increases the level of chemical messengers in the brain that help in regulating the mood and protect nerve.

10X10 Tablets
(ALU-ALU)

M.R.P. 325/- Strip

PICORITE



Composition :

Each uncoated tablet contains :
 Sodium Picosulphate 10mg.
 Excipients q.s.


Indication: Each uncoated Cremalax 10 mg tablet contains Sodium Picosulphate 10 mg and Excipients q.s. Sodium picosulfate is a stimulant laxative. It stimulates the mucosa thereby increasing the motility of the large intestine.

4X5X10 Tablets
(BLISTER)

M.R.P. 49/- Strip

TABLETS

PIOSPADE-15



Composition :
Each uncoated tablet contains:
Pioglitazone Hydrochloride IP
Eq. to Pioglitazone 15mg.
Excipients q.s.


Indication: Pioglitazone tablets are indicated as an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus in multiple clinical settings [see Clinical Studies (14)] .



10X10 Tablets
(BLISTER)

M.R.P. 54/- Strip

PIOSPADE-30



Composition :
Each uncoated tablet contains:
Pioglitazone Hydrochloride IP
Eq. to Pioglitazone 30mg.
Excipients q.s.

Indication: Pioglitazone tablets are indicated as an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus in multiple clinical settings [see Clinical Studies (14)] .



10X10 Tablets
(BLISTER)

M.R.P. 95/- Strip

PIRNIDO-200



Composition :
Each film coated tablet contain:
Pirfenidone IP 200mg.
Excipients q.s.

Indication: Pirfenidone is used for the treatment of idiopathic pulmonary fibrosis (scarring of the lungs with an unknown cause). Pirfenidone is in a class of medications called pyridones.



10X1X15 Tablets
(BLISTER)

M.R.P. 304.50/- Strip

PIXANIC-2.5



Composition :
Each Film coated Tablet Contains:
Apixaban 2.5mg.
Excipients q.s.

Indication: Apixaban is used help prevent strokes or blood clots in people who have atrial fibrillation (a condition in which the heart beats irregularly, increasing the chance of clots forming in the body and possibly causing strokes) that is not caused by heart valve disease.



10X3X10 Tablets
(BLISTER)

M.R.P. 349/- Strip

PIXANIC-5



Composition :
Each Film coated Tablet Contains:
Apixaban 5mg.
Excipients q.s.

Indication: Apixaban is used help prevent strokes or blood clots in people who have atrial fibrillation (a condition in which the heart beats irregularly, increasing the chance of clots forming in the body and possibly causing strokes) that is not caused by heart valve disease.



10X3X10 Tablets
(BLISTER)

M.R.P. 695/- Strip

PROPRON-40



Composition :
Each Uncoated Tablet Contains:
Propranolol Hydrochloride IP 40mg.
Excipients q.s.

Indication: Propranolol is used alone or in combination with other medications to treat high blood pressure. It is also used to treat irregular heartbeats, pheochromocytoma, certain types of tremor, and hypertrophic subaortic stenosis .



4X5X10 Tablets
(BLISTER)

M.R.P. 35.90/- Strip

TABLETS

RAMIEASE-10



Composition :
Each uncoated tablet contains :
Ramipril 10mg.
Excipients q.s.

Indication: Ramipril is a medicine widely used to treat high blood pressure and heart failure. It's also prescribed after a heart attack. Ramipril helps prevent future strokes, heart attacks and kidney problems. It also improves your survival if you're taking it for heart failure or after a heart attack.

10X10 Tablets
(BLISTER)

M.R.P. 164/- Strip

RAMIEASE-2.5



Composition :
Each uncoated tablet contains :
Ramipril 2.5mg.
Excipients q.s.

Indication: Ramipril is a medicine widely used to treat high blood pressure and heart failure. It's also prescribed after a heart attack. Ramipril helps prevent future strokes, heart attacks and kidney problems. It also improves your survival if you're taking it for heart failure or after a heart attack.

4X5X10 Tablets
(BLISTER)

M.R.P. 58.30/- Strip

RAMIEASE-5



Composition :
Each uncoated tablet contains :
Ramipril 5mg.
Excipients q.s.

Indication: Ramipril is a medicine widely used to treat high blood pressure and heart failure. It's also prescribed after a heart attack. Ramipril helps prevent future strokes, heart attacks and kidney problems. It also improves your survival.

4X5X10 Tablets
(BLISTER)

M.R.P. 81.76/- Strip

RHUMAZOX-MR



Composition :
Each uncoated tablet contains :
Diclofenac Potassium BP 50mg.
Paracetamol IP 325mg.
Chlorzoxazone USP 250mg.
Excipients q.s.

Indication: It is a pain reliever prescribed to treat a wide variety of conditions. The combination of medications makes it useful for relieving inflammation, relaxing muscle, and reducing both fevers and pains.

10X2X10 Tablets
(BLISTER)

M.R.P. 65/- Strip

RHUMAZOX-SP



Composition :
Each film coated tablet contains :
Diclofenac Potassium BP 50mg.
Paracetamol IP 325mg.
Serratiopeptidase IP 10mg.
(eq. to 20,000 Serratiopeptidase units)

Indication: Diclofenac+Paracetamol+Serratiopeptidase is used for pain relief. It relieves pain in conditions like headache, mild migraine, muscle pain, joint pain, dental pain.

10X2X10 Tablets
(BLISTER)

M.R.P. 125/- Strip

RIFLIC-400



Composition :
Each film coated tablet contains:
Rifaximin PH EUR B.P. 400 mg.
Excipients q.s.

Indication: Rifaximin is in a class of medications called antibiotics. Rifaximin treats traveler's diarrhea and irritable bowel syndrome by stopping the growth of the bacteria that cause diarrhea. Rifaximin treats hepatic encephalopathy by stopping the growth of bacteria.

10X1X10 Tablets
(ALU-ALU)

M.R.P. 499/- Strip

TABLETS

RIFLIC-550



Composition:
Each film coated tablet contains:
Rifaximin PH EUR B.P. 550mg.
Excipients q.s.

Indication: Rifaximin is in a class of medications called antibiotics. Rifaximin treats traveler's diarrhea and irritable bowel syndrome by stopping the growth

10X1X10 Tablets (ALU-ALU) M.R.P. 599/- Strip

RIVACLAN-10



Composition:
Each film coated tablet contains:
Rivaroxaban Micronised 10mg.
Excipients q.s.

Indication: Rivaroxaban is used to prevent blood clots from forming due to a certain irregular heartbeat or after hip or knee replacement surgery. It is also used to prevent blood clots from forming in high-risk patients with limited mobility during their hospital stay and after discharge.

10X2X14 Tablets (BLISTER) M.R.P. 520/- Strip

RIVACLAN-2.5



Composition:
Each Film Coated Tablet Contains:
Rivaroxaban Micronised 2.5mg.
Excipients q.s.

Indication: Rivaban 2.5 Tablet is primarily used to prevent and treat deep vein thrombosis (blood clots in leg veins) and pulmonary embolism (blood clots in the lung) by reducing blood clot formation.

10X2X14 Tablets (BLISTER) M.R.P. 287/- Strip

ROSUEASE-10



Composition:
Each film coated tablet contains:
Rosuvastatin Calcium IP
Eq. to Rosuvastatin 10 mg.
Excipients q.s.

Indication: Rosuvastatin is used along with a proper diet to help lower "bad" cholesterol and fats and raise "good" cholesterol in the blood. It belongs to a group of drugs known as "statins." It works by reducing the amount of cholesterol made by the liver.

10X15 Tablets (ALU-ALU) M.R.P. 240/- Strip

ROSUEASE-20



Composition:
Each film coated tablet contains:
Rosuvastatin Calcium IP
Eq. to Rosuvastatin 20mg.
Excipients q.s.

Indication: Rosuvastatin is used along with a proper diet to help lower "bad" cholesterol and fats and raise "good" cholesterol in the blood. It belongs to a group of drugs known as "statins." It works by reducing the amount of cholesterol made by the liver.

10X10 Tablets (ALU-ALU) M.R.P. 240/- Strip

ROXYTHRIVE-150



Composition:
Each Film Coated Tablet Contains:
Roxithromycin 150mg.
Excipients q.s.

Indication: Roxithromycin 150 mg tablets are indicated for the treatment of the following mild to moderately severe infections in children caused by or likely to be caused by susceptible micro-organisms: acute pharyngitis, acute tonsillitis and impetigo.

20X10 Tablets (BLISTER) M.R.P. 145/- Strip

TABLETS

SEVENOVA-400



Composition :

Each film coated tablet contains:
Sevelamer Carbonate 400mg.
Excipients q.s.

Indication: Sevelamer is used to control high blood levels of phosphorus in people with chronic kidney disease who are on dialysis. Sevelamer is in a class of medications called phosphate binders.

10X1X10 Tablets
(ALU-ALU)

M.R.P. 299/- Strip

SEVENOVA-800



Composition :

Each film coated tablet contains:
Sevelamer Carbonate 800mg.
Excipients q.s.

Indication: Sevelamer is used to control high blood levels of phosphorus in people with chronic kidney disease who are on dialysis. Sevelamer is in a class of medications called phosphate

10X10 Tablets
(ALU-ALU)

M.R.P. 410/- Strip

SITASEREN-100



Composition :


Each film coated tablet contains:
Sitagliptin Phosphate Monohydrate IP
Eq. to Sitagliptin 100mg.

Indication: Sitagliptin is used with a proper diet and exercise program and possibly with other medications to control high blood sugar. It is used in people with type 2 diabetes.

10X7 Tablets
(BLISTER)

M.R.P. 315/- Strip

SITASEREN-50



Composition :

Each film coated tablet contains:
Sitagliptin Phosphate Monohydrate IP
Eq. to Sitagliptin 50mg.

Indication: Sitagliptin is used with a proper diet and exercise program and possibly with other medications to control high blood sugar. It is used in people with type 2 diabetes.

10X7 Tablets
(BLISTER)

M.R.P. 290/- Strip

SITASEREN-DZ 10/100



Composition :

Each Film coated tablet contains:
Sitagliptin Phosphate Monohydrate IP 100mg.
Eq. to Sitagliptin Dapagliflozin Propanediol Monohydrate
eq. to Dapagliflozin 10mg.
Excipients q.s.

Indication: Dapagliflozin + Sitagliptin is used alone or together with other diabetes medicines to control blood sugar and avoid long-term complications. It also reduces the risk of heart attack, heart failure or other cardiovascular events.

10X15 Tablets
(ALU-ALU)

M.R.P. 455/- Strip

SITASEREN-M 1000



Composition :

Each film coated tablet contains:
Sitagliptin Phosphate Monohydrate IP
Eq. to Sitagliptin 50 mg.
Metformin Hydrochloride IP 1000mg.
Excipients q.s.

Indication: Sitagliptin is used with a proper diet and exercise program and possibly with other medications to control high blood sugar. It is used in people with type 2 diabetes.

10X15 Tablets
(BLISTER)

M.R.P. 336/- Strip

TABLETS

SITASEREN-M 500



Composition:
Each film coated tablet contains:
Sitagliptin Phosphate
Monohydrate IP
Eq. to Sitagliptin 50mg.
Metformin
Hydrochloride IP 500mg.
Excipients q.s.

Indication: Sitagliptin is used with a proper diet and exercise program and possibly with other medications to control high blood sugar. It is used in people with type 2 diabetes.

10X15 Tablets
(BLISTER)

M.R.P. 308/- Strip

SODIDAY-500



Composition:
Each Film Coated Tablet Contains:
Sodium Bicarbonate IP 500mg.
Excipients q.s.

Indication: It is used as an antacid to treat heartburn, indigestion, and upset stomach. Sodium bicarbonate is a very quick-acting antacid. It should be used only for temporary relief.

10X10 Tablets
(BLISTER)

M.R.P. 55/- Strip

SUGASTAT-1000 SR



Composition:
Each film coated sustained release tablet contains:
Metformin Hydrochloride IP 1000mg.
Excipients q.s.

Indication: Metformin is used with a proper diet and exercise program and possibly with other medications to control high blood sugar. It is used in patients with type 2 diabetes. Controlling high blood sugar helps prevent kidney damage, blindness.

10X15 Tablets
(BLISTER)

M.R.P. 67.87/- Strip

SUGASTAT-500



Composition:
Each film coated tablet contains:
Metformin Hydrochloride IP 500mg.
Excipients q.s.

Indication: Metformin is used to treat high blood sugar levels that are caused by a type of diabetes mellitus or sugar diabetes called type 2 diabetes. With this type of diabetes, insulin produced by the pancreas is not able to get sugar into the cells of the body where it can work properly.

20X20 Tablets
(BLISTER)

M.R.P. 45/- Strip

SUGASTAT-500 SR



Composition:
Each uncoated Sustained Release tablet contains:
Metformin Hydrochloride IP 500mg.
Excipients q.s.

Indication: Metformin is used to treat high blood sugar levels that are caused by a type of diabetes mellitus or sugar diabetes called type 2 diabetes. With this type of diabetes, insulin produced by the pancreas is not able to get sugar into the cells of the body where it can work properly.

20X15 Tablets
(BLISTER)

M.R.P. 33.76/- Strip

TABLETS

SUGASTAT-G

SUGASTAT-G1 SR



Composition :
Each uncoated bilayered tablet contains:
Glimepiride IP 1mg.
Methformin Hydrochloride IP 500mg.
(In sustained Release form)
Excipients q.s.

Indication: Glimepiride+Metformin is used for the treatment of type 2 diabetes mellitus, when diet, exercise and glimepiride or metformin alone is unable to control your blood sugar levels adequately.

10X10 Tablets (BLISTER) M.R.P. 68/- Strip



SUGASTAT-G2 SR



Composition :
Each uncoated bilayered tablet contains:
Glimepiride IP 2mg.
Methformin Hydrochloride IP 500mg.
(In sustained Release form)
Excipients q.s.

Indication: Glimepiride+Metformin is used for the treatment of type 2 diabetes mellitus, when diet, exercise and glimepiride or metformin alone is unable to control your blood sugar levels adequately.

10X10 Tablets (BLISTER) M.R.P. 78/- Strip

TABLETS

SUGASTAT-G1 FORTE



Glimepiride & Metformin Hydrochloride (Sustained Release) Tablets IP

SUGASTAT-G1 FORTE

ORAL USE



Composition :

Each uncoated bilayered tablet contains:
Glimepiride IP 1mg.
Methformin Hydrochloride IP 1000mg.
(In sustained Release form)
Excipients q.s.

Indication: Glimepiride+Metformin is used for the treatment of type 2 diabetes mellitus, when diet, exercise and glimepiride or metformin alone is unable to control your blood sugar levels adequately.

10X10 Tablets
(BLISTER)

M.R.P. 72.45/- Strip



SUGASTAT-G2 FORTE



Glimepiride & Metformin Hydrochloride (Sustained Release) Tablets IP

SUGASTAT-G2 FORTE

ORAL USE

Clidé



Composition :


Each uncoated bilayered tablet contains:
Glimepiride IP 2mg.
Methformin Hydrochloride IP 1000mg.
(In sustained Release form)
Excipients q.s.

Indication: Glimepiride+Metformin is used for the treatment of type 2 diabetes mellitus, when diet, exercise and glimepiride or metformin alone is unable to control your blood sugar levels adequately.

10X10 Tablets
(BLISTER)

M.R.P. 98/- Strip

SUGASTAT-PG1



Composition :

Each uncoated bilayered tablet contains:

Glimpiride	IP	1mg.
Pioglitazone Hydrochloride IP		
Eq. to Pioglitazone		15mg.
Metformin Hydrochloride IP		500mg.
(In extended release form)		
Excipient		q.s.


Indication: Glimpiride is used to treat high blood sugar levels caused by type 2 diabetes. It may be used alone, or in combination with insulin or another oral medicine such as metformin.

10X15 Tablets
(BLISTER)

M.R.P. 80.25/- Strip



SUGASTAT-PG2



Composition :

Each uncoated bilayered tablet contains:

Glimpiride	IP	2mg.
Pioglitazone Hydrochloride IP		
Eq. to Pioglitazone		15mg.
Metformin Hydrochloride IP		500mg.
(In extended release form)		
Excipients		q.s.

Indication: Glimpiride is used to treat high blood sugar levels caused by type 2 diabetes. It may be used alone, or in combination with insulin or another oral medicine such as metformin.

10X15 Tablets
(BLISTER)

M.R.P. 105.50/- Strip

TABLETS

TELMISPARK-20



Composition :
Each film coated tablet contains:
Telmisartan IP 20 mg.
Excipients q.s.

Indication: It is used for the treatment of high blood pressure. It is also used to reduce the risk of heart-related conditions such as stroke, heart attack etc. It works by relaxing the blood vessels by blocking the action of an enzyme responsible for the constriction of blood vessels.

20X15 Tablets
(ALU-ALU)

M.R.P. 64.95/- Strip

TELMISPARK-40



Composition :
Each film coated tablet contains:
Telmisartan IP 40 mg.
Excipients q.s.

Indication: It is used for the treatment of high blood pressure. It is also used to reduce the risk of heart-related conditions such as stroke, heart attack etc. It works by relaxing the blood vessels by blocking the action of an enzyme responsible for the constriction of blood vessels.

10X15 Tablets
(ALU-ALU)

M.R.P. 113.56/- Strip

TELMISPARK-AM



Composition :
Each uncoated bilayered tablet contains:
Telmisartan IP 40 mg.
Amlodipine Besylate IP
eq. to Amlodipine 5mg.
Excipients q.s.

Indication: This product is used to treat high blood pressure. Lowering high blood pressure helps prevent strokes, heart attacks, and kidney problems. This product contains 2 medications: telmisartan and amlodipine.

10X10 Tablets
(ALUMINIUM)

M.R.P. 88.80/- Strip

TELMISPARK-C



Composition :
Each film coated tablet contains:
Telmisartan IP 40 mg.
Cilnidipine IP 10 mg.
Excipients q.s.

Indication: Cilnidipine+Telmisartan 10mg/40mg Tablet contains two medicines, both of which help to control high blood pressure. It lowers the blood pressure by relaxing the blood vessels and making it easier for your heart to pump blood around your body.

10X15 Tablets
(ALU-ALU)

M.R.P. 180/- Strip

TELMISPARK-CC



Composition :
Each film coated tablet contains:
Telmisartan IP 40 mg.
Chlorthalidone IP 12.5 mg.
Cilnidipine IP 10 mg.
Excipients q.s.

Indication: CHLORTHALIDONE+CILNIDIPINE+TELMISARTAN belongs to a group of medicines called antihypertensives used to treat hypertension and reduce the risk of heart attack or stroke in adults. Hypertension is a condition in which the force of blood against the artery walls is very high.

10X10 Tablets
(ALU-ALU)

M.R.P. 150/- Strip

TELMISPARK-CH 40/12.5



Composition :
Each film coated tablet contains:
Telmisartan IP 40 mg.
Chlorthalidone IP 12.5 mg.
Excipients q.s.

Indication: Telmisartan+Chlorthalidone 40mg/12.5mg Tablet is a combination of two medicines that helps keep the blood pressure under control. The medicine works by reducing the risk of strokes and myocardial infarction (heart attack), thereby treating hypertension (high blood pressure).

10X10 Tablets
(ALUMINIUM)

M.R.P. 95/- Strip

TABLETS

TELMISPARK-CH 40/6.25



Composition :

Each film coated tablet contains:
 Telmisartan IP 40 mg.
 Chlorthalidone IP 6.25 mg.
 Excipients q.s.

Indication: Telmisartan+Chlorthalidone 40mg/6.25mg Tablet is a combination of two medicines that helps keep the blood pressure under control. The medicine works by reducing the risk of strokes and myocardial infarction (heart attack), thereby treating hypertension (high blood pressure).

10X10 Tablets
(ALUMINIUM)

M.R.P. 70/- Strip

TELMISPARK-H



Composition :

Each uncoated tablet contains:
 Telmisartan IP 40 mg.
 Hydrochlorothiazide IP 12.5 mg.
 Excipients q.s.

Indication: Telmisartan and hydrochlorothiazide combination is used to treat high blood pressure (hypertension). High blood pressure adds to the workload of the heart and arteries. If it continues for a long time, the heart and arteries may not function properly.

10X10 Tablets
(ALU-ALU)

M.R.P. 84/- Strip

TELMISPARK-M 25



Composition :

Each uncoated tablet contains:
 Telmisartan IP 40 mg.
 (in Immediate Release Form)
 Metoprolol Succinate IP 23.75 mg.
 Eq. to Metoprolol Tartrate 25 mg.
 (In Extended Release Form)
 Excipients q.s.

Indication: Telmisartan is an angiotensin receptor blocker. It works by blocking the chemical angiotensin, thereby relaxing blood vessels. Metoprolol Succinate is a beta blocker which works specifically on the heart to reduce heart rate and lower blood pressure.

10X10 Tablets
(ALU-ALU)

M.R.P. 130/- Strip

TELMISPARK-M 50



Composition :

Each uncoated tablet contains:
 Telmisartan IP 40 mg.
 (in Immediate Release Form)
 Metoprolol Succinate IP 47.5 mg.
 Eq. to Metoprolol Tartrate 50 mg.
 (In Extended Release Form)
 Excipients q.s.

Indication: Telmisartan is an angiotensin receptor blocker (ARB). It works by blocking the chemical angiotensin, thereby relaxing blood vessels. Metoprolol Succinate is a beta blocker.

10X10 Tablets
(ALU-ALU)

M.R.P. 158/- Strip

TENEBLEND-20



Composition :

Each film coated tablet contains :
 Teneligliptin
 Hydrobromide Hydrate IP
 Equivalent to Teneligliptin 20 mg.
 Excipients q.s.

Indication: Teneligliptin is used as a monotherapy, in addition to diet and exercise, to reduce high blood sugar levels in patients with type 2 diabetes mellitus. It is used along with diet and exercise to improve blood sugar control in adults with type 2 diabetes.

10X14 Tablets
(ALU-ALU)

M.R.P. 147/- Strip

TENEBLEND-M



Composition :

Each film coated tablet contains :
 Teneligliptin Hydrobromide Hydrate IP
 Equivalent to Teneligliptin 20 mg.
 Metformin Hydrochloride IP 500 mg.
 (In extended release form)
 Excipients q.s.

Indication: METFORMIN+TENELIGLIPTIN belongs to the group of medications called 'antidiabetic agents' used to treat type 2 diabetes mellitus. This medication improves glycaemic control in diabetic patients in those patients who do not react well to Metformin alone.

10X10 Tablets
(ALU-ALU)

M.R.P. 107.70/- Strip

TABLETS

TENBLEND-M FORTE




Composition :
Each film coated tablet contains :
Teneligliptin Hydrobromide Hydrate IP
Equivalent to Teneligliptin 20 mg.
Metformin Hydrochloride IP 1000 mg.
(In extended release form)

Indication: METFORMIN+TENELIGLIPTIN belongs to the group of medications called 'antidiabetic agents' used to treat Type 2 diabetes mellitus. This medication improves glycaemic control in diabetic patients in those patients who do not react well to Metformin alone.

10X15 Tablets
(ALU-ALU)

M.R.P. 182.50/- Strip

TENOFLOW-300



Composition :
Each film coated tablet contains :
Tenofovir Disoproxil
Fumarate IP 300mg.

Indication: Tenofovir is used with other HIV medications to help control HIV infection. It helps to decrease the amount of HIV in your body so your immune system can work better. This lowers your chance of getting HIV complications (such as new infections, cancer) and

1X30 Tablets
(BOTTLE)

M.R.P. 1282/- Bottle

TERBINT





Composition :
Each uncoated tablet contains :
Terbinafine Hydrochloride IP 250 mg.
Eq. to Terbinafine

Indication: Terbinafine 250 mg Tablets are indicated in the treatment of ringworm (tinea corporis, tinea cruris and tinea pedis) where oral therapy is considered appropriate due to the site, severity or

20X1X7 Tablets
(BLISTER)

M.R.P. 210/- Strip

THYROAST-100




Composition :
Each uncoated tablet contains:
Thyroxine Sodium I.P.
eq. to Anhydrous
Thyroxine Sodium 100 mcg.

Indication: Thyrox 100 Tablet is a medicine used to treat an underactive thyroid gland (hypothyroidism). It replaces the hormone which is not being produced by your thyroid gland in sufficient quantity and helps regulate your body's energy and metabolism.

1X120 Tablets
(BOTTLE)

M.R.P. 157.20/- Strip

THYROAST-25



Composition :
Each uncoated tablet contains:
Thyroxine Sodium I.P.
eq. to Anhydrous
Thyroxine Sodium 25 mcg.

Indication: Thyrox 25 Tablet is a medicine used to treat an underactive thyroid gland (hypothyroidism). It replaces the hormone which is not being produced by your thyroid gland in sufficient quantity and helps regulate your body's energy and metabolism.

1X120 Tablets
(BOTTLE)

M.R.P. 150/- Strip

THYROAST-50



Composition :
Each uncoated tablet contains:
Thyroxine Sodium I.P.
eq. to Anhydrous
Thyroxine Sodium 50 mcg.


Indication: Thyrox 50 Tablet is a medicine used to treat an underactive thyroid gland (hypothyroidism). It replaces the hormone which is not being produced by your thyroid gland in sufficient quantity and helps regulate your body's energy and metabolism.

1X120 Tablets
(BOTTLE)

M.R.P. 123.65/- Strip

TABLETS

THYROAST-75



Composition :
Each uncoated tablet contains:
Thyroxine Sodium I.P.
eq. to Anhydrous Thyroxine Sodium 75 mcg.
Excipients q.s.

Indication:Thyrox 75 Tablet is a medicine used to treat an underactive thyroid gland (hypothyroidism). It replaces the hormone which is not being produced by your thyroid gland in sufficient quantity and helps regulate your body's energy and metabolism.

1X120 Tablets
(BOTTLE)

M.R.P. 127.14/- Strip

TICLADOR-60



Composition :
Each FilmCoated Tablet Contains:
Ticagrelor IP 60mg.
Excipients q.s.

Indication:Ticagrelor is an antiplatelet medicine. It makes your blood flow through your veins more easily. This means your blood will be less likely to make a dangerous blood clot. Taking ticagrelor can help prevent blood clots if you have an increased risk of having them.

10X1X14 Tablets
(BLISTER)

M.R.P.452 /- Strip

TICLADOR-90



Composition :
Each FilmCoated Tablet Contains:
Ticagrelor IP 90mg.
Excipients q.s.

Indication:Ticagrelor is an antiplatelet medicine. It makes your blood flow through your veins more easily. This means your blood will be less likely to make a dangerous blood clot. Taking ticagrelor can help prevent blood clots if you have an increased risk of having them.

10X1X14 Tablets
(BLISTER)

M.R.P. 499/- Strip

TOFCLIDE-5



Composition :
Each Film coated tablet contains:
Tofacitinib Citrate
eq. to Tofacitinib 5mg.
Excipients q.s.

Indication:Tofacitinib is indicated for the treatment of active polyarticular juvenile idiopathic arthritis and juvenile psoriatic arthritis (PsA) in patients 2 years of age and older, who have responded inadequately to previous .

10X1X10 Tablets
(BLISTER)

M.R.P. 400/- Strip

TOFCLIDE-11



Composition :
Each film coated extended release tablet contains:
Tofacitinib Citrate 11mg.
eq. to Tofacitinib
Excipient q.s.

Indication:Tofacitinib is indicated for the treatment of active polyarticular juvenile idiopathic arthritis and juvenile psoriatic arthritis (PsA) in patients 2 years of age and older, who have responded inadequately to previous .

10X1X10 Tablets
(BLISTER)

M.R.P. 990/- Strip

TOLVASURE-15



Composition :
Each uncoated tablet contains:
Tolvaptan IP 15mg.
Excipients q.s.

Indication:Tolvaptan is used to treat hyponatremia (low sodium in the blood) in patients with heart failure or syndrome of inappropriate antidiuretic hormone (SIADH). Tolvaptan is also used to slow kidney function decline in adults who are at risk of rapidly progressing autosomal dominant polycystic kidney disease (ADPKD).

10X1X4 Tablets
(ALU-ALU)

M.R.P. 574/- Strip

TABLETS

TRAMESTIC-500




Composition :

Each film coated tablet contains:
Tranexamic Acid IP 500mg.
Excipients q.s.

Indication: Tranexamic acid is used to treat heavy menstrual bleeding in women. This medicine may be used by teenage females, but is not intended for use before the start of menstruation. Tranexamic acid is an antifibrinolytic agent. It works by blocking the breakdown of blood clots, which prevents bleeding.

10X10 Tablets
(ALUMINIUM)

M.R.P. 194/- Strip



TRAMESTIC-MF




Composition :

Each film coated tablet contains:
Tranexamic Acid IP 500mg.
Mefenamic Acid IP 250mg.
Excipients q.s.

Indication: mefenamic acid+tranexamic acid is used to treat abdominal pain, dysmenorrhea, and menorrhagia. used to treat severe blood loss, swelling various body parts, fever, inflammation, and migraine headache.

10X10 Tablets
(ALUMINIUM)

M.R.P. 210/- Strip



TRAMESTIC-PLUS



Composition :

Each Film coated tablet contains :
Tranexamic Acid IP 250 mg.
Pine Bark Extract 50mg.
Excipients q.s.


Indication: Tranexamic Acid is an anti-fibrinolytic. It works by preventing the breakdown of blood clots to control excessive bleeding during periods, or after surgery.

10X10 Tablets
(ALU-ALU)

M.R.P. 350/- Strip



UDIGLIDE-150



Composition :

Each film coated tablet contains:
Ursodeoxycholic Acid IP 150mg.
Excipients q.s.


Indication: Ursodeoxycholic Acid Tablets 150mg are indicated for the dissolution of radiolucent cholesterol-rich gallstones in adults, including the elderly, and children with a functioning gallbladder.

5X2X15 Tablets
(BLISTER)

M.R.P. 350- Strip



UDIGLIDE-300



Composition :

Each film coated tablet contains:
Ursodeoxycholic Acid IP 300mg.
Excipients q.s.

Indication: Ursodeoxycholic Acid Tablets 150mg are indicated for the dissolution of radiolucent cholesterol-rich gallstones in adults, including the elderly, and children with a functioning gallbladder.

5X2X15 Tablets
(BLISTER)

M.R.P. 725/- Strip



URIGIVE-200



Composition :

Each Film coated tablet contains:
Flavoxate HCl IP 200mg.
Excipients q.s.

Indication: Flavoxate is used to treat overactive bladder relieve painful, frequent, or nighttime urination and urgency that may occur with infections of the prostate, bladder.

10X15 Tablets
(BLISTER)

M.R.P. 275/- Strip



TABLETS

VILINGTIN-50



Composition :

Each uncoated tablet contains:
Vildagliptin 50mg.
Excipients q.s.

Indication: Vildagliptin Accord is a diabetes medicine that is used in addition to diet and exercise to improve control of blood glucose (sugar) levels in adults with type 2 diabetes.

10X15 Tablets
(ALU-ALU)

M.R.P. 255/- Strip

VILINGTIN-DZ 10/100 SR



Composition :

Each film coated Bi-layered tablet contains:
Dapagliflozin Propanediol Monohydrate eq. to Dapagliflozin 10 mg.
Vildagliptin IP 100 mg.
(As Sustained release)
Excipients q.s.

Indication: Dapagliflozin+Vildagliptin is used in the treatment of Type 2 diabetes mellitus. Dapagliflozin + Vildagliptin is a combination of two antidiabetic medications.

10X10 Tablets
ALU-ALU

M.R.P. 495.00/- Strip

VILINGTIN-DZ 5/100 SR



Composition :

Each film coated Bi-layered tablet contains:
Dapagliflozin Propanediol Monohydrate eq. to Dapagliflozin 5 mg.
Vildagliptin IP 100 mg.
(As Sustained release)
Excipients q.s.

Indication: used in the treatment of Type 2 diabetes mellitus. Dapagliflozin + Vildagliptin is a combination of two antidiabetic medications. Dapagliflozin increases urinary glucose excretion and reduces blood glucose levels.

10X10 Tablets
ALU-ALU

M.R.P. 425.00/- Strip

VILINGTIN-M



Composition :

Each film coated tablet contain :
Vildagliptin 50mg.
Metformin Hydrochloride IP 500mg.
Excipients q.s.

Indication: Vildagliptin/Metformin hydrochloride Accord is a diabetes medicine that is used in addition to diet and exercise to improve control of blood glucose (sugar) levels in adults with type 2 diabetes.

10X15 Tablets
(ALU-ALU)

M.R.P. 205.96/- Strip

VILINGTIN-M FORTE



Composition :

Each film coated tablet contain :
Vildagliptin 50mg.
Metformin Hydrochloride IP 1000mg.
Excipients q.s.

Indication: Vildagliptin/Metformin hydrochloride Accord is a diabetes medicine that is used in addition to diet and exercise to improve control of blood glucose (sugar) levels in adults with type 2 diabetes.

10X15 Tablets
(ALU-ALU)

M.R.P. 405/- Strip

VOGLIPIOT-0.2



Composition :

Each uncoated mouth dissolving tablet contains:
Voglibose IP 0.2mg.
Excipients q.s.

Indication: Voglibose 0.2 MG Tablet is used to help patients with Type 2 Diabetes Mellitus lower their blood glucose levels, particularly when other medications aren't working. It belongs to the class of drugs called alpha-glucosidases inhibitors.

4X5X10 Tablets
(BLISTER)

M.R.P. 80/- Strip

TABLETS

VOGLIPIOT-0.3



Composition :

Each uncoated mouth dissolving tablet contains:
 Voglibose IP 0.3mg.
 Excipients q.s.

Indication: Voglibose 0.3 MG Tablet is used to help patients with Type 2 Diabetes Mellitus lower their blood glucose levels, particularly when other medications aren't working. It belongs to the class of drugs called alpha-glucosidases inhibitors.

4X5X10 Tablets
(BLISTER)

M.R.P. 105/- Strip

VOGLIPIOT-MG-2



Composition :

Each Uncoated Bilayered tablet contains :
 Voglibose IP 0.2mg.
 Glimepiride IP 2mg.
 Metformin Hydrochloride IP 500mg.
 (As Sustained Release)

Indication: Vogliboz M2 Tablet SR belongs to a category of medicines known as anti-diabetic drugs. It is a combination of medicines used to treat type 2 diabetes mellitus in adults.

10X15 Tablets
(BLISTER)

M.R.P. 145.50/- Strip

VOMIKILL-DS



Composition :

Each uncoated tablet contain :
 Ondansetron 8mg.
 Mouth Dissolvin
 Excipients q.s.

Indication: Ondansetron is used to prevent nausea and vomiting caused by cancer chemotherapy, radiation therapy, and surgery. Ondansetron is in a class of medications called serotonin 5-HT3 receptor antagonists.

20X10 Tablets
(BLISTER)

M.R.P. 105/- Strip

VOMIKILL-MD



Composition :

Each uncoated tablet contain :
 Ondansetron 4mg.
 Mouth Dissolving
 Excipients q.s.

Indication: ONDANSETRON (on DAN se tron) prevents nausea and vomiting from chemotherapy, radiation, or surgery. It works by blocking substances in the body that may cause nausea or vomiting.

20X10 Tablets
(ALU-ALU)

M.R.P. 55.40/- Strip

VOEZAP



Composition :

Each Enteric coated tablet contains :
 Diclofenac Sodium IP 50mg.

Indication: DICLOFENAC SODIUM 50mg tablets relieve pain, reduce swelling and ease inflammation in conditions affecting the joints, muscles and tendons including: Rheumatoid arthritis, osteoarthritis, acute gout .

10X5X10 Tablets
(BLISTER)

M.R.P. 22.90/- Strip

HARD GELATIN CAPSULES



CLIMADOSE-300



Composition:

Each hard gelatin capsule contains:
 Clindamycin HCl IP
 Eq. to Clindamycin 300mg.
 Excipients q.s.

Indication: Clindamycin is indicated for the treatment of: Serious infections caused by anaerobic bacteria, including intra-abdominal infections, skin and soft tissue infections.

10X10 Capsules
(BLISTER)

M.R.P. 297/- Strip

DABTRON-110



Composition:

Each hard gelatin capsule Contains:
 Dabigatran Etxilate Mesilate
 equivalent to Dabigatran 110mg.
 Excipients q.s.

Indication: dabigatran etexilate mesilate is primarily used to prevent stroke. It is also used to prevent and treat deep vein thrombosis, and pulmonary embolism (blood clots in the lung) by reducing blood clot formation.

10X1X10 Capsules
(ALU-ALU)

M.R.P. 356/- Strip

DABTRON-150



Composition:

Each hard gelatin capsule Contains:
 Dabigatran Etxilate Mesilate
 equivalent to Dabigatran 150mg.
 Excipients q.s.

Indication: dabigatran etexilate mesilate is primarily used to prevent stroke (blood clots in the brain). It is also used to prevent and treat deep vein thrombosis (blood clots in leg veins), and pulmonary embolism (blood clots in the lung) by reducing blood clot formation.

10X1X10 Capsules
(ALU-ALU)

M.R.P. 398/- Strip

ESMOCLEAR-DSR



Composition:

Each hard gelatin capsule Contains:
 Esomeprazole 40 mg.
 Domperidone 30 mg.
 Excipients q.s.

Indication: Genericart Domperidone+esomeprazole 30mg/40mg Tablet SR is a prescription medicine used to treat gastroesophageal reflux disease (Acid reflux) and indigestion by relieving the symptoms such as heartburn, stomach pain, or irritation.

10X10 Capsules
(ALU-ALU)

M.R.P. 160/- Strip

HARD GELATIN CAPSULES

ESMOCLEAR-LS



Composition :

Each hard gelatin capsule Contains:
 Esomeprazole 40 mg.
 Levosulpiride 75 mg.
 Excipients q.s.

Indication: DOMPERIDONE + ESOMEPRAZOLE is a combination of two drugs: Esomeprazole and Domperidone. DOMPERIDONE+ESOMEPRAZOLE is used to treat gastroesophageal reflux disease (GERD), Zollinger-Ellison syndrome, and stomach ulcers.

10X10 Capsules
(ALU-ALU)

M.R.P. 185/- Strip

GABACLIDE-300



Composition :

Each hard Gelatin Capsule Contains :
 Gabapentin 300mg.
 Excipients q.s.

Indication: Gabapin 300 Capsule is a medicine used to relieve the pain caused by nerve damage (neuropathic pain) due to various conditions like diabetes, shingles (herpes zoster infection), spinal cord injury, etc. It is also used to treat certain types of seizures (fits) in combination with other medicines.

10X10 Capsules
(BLISTER)

M.R.P. 155/- Strip

INTO-ZOX-100



Composition :

Each HPMC capsule contains:
 Itraconazole pellets e.q. to Itraconazole BP 100mg.
 Excipients q.s.

Indication: Itraconazole capsule is used to treat fungal infections, such as aspergillosis ,blastomycosis , or histoplasmosis . Sporanox® capsule is also used to treat onychomycosis (fungal infection in the fingernails or toenails).

10X10 Capsules
(BLISTER)

M.R.P. 186.70/- Strip

INTO-ZOX-200



Composition :

Each HPMC capsule contains:
 Itraconazole pellets e.q. to Itraconazole BP 200mg.
 Excipients q.s.

Indication: Itraconazole capsule is used to treat fungal infections, such as aspergillosis ,blastomycosis , or histoplasmosis . Sporanox® capsule is also used to treat onychomycosis (fungal infection in the fingernails or toenails).

10X10 Capsules
(BLISTER)

M.R.P. 247/- Strip

OCITAMVIR-75



Composition :

Each Hard Gelatin Capsule contains:
 Oseltamivir Phosphate IP
 Eq.to Oseltamivir 75mg.
 Excipients q.s.

Indication:Oseltamivir is used in the treatment of the infection caused by the flu virus (influenza A and influenza B). Oseltamivir may also be used to prevent and treat swine influenza A.

10X10 Capsules
(BLISTER)

M.R.P. 620/- Strip

PANTOSPORT-DSR



Composition :

Each hard gelatin capsule Contains:
 Pantoprazole Sodium Sasquihydrate IP
 Eq. Pantoprazole 40mg.
 (as entric coated Pellets)
 Domperidone IP 30 mg.
 (as sustained release Pellets)
 Excipients q.s.

Indication: domperidone + pantoprazole is a widely used medicine to treat peptic ulcers and gastroesophageal reflux disease Domperidone + pantoprazole prevents the release of stomach acid and relieves symptoms of food pipe lining inflammation .

20X10 Capsules
(ALU-ALU)

M.R.P. 190/- Strip

HARD GELATIN CAPSULES

PANTOSPORT-IT



Composition :
Each hard gelatin capsule Contains:
Pantoprazole Sodium IP 40 mg.
eq. to Pantoprazole 40 mg.
(as enteric coated granules)
Itopride Hydrochloride IP 150mg.
(as sustained release Pellets)

Excipients q.s.
Indication: Pantoprazole+Itopride is used in the treatment of gastroesophageal reflux disease and Peptic ulcer disease. Pantoprazole+Itopride is a combination of two medicines Pantoprazole and Itopride.

10X10 Capsules
(ALUMINUM)

M.R.P.180 /- Strip

PANTOSPORT-LS



Composition :
Each hard gelatin capsule contains:
Pantoprazole Sodium Sesquihydrate IP 40mg.
Levosulpiride 75mg.
Excipients q.s.

Indication: Levosulpiride + Pantoprazole is prescribed to give relief from acidity and its associated symptoms. It is a well-tolerated medicine and provides relief for a long time. Take it one hour before the meal, preferably in the morning.

10X1X10 Capsules
(ALU-ALU)

M.R.P. 185/- Strip

PG CLIDE-75



Composition :
Each hard gelatin capsule contains:
Pregabalin IP 75mg.
Excipients q.s.

Indication: Pregabalin 75 Capsule is a medicine used to relieve pain caused by nerve damage (neuropathic pain) due to diabetes, shingles (herpes zoster infection), spinal cord injury, or other conditions.

10X14 Capsules
(BLISTER)

M.R.P. 225/- Strip

RABIFOG-DSR



Composition :
Each hard gelatin capsule Contains:
Rabeprazole sodium IP 20 mg.
(as enteric coated Pellets)
Domperidone IP 30 mg.
(as sustained release Pellets)
Excipients q.s.

Indication: Rabeprazole is used to treat certain stomach and esophagus problems. It works by decreasing the amount of acid your stomach makes. It relieves symptoms such as heartburn, difficulty swallowing.

20X10 Capsules
(ALU-ALU)

M.R.P. 154/- Strip

RABIFOG-IT




Composition :
Each hard gelatin capsule Contains:
Rabeprazole Sodium IP 20mg.
Itopride 150mg.
Excipients q.s.

Indication: Rabeprazole+Itopride is used in the treatment of gastroesophageal reflux disease and Peptic ulcer disease. Rabeprazole + Itopride is a combination of two medicines: Rabeprazole and Itopride. Rabeprazole is a proton pump inhibitor .

10X10 Capsules
(ALUMINUM)

M.R.P.145 /- Strip

RABIFOG-LS



Composition :
Each hard gelatin capsule contains:
Rabeprazole IP 20mg.
Levosulpiride 75mg.

Indication: LEVOSULPIRIDE+RABEPRAZOLE is used to treat gastro-oesophageal reflux disease (GERD), acidity, heartburn, Zollinger-Ellison syndrome, Helicobacter pylori infection, irritable bowel syndrome, indigestion, duodenal and gastric ulcers.

10X1X10 Capsules
(ALU-ALU)

M.R.P. 165/- Strip

HARD GELATIN CAPSULES

ROSUEASE-AS 10



Composition:

Each Hard Gelatin Capsule Contains:
 Rosuvastatin Calcium IP
 Equivalent to Rosuvastatin 10 mg.
 (As Granules) Aspirin IP 75 mg.
 (As gastro-resistant tablet)
 Excipients q.s.

Indication: Rosuvastatin+Aspirin is used to prevent prevention of heart attack and stroke. Rosuvastatin + Aspirin is a combination of two medicines: Rosuvastatin and Aspirin, which prevents heart attack and stroke.

10X15 Tablets
(ALUMINIUM)

M.R.P. 120/- Strip

ROSUEASE-AS 20



Composition:

Each Hard Gelatin Capsule Contains:
 Rosuvastatin Calcium IP
 Equivalent to Rosuvastatin 20 mg.
 (As Granules) Aspirin IP 75 mg
 (As gastro-resistant tablet)
 Excipients q.s.

Indication: Rosuvastatin+Aspirin is used to prevent prevention of heart attack and stroke. Rosuvastatin + Aspirin is a combination of two medicines: Rosuvastatin and Aspirin, which prevents heart attack and stroke.

10X15 Tablets
(ALUMINIUM)

M.R.P. 160/- Strip

ROSUEASE-GOLD 10



Composition:

Each Hard Gelatin Capsule Contains:
 Rosuvastatin Calcium IP Eq.to
 Rosuvastatin 10 mg (As Granules)
 Clopidogrel Bisulphate IP
 Eq.to Clopidogrel 75 mg (As Granules)
 Aspirin IP 75 mg.(As Gastro-resistant
 tablets IP) Excipients q.s.

Indication: Aspirin+Rosuvastatin+Clopidogrel 75mg/10mg/75mg Capsule is used for prevention of heart attack, stroke and treatment of peripheral vascular disease. It is a combination of medicines that prevent clot formation in the blood vessels.

10X15 Tablets
(ALUMINIUM)

M.R.P. 210/- Strip

ROSUEASE-GOLD 20



Composition:

Each Hard Gelatin Capsule Contains:
 Rosuvastatin Calcium IP Eq.to
 Rosuvastatin 20 mg (As Granules)
 Clopidogrel Bisulphate IP
 Eq.to Clopidogrel 75 mg (As Granules)
 Aspirin IP 75 mg. (As Gastro-resistant

Indication: Aspirin+Rosuvastatin+Clopidogrel 75mg/10mg/75mg Capsule is used for prevention of heart attack, stroke and treatment of peripheral vascular disease. It is a combination of medicines that prevent clot formation in the blood vessels.

10X15 Tablets
(ALUMINIUM)

M.R.P. 258/- Strip

SILORELIEF-8



Composition:

Each hard gelatin capsule contains:
 Silodosin 8 mg.
 Excipients q.s.

Indication: Silodosin is used to treat signs and symptoms of an enlarged prostate gland, which is also known as benign enlargement of the prostate (benign prostatic hyperplasia or BPH). Benign enlargement of the prostate is a problem that can occur in men as they get older. The prostate gland is located below the bladder.

10X1X10 Capsules
(ALU-ALU)

M.R.P. 350/- Strip

SILORELIEF-4



Composition:

Each hard gelatin Capsule Contains:
 Silodosin 4mg.
 Excipients q.s.


Indication: Silodosin is used to treat signs and symptoms of an enlarged prostate gland, which is also known as benign enlargement of the prostate (benign prostatic hyperplasia or BPH).

10X1X10 Capsules
(ALU-ALU)

M.R.P. 180/- Strip

HARD GELATIN CAPSULES

SILORELIEF-D



10X10 Capsules
(ALU-ALU)

Composition:

Each hard gelatin capsule contains:
Silodosin 8mg.
Dutasteride 0.5 mg.
(As uncoated tablet) q.s.
Excipients q.s.

Indication: silodosin+dutasteride is a combination of medicine primarily used to treat the symptoms of benign prostatic hyperplasia in adults with an enlarged prostate gland. It helps to relieve symptoms such as difficulty urinating or urge to urinate more often and improve your ability to urinate.

M.R.P. 450/- Strip

THIOSEREN-4



10X10 Capsules
(BLISTER)

Composition:

Each hard gelatin capsule contains:
Thiocolchicoside IP 4mg.
Excipients q.s.

Indication: THIOCOLCHICOSIDE belongs to a group of medicines called muscle relaxants used to reduce and relieve pain due to muscle spasms (painful muscular contractions) associated with degenerative vertebral disorders, vertebral static problems, dorsal pain, low back pain, and torticollis.


M.R.P. 209/- Strip

Medical

INJECTION



CEFTALIN- 1GM



Composition :
Each Vial contains :
Ceftriaxone Sodium I.P. (Sterile)
Eq. to Ceftriaxone 1000mg.

Indication: Ceftriaxone 1000 MG Injection is an antibiotic used to treat bacterial infections affecting the lungs, throat, ears, heart, skin, urinary tract, etc. This medicine kills or stops the growth of bacteria causing the infection.

1 VIAL

M.R.P. 67.04/- Strip

CEFTALIN-SB




Composition :
Each ML. contains: Ceftriaxone Sodium IP 1000mg.
Sulbactam Sodium USP 500mg.

Indication: Cefoperazone Sodium 1000mg Sulbactam Sodium 500mg, 1.5 gm Vial, Prescription. Cefoperazone has a broad spectrum of activity and has been used to target bacteria responsible for causing infections of the respiratory and urinary tract, skin, and the female genital tract.

1 VIAL

M.R.P. 231.50/- Strip

CLICOLINE INJ.



Composition :
Each ml. Contains:
Citicoline Sodium IP 250mg.
eq. to Citicoline q.s.
Water for injection IP

Indication: Citilin 250mg Injection is a medicine used in the treatment of stroke, head injury, Alzheimer's disease and memory loss (dementia) in Parkinson's disease. It protects the nerve cells in the brain from damage and also helps to repair the damaged nerve cells.

10X5X2ml
(BLISTER)

M.R.P. 165/- Strip

DROTAZAP INJ.



Composition :
Each 2 ml Contains:
Drotaverine HCl IP 40mg.
Benzyl Alcohol IP 1.5%w/v

Indication: Drotaverine hydrochloride is an antispasmodic drug, a pain relief medicine; used to treat and relieve smooth muscle spasms i.e. is seen in menstrual pain, abdominal pain, pain due to kidney stone and biliary stone and gastrointestinal colicky pain.

10X5X2ml
(BLISTER)

M.R.P. 27.75 /- Strip

INJECTION

PANTOSPORT INJ.



Composition :
Each Vial Contains:
Pantoprazole IP 40mg.

Indication: Pantoprazole injection is used to treat certain conditions in which there is too much acid in the stomach. It is used for short-term treatment (7 to 10 days) of gastroesophageal reflux disease (GERD) with a history of erosive esophagitis.

40MG
(VIAL)

M.R.P. 56.50/- Strip

RANIPLAY INJ.



Composition :
Each Ml. Contains:
Ranitidine Hydrochloride IP
Eq. To Ranitidine 25mg.
Phenol 0.5% w/v (As Preservative)
Water for Injection IP q.s.

Indication: Ranitidine is used to treat ulcers of the stomach and intestines and prevent them from coming back after they have healed. This medication is also used to treat certain stomach and throat problems.

10X5X2ml
AMP (B.P)

M.R.P. 6.02/- Strip

TRAMESTIC INJ.



Composition :
Each 5ml contains:
Tranexamic Acid IP 500mg.

Indication: Tranexamic acid injection is used to control or prevent excessive or heavy bleeding during dental procedures in patients with hemophilia. Tranexamic acid injection is an antifibrinolytic agent. It works by blocking the breakdown of blood clots. It may also be used for other conditions as determined by your doctor.

10X5X5ml
AMP (B.P)

M.R.P. 76.80/- Strip

VOMIKILL 2ML INJ.



Composition :
Each Ml. contains:
Ondansetron Hydrochloride IP
2mg/ml.

Indication: Ondansetron injection is used to prevent nausea and vomiting caused by cancer medicines (chemotherapy or radiation), including high-dose cisplatin. This medicine is also used to prevent and treat nausea and vomiting that may happen after surgery.

10X5X2ml
AMP (B.P)

M.R.P. 13.00/- Strip

VOMIKILL 10ML INJ.



Composition :
Each Ml. contains:
Ondansetron HCL IP
EQ to Ondansetron 2mg.
Water for injection IP q.s.

Indication: Ondansetron injection is used to prevent nausea and vomiting caused by cancer medicines (chemotherapy or radiation), including high-dose cisplatin. This medicine is also used to prevent and treat nausea and vomiting that may happen after surgery.

10ml
VIAL

M.R.P. 66.50/- Strip

VOVEZAP INJ.



Composition :
Each Ml. contains:
Each 1 Ml. contains:
Diclofenac Sodium IP 75mg.
Benzyl Alcohol IP 4% w/v.

Indication: Diclofenac is indicated for use in the treatment of pain and inflammation from varying sources including inflammatory conditions such as osteoarthritis, rheumatoid arthritis, and ankylosing spondylitis, as well as injury-related inflammation due to surgery and physical trauma.

1ml
VIAL

M.R.P. 22.70/- Strip

OINTMENT



ORANIL



Composition:
Choline Salicylate Sol. BP. (equivalent to Choline Salicylate) 8.7% w/w.
Lignocaine Hydrochloride IP 2.0% w/w
Preservative Benzalkonium Chloride Solution IP 0.01% w/w.

Indication: Choline Salicylate + Lidocaine is a combination of two medicines: Choline Salicylate and Lidocaine. Choline Salicylate is a non-steroidal anti-inflammatory drug. It works by blocking the release of certain chemical messengers which cause pain and inflammation.

12x10GM M.R.P. 65/- Per Tube

CUTTIEECREAM



Composition:
Hydroquinone USP 2% w/w
Tretinoin USP 0.025% w/w
Mometasone Furoate IP 0.1% w/w
Cream Base q.s.

Indication: This medication is primarily used to treat and prevent dark brown patches on the skin known as Melasma. Melasma, also known as 'Mask of Pregnancy', is a skin condition that causes gray or brown patches on the skin.

20x15gm M.R.P. 145/- Per Tube

DERMIRAX-5



Composition:
Clobetasol Propionate BP 0.05 % w/w
Neomycin Sulphate IP 0.10% w/w
Tolnaftate IP 1.00% w/w
Lodochlorhydroxyquinoline IP 1.00 % w/w
Ketoconazole IP 2.00 % w/w

Indication: Dermirax 5 for skin disorders including eczema, psoriasis and lichen sclerosis. The medication reduces the action of chemicals that causes inflammation and redness.

20x15 GM M.R.P. 94/- Per Tube

FITXTRA



Composition:
Diclofenac Diethylamine IP 1.16% w/w
(Eq. to Diclofenac Sodium IP 1.00% w/w)
Linseed Oil BP 3.00% w/w
Methyl Salicylate IP 10.00% w/w
Menthol IP 0.5% w/w
Benzyl Alcohol IP 1.00% w/w
(As Preservative) In Gel Base

Indication: Diclofenac diethylamine + Linseed Oil + Methyl Salicylate + Menthol is a combination of four medicines: Diclofenac diethylamine, Linseed Oil, Methyl Salicylate and Menthol. Diclofenac diethylamine and Menthol are non-steroidal anti-inflammatory drugs.

20x30gm M.R.P. 125/- Per Tube

OINTMENT

GABACLIDE CREAM



Composition :
 Gabapentin IP 8%w/w
 Ketoprofen IP 5%w/w
 Capsaicin USP 0.035%w/w
 Methyl Salicylate IP 5%w/w
 Cream Base q.s.

Indication: CAPSAICIN+GABAPENTIN + KETOPROFEN + METHYL SALICYLATE is a combination medicine used to relieve neuropathic pain. It helps in treating chronic pain caused due to nerve damage in diabetes, shingles, and spinal cord injury.

10x30gm M.R.P. 280/- Per Tube

OFLOCATE-TC



Composition :
 Itraconazole Hydrochloride IP 1.0% w/w
 Ofloxacin IP 0.75% w/w
 Clobetasol Propionate IP 0.05% w/w
 Ornidazole Preservative IP 2.0% w/w
 Methylparaben IP 0.20% w/w
 Propylparaben IP 0.02% w/w

Indication: Itraconazole, Ofloxacin, Ornidazole & Clobetasol Propionate combination of salts is used to treat a variety of fungal skin infections such as athlete's foot, ringworm and jock itch. It also helps in relieving the itching, burning and cracking and scaling from the infections caused by the fungus.

20x15gm M.R.P. 125/- Per Tube

OXOVID-TC



Composition :
 Itraconazole Hydrochloride IP 1.0% w/w
 Ofloxacin IP 0.75% w/w
 Clobetasol Propionate IP 0.05% w/w
 Ornidazole Preservative IP 2.0% w/w
 Methylparaben IP 0.20% w/w
 Propylparaben IP 0.02% w/w

Indication: Itraconazole, Ofloxacin, Ornidazole & Clobetasol Propionate combination of salts is used to treat a variety of fungal skin infections such as athlete's foot, ringworm and jock itch. It also helps in relieving the itching, burning and cracking and scaling from the infections caused by the fungus.

20x15gm M.R.P. 92/- Per Tube

PILECLIDE CREAM




Composition :
 Beclomethasone Dipropionate IP 0.025%w/w
 Phenylephrine Hydrochloride IP 0.10% w/w
 Lignocaine Hydrochloride IP 2.50% w/w
 Chlorocresol IP q.s. (as presevative)
 In aqueous cream base

Indication: Piles Ointment is a Ointment manufactured by Lupin Ltd. It is commonly used for the diagnosis or treatment of controls bleeding, inflamed skin, itchiness, chronic constipation, relieves pain.

20x20gm M.R.P. 195- Per Tube

POVICLIDE



Composition :
 Povidone-Iodine IP 5% w/w

Indication: Povidone 5% Ointment is an antiseptic and disinfectant agent. It is used for the treatment and prevention of infections in wounds and cuts. It kills the harmful microbes and controls their growth, thereby preventing infections in the affected area.

20x15gm M.R.P. 63/- Per Tube

TERBINT



Composition :
 Terbinafine Hydrochloride BP 1% W/W

Indication: Terbinafine is applied to the skin to treat: ringworm of the body (tinea corporis); ringworm of the foot (interdigital and plantar tinea pedis; athlete's foot); ringworm of the groin (tinea cruris; jock itch);

20x15gm M.R.P. 85/- Per Tube

SOFT GELATIN CAPSULES

MYCOQUELL-200



Composition :

Each Soft gelatin capsule contains:
Progesterone IP 200mg.
Excipients q.s.

Indication: Progesterone 200mg Soft Gelatin Capsule contains progesterone, a female hormone that is important in the regulation of ovulation and menstruation. It is used to cause menstrual periods in women who have not reached menopause but are not having periods due to a lack of natural progesterone in the body.

5X1X10 Capsules
(BLISTER)

M.R.P. 305/- Strip

OMIXGRO-4G MIX



Composition :

Each soft gelatin capsule per serving contains:

Omega 3, Omega 6, Omega 9 Essential Fatty Acids, Derived from Flax Seed Oil (Alpha Linolenic Acid 253 mg, Linoleic Acid 88.3 mg, Oleic Acid 21.3 mg) + Excipients q.s.
Other Ingredients: Gelatin (Capsule shell), Glycerin, Sorbitol, Refined Soyabean Oil, Butylated Hydroxy Anisole & Class II Preservative (218)

10X1X10 Capsules
(BLISTER)

M.R.P. 255/- Strip

OXYGRAIN-GM



Composition :

Each Soft gelatin capsule contains:
Antioxidant, Lycopene, Multivitamin, Minerals, Ginseng & Cyanocobalamin Softgel. ETC

Indication: Ginseng, Lycopene, Vitamins and Minerals Capsules are composed of ginseng, a herbal extract used for many health problems like stamina, mental health, memory, and concentration. Lycopene is also an extract that has shown promise against various health conditions.

10X1X10 Capsules
(BLISTER)

M.R.P. 185/- Strip

EYE DROPS



HYALOLIDE



Composition :


Sodium Hyaluronate BP 0.1%w/v
Sodium Perborate BP 0.028%w/v
(as Preservative)
Sterile Aqueous base q.s.

Indication: Sodium Hyaluronate B.P 0.1%w/v, Sodium Perborate B.P 0.028%w/v Sodium hyaluronate eye drops are also known as . They are used to relieve eye dryness and soreness. They moisten, soothe and lubricate the surface of your eye, making it feel more comfortable.

25X1X10ML
(BOTTLE)

M.R.P. 495/- Strip

TOBRACLIDE



Composition :

Tobramycin Sulphate U.S.P.
Eq. to Tobramycin 0.3%w/v
Benzalkonium Chloride Solution IP.
0.004% v/v (as Preservative)
Sterile Aqueous base q.s.

Indication: Tobramycin ophthalmic solution 0.3% is a topical antibiotic indicated in the treatment of external infections of the eye and its adnexa caused by susceptible bacteria.

25X5ML
(BOTTLE)

M.R.P. 98/- Strip

TOBRACLIDE-F



Composition :

Tobramycin Sulphate U.S.P.
Tobramycin 0.3%w/v
eq. Fluorometholone IP 0.1%w/v
Benzalkonium Chloride Solution IP
0.004% v/v (as Preservative)
Sterile aqueous base q.s.

Indication: Tobramycin+Fluorometholone is used in the treatment of bacterial eye infections. Tobramycin + Fluorometholone is a combination of two medicines: Tobramycin and Fluorometholone.

25X1X10ML
(BOTTLE)

M.R.P. 181/- Strip

TRAVALIDE



Composition :

Travoprost IP 0.004% w/v
Benzalkonium Chloride Solution IP
0.02% v/v (as preservative)
Sterile Aqueous Base q.s.

Indication: Travoprost is used to treat high pressure inside the eye due to glaucoma or other eye diseases . Lowering high pressure inside the eye can help prevent blindness. This medication works by regulating the flow of fluid within the eye to maintain a normal pressure.

3ML
(BOTTLE)

M.R.P. 699/- Strip

RESPULES

RESPULES

BUDELUXE-1MG



Composition :

Each 2ml Respules contains:
Budesonide IP 1.0 mg

Indication: is used to prevent the symptoms of asthma . It is a steroid and is known as a "preventer". You need to have a fast-acting "reliever" as well because this medicine will not stop an asthma attack that has already started .

4x5x2ML

M.R.P. 29.43/-
Per Respules

BUDELUXE-0.5MG



Composition :

Each 2ml Respules contains:
Budesonide IP 0.5 mg

Indication: is used to prevent the symptoms of asthma . It is a steroid and is known as a "preventer". You need to have a fast-acting "reliever" as well because this medicine will not stop an asthma attack that has already started .

4x5x2ML

M.R.P. 23.75/-
Per Respules

SYRUP



CALCLIDE



Composition :

Each 5 ml. contains:
Calcium carbonate I.P. 625mg
eq. To elemental calcium 250 mg
vitamin D3 I.P. 125 I.U.
flavoured syrupy base q.s.
(BANANA FLAVOURED)

Indication: It may be used to treat conditions caused by low calcium levels such as bone loss (osteoporosis), weak bones (osteomalacia/rickets), decreased activity of the parathyroid gland (hypoparathyroidism), and a certain muscle disease (latent tetany).

200ml

M.R.P. 125/- Per Bottle

CETICLIDE



Composition :

Each 5ml. Contains.:
Cetirizine Hydrochloride IP 5mg.

Indication: Cetirizine 5mg/5ml Syrup is an anti-allergic medication, not a steroid. It relieves the symptoms of allergy. It is used to relieve runny nose, sneezing and redness, itching, and watering of the eyes caused by hay fever or seasonal

60ml

M.R.P.39.64/- Per Bottle

CETICLIDE



Composition :

Each 5ml. Contains.:
Cetirizine Hydrochloride IP 5mg.

Indication: Cetirizine 5mg/5ml Syrup is an anti-allergic medication, not a steroid. It relieves the symptoms of allergy. It is used to relieve runny nose, sneezing and redness, itching, and watering of the eyes caused by hay fever or seasonal

30ml

M.R.P. 22.12/- Per Bottle

CETICLIDE COLD-DS



Composition :

Each 5 ml. Contains :
Cetirizine Hydrochloride IP 5mg.
Phenylephrine HCl IP 5mg.
Paracetamol IP 250mg.
flavoured syrupy base q.s.

Indication: Cetirizine, Phenylephrine & Paracetamol Tablet is used in treatment of fever, pain, headache allergic rhinitis and common cold symptoms like blocked nose, runny nose, sneezing, congestion and stuffiness.

60ml

M.R.P. 70/- Per Bottle

SYRUP

CLIDE-D3 PLUS (NANO SHOT)

**Composition :**


Each 5 ml Contains:
Cholecalciferol Concentrate IP (as stabilized) eq. to Cholecalciferol 60000 IU (in nano Droplet from) vitamin D3 I.P. 125 I.U. flavoured syrupy base q.s. (BANANA FLAVOURED)

Indication: Colecalciferol is a form of vitamin D. It helps your body to take in more calcium and phosphorous from the food you eat, and helps your kidneys to keep more calcium instead of peeing it out. We usually get our vitamin D through exposure to sunlight and our diet.

4x5ml

M.R.P. 66.86/- Per Bottle

CLIDE ZINC

**Composition :**

Each 5 ml contains:
Zinc Gluconate USP (as Dihydrate) eq. to Elemental zinc 20 mg in a flavoured syrupy base

Indication: Zinc is a mineral that is used as a dietary supplement in people who do not get enough zinc from food. Zinc gluconate lozenges are used to help make cold symptoms less severe or shorter in duration.

60ml

M.R.P. 80/- Per Bottle

CLIZYME

**Composition :**

DIGESTIVE ENZYME, B-COMPLEX WITH L-LYSINE SYRUP

Indication: This syrup is very helpful to maintain a healthy muscle mass. It reduces the recovery time from workouts. It aids in proper calcium absorption and is also very important for boosting the immune system. Proper development of healthy bones also becomes possible by using it.

300ml

M.R.P. 350/- Per Bottle

COUGH CLIDE DS

**Composition :**

AYURVEDIC COUGH SYRUP

Indication: Cough Syrup is fortified with the power of 16 ayurvedic herbs to provide quick and long-lasting relief from all types of cough. It has a non-drowsy formula which provides immediate relief without feeling sleepy. The syrup has no artificial colours or preservatives. It is gluten-free.

100ml

M.R.P. 94/- Per Bottle

CYPOCLIDE

**Composition :**

Each 5ml. Contains :
Cyproheptadine Hydrochloride IP 2mg.
Tricholine CitPTS Solution (65%) 275mg,

Indication: Cyproheptadine + Tricholine Citrate is a combination of two medicines: Cyproheptadine and tricholine citrate which revives appetite. Cyproheptadine is an appetite stimulant. It works by reducing the effect of serotonin (a chemical messenger) in the hypothalamus, a part of the brain which regulates appetite.

200ml

M.R.P.145/- Per Bottle

FERRICLIDE

**Composition :**

IRON AND FOLIC ACID SYRUP

Indication: Iron and folic acid play vital roles in supporting red blood cell production, preventing anaemia, and promoting the healthy development of tissues and cells. Hemoforte syrup is useful for individuals of all ages, ensuring the body receives the iron and folic acid it needs to stay energised.

300ml

M.R.P. 350/- Per Bottle

SYRUP

HEMCLIDE



COMPOSITION :
Each 10 ml contains aqueous extract derived from:

Ingredients	Latin Name	Part Used	Qty.
Asoka	Saraca indica	Bk.	250 Mg
Brahmi	Bacopa monnerei	Lf.	350 Mg
Manjeeth	Rubia cordifolia	Rt.	250 Mg
Bala Punchang	Sida cordifolia	Rt.	250 Mg
Musti	Asparagus adscendens	Rt.	150 Mg
Daru haldi	Berberis aristata	Rt.	150 Mg
Mulethi	Glycyrrhiza glabra.	Rt. Ext.	100 Mg
Ulit Kambal	Abroma augustum	Lf.	125 Mg
Anant Mooli	Hemidegmus indicus	Lf.	250 Mg
Shankhpushpi	Convolvulus pluricaulis	Ext.Sd.	250 Mg
Gokshura	Tribulus terrestris	Ext.	250 Mg
Lodhra	Symplocos racemosa	Bk.	400 Mg
Gudhal	Abelia chinensis	Fl.	125 Mg
Nagarmotha	Cyperus rotundus	Rt.	100 Mg
Gorkhmundi	Sphaeranthus indicus	Wh. Pl. Ext.	100 Mg
Palash Phool	Butea monosperma	Rt.	125 Mg
Shatavari	Asparagus racemosus	Fl.	125 Mg
Nilofar	Nymphaea Alba	Fl.	125 Mg
Jatamansi	Nardostachys jatamansi	Wh. Pl.	125 Mg
Sugar Base	Saccharum officinarum	Fr.	Q. S.

300ml +10CAP M.R.P. 225/- Per Bottle

LACTVIEW




Composition :
Each 15ml. Contains:
Lactulose ConcentPTS USP 10 gm.
Eqv. To lactulose
Aqueous base q.s.

Indication: For the treatment of constipation. In patients with a history of chronic constipation, lactulose solution therapy increases the number of bowel movements per day and the number of days on which bowel movements occur.

100ml M.R.P. 129.15/- Per Bottle

LACTVIEW



Composition :
Each 15ml. Contains:
Lactulose ConcentPTS USP 10 gm.
Eqv. To lactulose
Aqueous base q.s.

Indication: For the treatment of constipation. In patients with a history of chronic constipation, lactulose solution therapy increases the number of bowel movements per day and the number of days on which bowel movements occur.

200ml M.R.P. 258.30/- Per Bottle

LECOZINE



Composition :
Each 15ml. Contains:
Lactulose ConcentPTS USP 10 gm.
Eqv. To lactulose
Aqueous base q.s.

Indication: For the treatment of constipation. In patients with a history of chronic constipation, lactulose solution therapy increases the number of bowel movements per day and the number of days on which bowel movements occur.

200ml M.R.P. 75/- Per Bottle

LEUKOLIDE



Composition :
Each 10ml. Syrup Contains:
Ashika 159mg.
Lodh 133mg.
Arjun 106mg.
Ashwagandha 79mg.
Satawari 106mg.
Ajwain 79mg.
Amla 106mg.
Ajmodh 79mg.
Ulat-kambal 133mg.
Amaltas 106mg.
Sonth 106mg.
Ghee Kwar Patra 159mg.
Jatamansu 106mg.
Mag-kaser 79mg.
Vasa Patra 133mg.
Dhatki 106mg.

300ml 30 TAB M.R.P. 225/- Per Bottle

MEFCLIDE-PLUS



Composition :
Each 5ml contains:
Mefenamic Acid IP 100mg.
Paracetamol IP 250mg.
Flavoured Syrup Base q.s.

Indication: MEFENAMIC ACID+PARACETAMOL is used to treat pain, inflammation, migraine headache, period pain, heavy bleeding during periods, muscle pain, tooth pain, joint pain, pain after surgery, ear pain, fever, flu, osteoarthritis, and rheumatoid arthritis.

200ml M.R.P. 88/- Per Bottle

SYRUP

MAHADEX-MINT



Composition :

Each 5ml.contains:

Dextromethorphan Hydrobromide IP 5mg.
Phenylephrine HCL 2.5mg.
Cetirizine HCL IP 5mg.
In a flavoured syrupy base q.s.

Indication: It is intended for the relief of cough and cold symptoms. Cetirizine hydrochloride is anti-histamine reported to be long acting and with some mast cell stabilizing activity. It is used for the symptomatic relief of hypersensitivity reactions including rhinitis.

100ml

M.R.P. 130/- Per Bottle

MULTIPACE SYRUP 200ML



Nutritional Info:
Serving Size - 15 ml (1 Teaspoon)
Amount Serving: 15

	mg per ml	% RDA
Energy	8.00 kcal	**
Carbohydrate	1.70g	**
Sugar	1.50g	**
Protein	0.30g	**
Fat	0.35g	**
L-Lysine Hydrochloride	15.00 mg	**
Vitamin B5	100.00 mg	**
Vitamin C (as Ascorbic Acid)	10.00 mg	20.00%
Calciferol	1.00 mg	**
Vitamin E Acetate (as alpha-tocopherol)	5.00 mg	45.00%
Vitamin B12 (as Cyanocobalamin)	1.00 mg	80.00%
Vitamin B1 (as Thiamine Hydrochloride)	1.00 mg	80.00%
Vitamin B6 (as Pyridoxine Hydrochloride)	1.00 mg	80.00%
Vitamin A (as Retinyl Palmitate)	400.00 mg	80.00%
Vitamin D3 (as Cholecalciferol)	2.50 mg	50.00%
Vitamin B11 (as Cyanocobalamin)	1.00 mg	80.00%
Copper Sulphate	1.00 mg	10.00%
Zinc Sulphate	1.00 mg	10.00%
Sodium Sulphate	10.00 mg	20.00%
Potassium Iodide	10.00 mg	20.00%

Indication: Multipace Syrup is a dietary supplement enriched with a high concentration of minerals, multivitamins and antioxidants to help maintain optimum health.

200ml.

M.R.P.175 /- Per Bottle

MULTIPACE SYRUP 300ML



Nutritional Info:
Serving Size - 15 ml (1 Teaspoon)
Amount Serving: 15


	mg per ml	% RDA
Energy	8.00 kcal	**
Carbohydrate	1.70g	**
Sugar	1.50g	**
Protein	0.30g	**
Fat	0.35g	**
L-Lysine Hydrochloride	15.00 mg	**
Vitamin B5	100.00 mg	**
Vitamin C (as Ascorbic Acid)	10.00 mg	20.00%
Calciferol	1.00 mg	**
Vitamin E Acetate (as alpha-tocopherol)	5.00 mg	45.00%
Vitamin B12 (as Cyanocobalamin)	1.00 mg	80.00%
Vitamin B1 (as Thiamine Hydrochloride)	1.00 mg	80.00%
Vitamin B6 (as Pyridoxine Hydrochloride)	1.00 mg	80.00%
Vitamin A (as Retinyl Palmitate)	400.00 mg	80.00%
Vitamin D3 (as Cholecalciferol)	2.50 mg	50.00%
Vitamin B11 (as Cyanocobalamin)	1.00 mg	80.00%
Copper Sulphate	1.00 mg	10.00%
Zinc Sulphate	1.00 mg	10.00%
Sodium Sulphate	10.00 mg	20.00%
Potassium Iodide	10.00 mg	20.00%

Indication: Multipace Syrup is a dietary supplement enriched with a high concentration of minerals, multivitamins and antioxidants to help maintain optimum health.

300ml.

M.R.P. 220 /- Per Bottle

PARASEREN



Composition :

Each 5ml.contains :
Paracetamol IP 125mg.

Indication: It works by blocking chemical messengers in the brain that tell us we have pain. It is effective in relieving pain caused by headache, migraine, nerve pain, toothache, sore throat, period (menstrual) pains, arthritis, and muscle aches.

60ml.

M.R.P.22.17 /- Per Bottle

PARASEREN-DS



Composition :

Each 5ml.contains :
Paracetamol IP 250mg.

Indication: It works by blocking chemical messengers in the brain that tell us we have pain. It is effective in relieving pain caused by headache, migraine, nerve pain, toothache, sore throat, period (menstrual) pains, arthritis, and muscle aches.

60ml.

M.R.P.45 /- Per Bottle

RANIPLAY



Composition :

Each 5 ml contact :
Ranitidine Hydrochloride IP eq to ranitidine 75mg.

Indication: It is used to treat and prevent heartburn, indigestion, and other symptoms caused by too much acid in the stomach. It is also used to treat and prevent stomach ulcers, reflux disease, and some rarer conditions.

100ml.

M.R.P. 134.40/- Per Bottle

DRY SYRUPS



AUSPOD




Composition :
Each 5ml after Reconstitution contains:
Cefpodoxime Proxetil IP 50mg.
eq. to Cefpodoxime (Anhydrous),
Excipients q.s.

Indication: Cefpodoxime Proxetil is an antibiotic. It kills the bacteria by preventing them from forming the bacterial protective covering (cell wall) which is needed for them to survive.

30ml

M.R.P. 125/- Per Bottle

AUGOSHIELD



Composition :
Each 5 ml. of the Reconstituted suspension contains:
Amoxicillin Trihydrate IP 200mg.
eq. to Amoxicillin,
Potassium Clavulanate Diluted I.P.
28.5mg eq. to Clavulanic Acid,
Excipients q.s.

Indication: Amoxicillin/clavulanic acid is a combination penicillin-type antibiotic used to treat a wide variety of bacterial infections. It works by stopping the growth of bacteria.

30ml

M.R.P. 67.53/- Per Bottle

SPRAY AND WASH



CLIDE FACE WASH



INGREDIENTS : AQUA (WATER) , SODIUM LAURYL ETHER SULPHATE , ACTINIDIA DELICIOSA (KIWI EXTRACT) , ALONE BARBADENSIS (ALOEVERA EXTRACT), HYDROXYETHYLCELLULOSE, COCAMIDOPROPYL BETAINE, GLYCERINE, PHENOXYETHANOL , ALLANTOIN, CUCUMBER EXTRACT, LACTIC ACID, TRIETHANOLAMINE & FRAGRANCE.

Indication: Recommended for dry skin. Typically contains almond oil, shea butter, kojic acid, argan oil etc. Recommended for oily skin, Typically contains aloe vera, salicylic acid, tea tree oil etc. Recommended for sensitive skin.

100ml

M.R.P. 290/- Per Bottle

CLIDE MOUTH WASH



Composition :

Chlorhexidine Gluconate I.P. 0.2% w/v

Indication: This medication is used along with regular tooth brushing/flossing to treat gingivitis, a gum disease that causes red, swollen, and easily bleeding gums. Chlorhexidine belongs to a class of drugs known as antimicrobials.

100ml

M.R.P. 125/- Per Bottle

CLIDE VAGINAL WASH



Composition :

Key ingredients :

Lactic Acid	1.20% w/v
Sea Buckthorn Oil	0.25% w/v

Indication: Lactic Acid 1.2 % With Sea Buckthorn Tea Tree Oil , Hydroxypropyl Cellulose Glyceryl Cocoate. best defense against any vaginal discomfort. It is one of the best vaginal washing liquid which helps you maintain the right pH levels. Whatever your age, the most delicate area of your body needs protecting.

100ml Bottle

M.R.P 200/-Per Bottle

MINOXEASY

MINOX EASY-5



Composition :

Each ml contains :
Minoxidil IP 5% w/v.
Base q.s.

PACK : - 60ml Spray
M.R.P : - 625/- Per Bottle

MINOX EASY-10



Composition :

Each ml contains :
Minoxidil IP 10% w/v.
Base q.s.

PACK : - 60ml
M.R.P : - 778/- Per Bottle

HAIR REGROWTH SOLUTION



MINOX EASY-F



Composition :

Each ml contains :
Minoxidil IP 5% w/v.
Finasteride IP 0.1%w/v.
Base q.s.

PACK : - 60ml
M.R.P : - 699/- Per Bottle

AYUREDIC & NUTRACEUTICALS



ASHOKA CORDIAL



COMPOSITION:
Each 100 ml contains aqueous extract derived from:

Ingredients	Latin Name	Part Used	Qty.
Lecther	Syringium rostratum	Root	400 mg
Ardrini	Decape roseum	Parichang	350 mg
Ashoka	Sapota indica	Bark	250 mg
Mandika	Stela cordifolia	Root	250 mg
Bala	Sida cordifolia	Root	250 mg
Arantimal	Corchorus Puricaria	Parichang	250 mg
Chandrapala	Tribulus terrestris	Root	250 mg
Gostana	Chromolaena parasitica	Parichang	250 mg
Mansal	Boerhaavia diffusa	Root	150 mg
Dandi harita	Boerhaavia diffusa	Stem	150 mg
Ushkanti	Aletris aegitia	Parichang	125 mg
Sonch malini	Lobelia inflata	Parichang	125 mg
Palash	Bala fruticosa	Flower	125 mg
Chakra	Asparagus racemosus	Root	125 mg
Mulur	Thymus alba	Flower	125 mg
Jahmani	Murdostachys jatamansi	Root	125 mg
Mandi	Ayurthya glabra	Root	100 mg
Aspandhi	Viburnum acerifolium	Root	100 mg
Nagarmula	Cyperus scariosus	Root stem	100 mg
Madhu	Albizia leonuriifera	Flower	50 mg
Sugar	Saccharum officinarum	Stem Extract	q.s.

Indication: Used in ayurvedic treatment of heavy menstrual bleeding and other gynecological complaints like heavy uterine bleeding, imbalanced female hormones menopausal osteoporosis, ovarian, cyst and uterine polyps.

200ml. M.R.P.110 /- Per Bottle

ASHOKA CORDIAL



COMPOSITION:
Each 100 ml contains aqueous extract derived from:

Ingredients	Latin Name	Part Used	Qty.
Lecther	Syringium rostratum	Root	400 mg
Ardrini	Decape roseum	Parichang	350 mg
Ashoka	Sapota indica	Bark	250 mg
Mandika	Stela cordifolia	Root	250 mg
Bala	Sida cordifolia	Root	250 mg
Arantimal	Corchorus Puricaria	Parichang	250 mg
Chandrapala	Tribulus terrestris	Root	250 mg
Gostana	Chromolaena parasitica	Parichang	250 mg
Mansal	Boerhaavia diffusa	Root	150 mg
Dandi harita	Boerhaavia diffusa	Stem	150 mg
Ushkanti	Aletris aegitia	Parichang	125 mg
Sonch malini	Lobelia inflata	Parichang	125 mg
Palash	Bala fruticosa	Flower	125 mg
Chakra	Asparagus racemosus	Root	125 mg
Mulur	Thymus alba	Flower	125 mg
Jahmani	Murdostachys jatamansi	Root	125 mg
Mandi	Ayurthya glabra	Root	100 mg
Aspandhi	Viburnum acerifolium	Root	100 mg
Nagarmula	Cyperus scariosus	Tuber stem	100 mg
Madhu	Albizia leonuriifera	Flower	50 mg
Sugar	Saccharum officinarum	Stem Extract	q.s.

Indication: Used in ayurvedic treatment of heavy menstrual bleeding and other gynecological complaints like heavy uterine bleeding, imbalanced female hormones menopausal osteoporosis, ovarian, cyst and uterine polyps.

450ml. M.R.P.225 /- Per Bottle

CLIDE JAMUN KARELA PLUS CAPSULE



COMPOSITION:
Each 500 mg. ClidE gelatin capsule contains:

Ingredients	Latin Name	Part Used	Qty.
Jamun	Eugenia jambolana	Seed	100 mg
Methi Seed	Trigonella foenugreek	Seed	75 mg
Palash root	Cymosma zeyheri	Parichang	50 mg
Karela Dry Ext.	Momordica charantia	Seed	50 mg
Neem	Azadirachta indica	Leaf ext.	25 mg
Flax	Trigonella foenugreek	Seed	25 mg
Neem	Azadirachta indica	Leaf	25 mg
Radul	Agave americana	Fruit	25 mg
Radul	Morinda linnia	Root	25 mg
Palash root	Tamarindus indica	Fruit	20 mg
Black Sugar	Saccharum officinarum	Ayurvedic: Chased Saktantika	15 mg

Indication: ClidE Jamun Karela Plus Capsule is an excellent tonic to promote a healthy digestive system. It gets through your body and starts stimulating the liver to secrete digestive enzymes. This Capsule can also help combat common stomach infections, constipation, diarrhea and dysentery.

10X10 Capsules (BLISTER) M.R.P. 75/- Per Strip

CLIDE JAMUN KARELA PLUS JUICE



Composition
Each 10 ml Contains aqueous extracts of:

Ingredients	Latin Name	Part Used	Contains
Jamun	Eugenia Jambolana	Seed	1000 mg.
Karela	Momordica Charantia	Seed	750 mg.
Guider	Cymosma Sylvester	Leaf	250 mg.
Methi	Trigonella Foenugreek	Seed	250 mg.
Neem	Azadirachta indica	Leaves	200 mg.

Indication: ClidE Jamun Karela Plus Juice is a valuable juice made from natural ingredients that can help lower cholesterol levels to safeguard against cardiovascular problems.

500ml. M.R.P. 290/- Per Bottle

AYUREDIC & NUTRACEUTICALS

CLIDE MUSLI PLUS



Composition :

Each 500mg. Hard gelatin capsule contains :

Ingredients	Latin Name	Part Used	Qty.
Safed Musli Extract	<i>Asparagus indicus</i>	Root	200 mg.
Shudh Shilajit	<i>Shilajit prabhakar nigamit</i>	Ayurvedic Classical Formulation	50 mg.
Kapikachhu	<i>Mucuna pruriens</i>	Seed	50 mg.
Chakra	<i>Tribulus terrestris</i>	Fruit	50 mg.
Sarvaushobh	<i>Agavea sarvas</i>	Leaf	50 mg.
Avanti	<i>Myristica fragrans</i>	Seed	30 mg.
Ashwagandha	<i>Withania somnifera</i>	Root	20 mg.
Amal	<i>Eclipta officinalis</i>	Fruit	20 mg.
Abhraj Bhasm	Ayurved asar sangrah	Ayurvedic Classical Formulation	10 mg.
Laksh Bhasm	Ayurved asar sangrah	Ayurvedic Classical Formulation	10 mg.

Excipients: Starch 5mg, Sodium Methylparaben 0.75 mg, Talcum 3.87mg, Sodium Propylparaben 0.38 mg

10X1X10 Capsules
(ALU-ALU)

M.R.P. 415/- Strip

CLIDE NONI JUICE



Composition :

Each 10ml Contains aqueous Extracts of :

Ingredients	Botanical Name	Part Used	Qty.
Noni And Sorbitol water	<i>portulaca quadrifida</i>	Fruit Pulp	3000mg
	Sorbitol	Liquid	1000mg q.s.

Indication: Noni juice is used to reduce total cholesterol and triglyceride; to reduce chronic pain, painful inflammation and swelling (root extract); to treat diabetes (chewing leaves releases and activates soluble dietary fiber); slows absorption of simple sugars from gut; to treat parasitic infections

500ML

M.R.P. 480/- Strip

FITXTRA PAIN OIL



Each 27 ML Pain Oil Contains aqueous Extracts of :

Ingredients	Botanical Name	Part used	Qty.
Alwan	<i>Trachypogonum arali</i>	Seed	1450 mg.
Ashwagandha	<i>Withania somnifera</i>	Root	1400 mg.
Bhrajani	<i>Vitis rotundifolia</i>	Leaf	1350 mg.
Sifa	<i>Albizia lebbek</i>	Bark	1350 mg.
Sourth	<i>Zingiber officinale</i>	Dry Rhizome	1350 mg.
Ratanjot	<i>Jatropha curcas</i>	Root	475mg.
AKK	<i>Crotalaria gigantea</i>	Wb. pt.	450 mg.
Vacha	<i>Aconitum calamus</i>	Rhizome	400mg.
Sandhanamak	<i>Sodium chloride</i>	Powder	350 mg.
And			
Kapur	<i>Cinnamomum camphora</i>	Leaf	100mg.
Arandi Tail	<i>Ricinus communis</i>	Sl. Oil	5ml
Cheed	<i>Pinus Longifolia</i>	Leaf oil	5ml
Alai ka tel	<i>Linum usitatissimum</i>	Seed Oil	1 ml
TLI oil	<i>Sesamum Indicum</i>	Seed Oil	1ml

Excipients: Butyl hydroxy toluene (BHT) IP: 0.001gm

Indication: Fitxtra pain oil is a specially formulated ayurvedic formulation . blended with medicinal herbal oils, that helps in relieving pain associated with muscles & joints pain of neck, shoulder, back, wrist, knee &

100ml.

M.R.P.160 /- Per Bottle

KESH CLIDE OIL



COMPOSITION :

Each 10ml contains aqueous extract derived from:

Ingredients	Latin Name	Part Used	Qty.
Bhiringraj	<i>Eclipta prostrata</i>	Wh. Plant	500 Mg
Brahmi	<i>Ecopia monnerei</i>	Lf.	300 Mg
Jatamansi	<i>Nardostachys jatamansi</i>	Wh. Pl	300 Mg
Henna	<i>Lawsonia inermis</i>	Lf.	300 Mg
Tulsi	<i>Ocimum sanctum</i>	Lf.	300 Mg
and			
Jatiphala	<i>Myristica fragrans</i>	Seed Oil	0.002 ML
Tea Tree	<i>Myrsineca alternifolia</i>	Last Oil	0.005 ML
Wheat Germ oil	<i>Triticum vulgare</i>	Seed Oil	0.005 ML
Sesamum Oil	<i>Sesamum Indicum</i>	Seed Oil	05 ML

Indication: It may provide nutrients to the scalp and hair. It is a natural and herbal oil consisting of Ayurvedic herbs like Bhiringraj, which can help promote hair growth and blood circulation.

100ml.

M.R.P.175 /- Per Bottle

LEUKOLIDE CAPSULES



Composition :


Each capsule contains :

Ashok Chhal Satva	60 mg.
Lodh Chhal Extract	60 mg.
Kattha	30 mg.
Satavar	30 mg.
Chikni Supari	30 mg
Nag kesar	30 mg.
Kamar Kas	30 mg.
Bansh Lochan	20 mg.
Nag Bhasm	25 mg.
Kutvantak Bhasm	35 mg.
Tribabg Bhasm	30 mg.
Loh Bhasm	20 mg.

10x1x10
(BLISTER)

M.R.P. 90 /- Per STRIP

LIV CLIDE-DS 200ML



COMPOSITION :

Each 10ml contains aqueous extract derived from:


Ingredients	Latin Name	Part Used	Qty.
Rochika	<i>Tecoma madagaca</i>	Back	
Ashwagandha	<i>Withania somnifera</i>	Root	
Chiryas	<i>Sida cordata</i>	Panchang	
Bhiringraj	<i>Eclipta alba</i>	Panchang	
Sarpagandha	<i>Tephrosia purpurea</i>	Panchang	
Ajain	<i>Ternstroemia arguta</i>	Back	
Kalmesh	<i>Andropogon paniculata</i>	Panchang	
Pit Papla	<i>Pennisetum indicum</i>	Whole Plant	
Epimelis	<i>Phyllanthus niruri</i>	Panchang	
Kakoi	<i>Solanum nigrum</i>	Root	
Wididang	<i>Embelia ribes</i>	Seed	
Daru Haridra	<i>Berberis aristata</i>	Stem	
Purnasava	<i>Baccharis diffusa</i>	Root	
Kanti	<i>Cithodactylus eudelia</i>	Root	
Giloy	<i>Tinospora cordifolia</i>	Stem	
Hanu	<i>Terminalia chebula</i>	Fruit	
Bahera	<i>Terminalia bellerica</i>	Fruit	
Talei	<i>Ocimum sanctum</i>	Leaves	
Amle	<i>Emblicia officinalis</i>	Fruit	
Kandi	<i>Phacelia farnes</i>	Root	
Pipal	<i>Piper longum</i>	Seed	
Chitrak	<i>Plumbago zeylanica</i>	Root	
Pineapple & Sugar	<i>Annona comosus</i>	Juice	
	<i>Saccharum officinarum</i>	Stem Extract	

200ml.

M.R.P.210 /- Per Bottle

AYUREDIC & NUTRACEUTICALS

LIV P ZIME 100ML



COMPOSITION :
Each 10ml contains aqueous extracts derived from:-

Ingredients	Botanical Name	Part Used	Qty.
Shilajit	Eclipta alba	Panchang	400 mg
Sarpagandha	Tephrosia purpuria	Panchang	400 mg
Rohibik	Tecoma undulata	Twak	400 mg
Ajain	Terminalia arjuna	Bark	400 mg
Ashwagandha	Withania somnifera	Root	300 mg
Kalmegh	Andropogon paniculatus	Panchang	200 mg
Makoy	Solanum nigrum	Fruit	200 mg
Valkang	Embelia ribes	Seed	200 mg
Pil Papda	Fumaria indica	Whole Plant	200 mg
Bhainola	Phyllanthus niruri	Panchang	200 mg
Dumalita	Berberis aristata	Stem	100 mg
Punarnav	Bovhavia diffusa	Root	100 mg
Talid	Ocimum sanctum	Leaves	100 mg
Kani	Cichorium endive	Seed	100 mg
Gily	Timospora cordifolia	Stem	100 mg
Huar	Terminalia chebala	Fruit	100 mg
Bahen	Terminalia bellirica	Fruit Bark	100 mg
Amil	Embelica officinalis	Fruit	100 mg
Chitrakmol	Plumbago zeylanica	Root	100 mg
Sugar	Saccharum officinarum	Stem extract	0.5

100ml. M.R.P.62 /- Per Bottle

LIV P ZIME 200ML




COMPOSITION :
Each 10ml contains aqueous extracts derived from:-

Ingredients	Botanical Name	Part Used	Qty.
Shilajit	Eclipta alba	Panchang	400 mg
Sarpagandha	Tephrosia purpuria	Panchang	400 mg
Rohibik	Tecoma undulata	Twak	400 mg
Ajain	Terminalia arjuna	Bark	400 mg
Ashwagandha	Withania somnifera	Root	300 mg
Kalmegh	Andropogon paniculatus	Panchang	200 mg
Makoy	Solanum nigrum	Fruit	200 mg
Valkang	Embelia ribes	Seed	200 mg
Pil Papda	Fumaria indica	Whole Plant	200 mg
Bhainola	Phyllanthus niruri	Panchang	200 mg
Dumalita	Berberis aristata	Stem	100 mg
Punarnav	Bovhavia diffusa	Root	100 mg
Talid	Ocimum sanctum	Leaves	100 mg
Kani	Cichorium endive	Seed	100 mg
Gily	Timospora cordifolia	Stem	100 mg
Huar	Terminalia chebala	Fruit	100 mg
Bahen	Terminalia bellirica	Fruit Bark	100 mg
Amil	Embelica officinalis	Fruit	100 mg
Chitrakmol	Plumbago zeylanica	Root	100 mg
Sugar	Saccharum officinarum	Stem extract	0.5

200ml. M.R.P.165 /- Per Bottle

LIV P ZIME DS 225ML



COMPOSITION :
Each 10ml contains aqueous extract derived from:-

Ingredients	Latin Name	Part Used	Qty.
Ajain	Terminalia arjuna	Bark	800 mg
Rohibik	Tecoma undulata	Bark	750 mg
Shilajit	Eclipta alba	Panchang	750 mg
Sarpagandha	Tephrosia Purpurea	Root	500 mg
Ashwagandha	Withania Somnifera	Root	500 mg
Kalmegh	Andropogon paniculatus	Panchang	450 mg
Makoy	Solanum nigrum	Fruit	450 mg
Valkang	Embelia ribes	Seed	450 mg
Pil Papda	Fumaria indica	Whole Plant	450 mg
Bhainola	Phyllanthus niruri	Panchang	450 mg
Dumalita	Berberis aristata	Stem	200 mg
Punarnav	Bovhavia diffusa	Root	200 mg
Talid	Ocimum sanctum	Leaves	200 mg
Bahen	Terminalia bellirica	Fruit	200 mg
Kani	Cichorium endive	Root	200 mg
Chitrakmol	Plumbago zeylanica	Root	200 mg
Gily	Terminalia chebala	Fruit	200 mg
Amil	Embelica officinalis	Fruit	200 mg
Phosphi	Amara cornucopia	Juice	q.s.
Sugar	Saccharum officinarum	Stem Extract	q.s.

225ml. M.R.P.175/- Per Bottle

PILECLIDE CAPSULE



COMPOSITION :
Each 500 mg. Hard gelatin capsule contains:-

Ingredients	Latin Name	Part Used	Qty.
Siam	Asterophyllus sesamoides	Fruit	50mg
Baan	Berberis aristata	Root Ext.	50mg
Nam	Amalindia indica	Seed	50mg
Nag Keer	Mussaenda	Stem	50mg
Chagel	Cassipouera malab.	Stem Extract	50mg
Bach	Acacia catechu	Root	15mg
Anabur	Cassia fida	Fruit Poly	15mg
Kuraj	Pongamia glabra	Seed	15mg
Shahi Shikajit	Bhava pinnata nigra	Ayurvedic Classical Formulation	15mg
Bhaini ash	Phyllanthus niruri	Panchang	15mg
Chik masol	Plumbago zeylanica	Root	15mg
Cherya	Piper retrofractum	Fruit	15mg
Kali Mesh	Piper nigrum	Fruit	15mg
Shreeja Shita	Cichorium litorum	Fruit	15mg

Indication: It might also be useful for checking the bleeding and inflammation of piles. Its unique blend of ingredients may help boost the body's strength and power, leading to a healthier life

1X60 Capsules (BLISTER) M.R.P. 330/- Per BOTTLE

PILECLIDE CAPSULE



COMPOSITION :
Each 500 mg. Hard gelatin capsule contains:-

Ingredients	Latin Name	Part Used	Qty.
Siam	Asterophyllus sesamoides	Fruit	50mg
Baan	Berberis aristata	Root Ext.	50mg
Nam	Amalindia indica	Seed	50mg
Nag Keer	Mussaenda	Stem	50mg
Chagel	Cassipouera malab.	Stem Extract	50mg
Bach	Acacia catechu	Root	15mg
Anabur	Cassia fida	Fruit Poly	15mg
Kuraj	Pongamia glabra	Seed	15mg
Shahi Shikajit	Bhava pinnata nigra	Ayurvedic Classical Formulation	15mg
Bhaini ash	Phyllanthus niruri	Panchang	15mg
Chik masol	Plumbago zeylanica	Root	15mg
Cherya	Piper retrofractum	Fruit	15mg
Kali Mesh	Piper nigrum	Fruit	15mg
Shreeja Shita	Cichorium litorum	Fruit	15mg

Indication: It might also be useful for checking the bleeding and inflammation of piles. Its unique blend of ingredients may help boost the body's strength and power, leading to a healthier life

10X1X10 Capsules (BLISTER) M.R.P. 90 /- Per Strip

UPCOMING PRODUCT

UPCOMING PRODUCTS

SAXABLEND-5



Composition :
Each uncoated tablet contains:
Saxaglipitin 5mg.

Indication: Saxaglipitin is used along with diet and exercise to lower blood sugar levels in patients with type 2 diabetes (condition in which blood sugar is too high because the body does not produce or use insulin normally). Saxaglipitin is in a class of medications called dipeptidyl peptidase-4 (DPP-4) inhibitors.

5x2x14 Tablets (ALU-ALU)

SAXABLEND-DZ



Composition :
Each uncoated tablet contains:
Saxaglipitin 5mg.
Dapagliflozin 10mg.
Excipients q.s.

Indication: Saxaglipitin is used along with diet and exercise to lower blood sugar levels in patients with type 2 diabetes (condition in which blood sugar is too high because the body does not produce or use insulin normally). Saxaglipitin is in a class of medications called dipeptidyl peptidase-4 (DPP-4) inhibitors.

5x2x14 Tablets (ALU-ALU)

SAXABLEND-M



Composition :
Each uncoated tablet contains:
Saxaglipitin 5mg.
Metformin 500mg.
Excipients q.s.

Indication: Saxaglipitin is used along with diet and exercise to lower blood sugar levels in patients with type 2 diabetes (condition in which blood sugar is too high because the body does not produce or use insulin normally). Saxaglipitin is in a class of medications called dipeptidyl peptidase-4 (DPP-4) inhibitors.

5x2x14 Tablets (ALU-ALU)

SOLIVELOX-5




Composition :
Each Film Coated Tablet Contains:
Solifenacin Succinate 5mg.
Excipients q.s.

Indication: Solifenacin is used to treat bladder problems, including neurogenic detrusor overactivity and symptoms of an overactive bladder, such as incontinence (loss of bladder control), a strong need to urinate right away, or a frequent need to urinate.

10x15 Tablets (ALU-ALU)

SUGASTAT-G 0.5 SR



Composition :
Each Film Coated Tablet Contains:
Glimepiride 0.5mg.
metformin 500mg.
(Sustained Release)
Excipients q.s.

Indication: GLIMEPIRIDE+METFORMIN belongs to a class of medicines called anti-diabetic drugs used in the treatment of type 2 diabetes, especially in patients whose blood sugar levels are not controlled by diet and exercise alone. Type 2 diabetes is a chronic (long-lasting) condition that affects the way our body processes glucose.

10x10 Tablets (BLISTER)

SUGASTAT-G3 FORTE



Composition :
Each Film Coated Tablet Contains:
Glimepiride 3mg.
metformin 1000mg.
(Sustained Release)
Excipients q.s.

Indication: GLIMEPIRIDE+METFORMIN belongs to a class of medicines called anti-diabetic drugs used in the treatment of type 2 diabetes, especially in patients whose blood sugar levels are not controlled by diet and exercise alone. Type 2 diabetes is a chronic (long-lasting) condition that affects the way our body processes glucose.

10x10 Tablets (BLISTER)

UPCOMING PRODUCTS

SUGASTAT-G3 SR



Composition :
Each Film Coated Tablet Contains:
Glimepiride 3mg.
metformin 500mg.
(Sustained Release)
Excipients q.s.

Indication: GLIMEPIRIDE+METFORMIN belongs to a class of medicines called anti-diabetic drugs used in the treatment of type 2 diabetes, especially in patients whose blood sugar levels are not controlled by diet and exercise alone. Type 2 diabetes is a chronic (long-lasting) condition that affects the way our body processes glucose.

10x10 Tablets (BLISTER)

SUGASTAT-G4 FORTE



Composition :
Each Film Coated Tablet Contains:
Glimepiride 4mg.
metformin 1000mg.
(Sustained Release)
Excipients q.s.

Indication: GLIMEPIRIDE+METFORMIN belongs to a class of medicines called anti-diabetic drugs used in the treatment of type 2 diabetes, especially in patients whose blood sugar levels are not controlled by diet and exercise alone. Type 2 diabetes is a chronic (long-lasting) condition that affects the way our body processes glucose.

10x10 Tablets (BLISTER)

SUGASTAT-G4 SR



Composition :
Each Film Coated Tablet Contains:
Glimepiride 4mg.
metformin 500mg.
(Sustained Release)
Excipients q.s.

Indication: GLIMEPIRIDE+METFORMIN belongs to a class of medicines called anti-diabetic drugs used in the treatment of type 2 diabetes, especially in patients whose blood sugar levels are not controlled by diet and exercise alone. Type 2 diabetes is a chronic (long-lasting) condition that affects the way our body processes glucose.

10x10 Tablets (BLISTER)

SUGASTAT-850



Composition :
Each Film Coated Tablet Contains:
Metformin 850mg.
Excipients q.s.

Indication: Solifenacin is used to treat bladder problems, including neurogenic detrusor overactivity and symptoms of an overactive bladder, such as incontinence (loss of bladder control), a strong need to urinate right away, or a frequent need to urinate.

10x10 Tablets (BLISTER)

TOTSGROW FORTE



Composition :
Each uncoated bilayered tablet contain (approx):

L-Arginine	500 mg	**
as sustained release form		
Chondroitin Sulfate Sodium	200 mg	**
Collagen Peptide Type 1	40 mg	**
Vitamin C	30 mg	88
Sodium Hyaluronate	30 mg	**
Excipients	q.s.	

*Sodium Based on ICMR guidelines **RDA not established

Nutritional Information per serving / tablet (approx):	
Energy	5.40Kcal
Protein	0.51 g
Carbohydrate	0.31 g
Sugar	0 g
Fat	0 g

Figures based on calculated values.

10x1x10 Tablets (ALU-ALU)

VILINGTIN-DZ 5/50



Composition :
Each Film Coated Tablet Contains:
Vildagliptin 50mg.
dapagliflozin 5mg.
Excipients q.s.

Indication: Dapagliflozin+ Vildagliptin is used in the treatment of Type 2 diabetes mellitus. Dapagliflozin + Vildagliptin is a combination of two antidiabetic medications. Dapagliflozin increases urinary glucose excretion and reduces blood glucose levels.

10x10 Tablets (ALU-ALU)

UPCOMING PRODUCTS

AZATHPRO-25



Composition :

Each uncoated tablet contains :
Azathioprine IP 25mg.
Excipients q.s.

Indication: Azathioprine (Imuran®) is a medication that treats diseases that have to do with your immune system. It's been used in some patients with multiple sclerosis (MS), usually if they have problems with standard FDA-approved medications for their MS.

10x14 Tablets (BLISTER)

GLIDAEASE-40



Composition :

Each uncoated tablet contains:
Gliclazide IP 40 mg.
Excipients q.s.

Indication: Gliclazide is used to treat type 2 diabetes. It's a medicine known as a sulfonylurea. Sulfonylureas increase the amount of insulin your pancreas makes. This lowers your blood sugar.

10x10 Tablets (BLISTER)

CLIGRA-FORCE



Composition :

Sildenafil Citrate IP 50 mg.
Eq. to Sildenafil 50 mg.
Dapoxetine Hydrochloride IP 30 mg.
Eq to Dapoxetine 30 mg.
Excipients q.s.

Indication: Efficacy and safety of dapoxetine/sildenafil combination tablets in the treatment of men with premature ejaculation and concomitant erectile dysfunction-DAP-SPEED Study.

20x1x4 Tablets (BLISTER)

GLIDAEASE-80



Composition :

Each uncoated tablet contains:
Gliclazide IP 80 mg.
Excipients q.s.

Indication: Gliclazide belongs to the class of medications known as oral hypoglycemics. It is used by people with type 2 diabetes to control blood glucose. It is used when diet, exercise, and weight reduction have not been found to control blood glucose well enough without medication.

10x10 Tablets (BLISTER)

GLIDAEASE-M 80



Composition :

Each uncoated tablet contains :
Gliclazide IP 80 mg.
Metformin Hydrochloride IP 500mg.
Excipients q.s.

Indication: Gliclazide belongs to the class of medications known as oral hypoglycemics. It is used by people with type 2 diabetes to control blood glucose. It is used when diet, exercise, and weight reduction have not been found to control blood glucose well enough without medication.

10x10 Tablets (BLISTER)

GLIMSEREN-3



Composition :

Each uncoated tablet contains:
Glimepiride IP 3mg.
Excipients q.s.

Indication: Glimepiride is used to treat high blood sugar levels caused by type 2 diabetes. It may be used alone, or in combination with insulin or another oral medicine such as metformin. In type 2 diabetes, insulin produced by the pancreas is not able to get sugar into the cells of the body where it can work properly.

10x15 Tablets (BLISTER)

UPCOMING PRODUCTS

GLIMSEREN-4



Composition :

Each uncoated tablet contains:
 Glimepiride IP 4mg.
 Excipients q.s.

Indication: Glimepiride is used to treat high blood sugar levels caused by type 2 diabetes. It may be used alone, or in combination with insulin or another oral medicine such as metformin. In type 2 diabetes, insulin produced by the pancreas is not able to get sugar into the cells of the body where it can work properly.

10x15 Tablets (BLISTER)

LEVELYX-250



Composition :

Each film coated tablet contains :
 Levetiracetam 250mg.
 Excipients q.s.

Indication: This medicine can be used to control various types of seizures—myoclonic, partial-onset, and primary generalized tonic-clonic (or grand mal). It can also help reduce symptoms such as confusion, uncontrollable jerking movements, loss of awareness, and fear or anxiety.

10x10 Tablets (BLISTER)

SAXABLEND-2.5



Composition :

Each uncoated tablet contains:
 Saxagliptin 2.5mg.
 Excipients q.s.

Indication: Saxagliptin is used along with diet and exercise to lower blood sugar levels in patients with type 2 diabetes (condition in which blood sugar is too high because the body does not produce or use insulin normally). Saxagliptin is in a class of medications called dipeptidyl peptidase-4 (DPP-4) inhibitors.

5x2x14 Tablets (ALU-ALU)

LINAEASE-2.5



Composition :

Each film coated tablet contains :
 Linagliptin 2.5mg.
 Excipients q.s.

Indication: Linagliptin is used along with diet and exercise and sometimes with other medications to lower blood sugar levels in patients with type 2 diabetes (condition in which blood sugar is too high because the body does not produce or use insulin normally).

10x10 Tablets (BLISTER)

BISAMILD-5



Composition :

Each enteric coated tablet contains:
 Bisacodyl 5mg.
 Excipients q.s.

Indication: Bisacodyl is used on a short-term basis to treat constipation. It also is used to empty the bowels before surgery and certain medical procedures. Bisacodyl is in a class of medications called stimulant

20x10 Tablets (BLISTER)

BROMOVIBE-2.5



Composition :

Each uncoated tablet contains:
 Bromocriptine Mesylate IP eq. to

Indication: Bromocriptine is used to treat certain menstrual problems (eg, amenorrhea) in women and stops milk production in some men and women who have abnormal milk leakage. It is also used to treat infertility in both men

10x1x10 (ALUMINIUM)

UPCOMING PRODUCTS

CLONIDOSE-0.1



Composition :

Each Film Coated Tablet Contains:
Clonidine 0.1mg.
Excipients q.s.

Indication: Clonidine treats high blood pressure by decreasing your heart rate and relaxing the blood vessels so that blood can flow more easily through the body. Clonidine extended-release tablets may treat ADHD by affecting the part of the brain that controls attention and impulsivity.

10x10 (ALU-ALU)

CHILYKOLD



Composition :

Each Uncoated tablet contains :
Paracetamol IP 500mg.
Phenylephrine Hcl IP 5mg.
Caffeine (Anhydrous) IP 30mg.
Diphenhydramine HCL IP 25mg.
Excipients q.s.

Indication: Paracetamol 500 mg, phenylephrine 5 mg, caffeine 30 mg, and diphenhydramine 25 mg per tablet. KOLQ Tablets are indicated for the relief of symptoms associated with cold and flu including sneezing, runny nose, nasal congestion, cough, headache, fever, muscular aches, etc.

10X2X10 Tablets (BLISTER)

BISAMILD-10



Composition :

Each enteric coated tablet contains:
Bisacodyl 10mg.
Excipients q.s.

Indication: Bisacodyl is used on a short-term basis to treat constipation. It also is used to empty the bowels before surgery and certain medical procedures. Bisacodyl is in a class of medications called stimulant laxatives. It works by increasing activity of the intestines to cause a bowel movement.

20x10 Tablets (BLISTER)

DEFIME-1



Composition :

Each uncoated tablet contains:
Deflazacort 1 mg.
Excipients q.s.

Indication: Deflazacort is used to treat Duchenne muscular dystrophy (DMD). DMD is a rare, inherited muscle disease that occurs usually in children and young adults and is caused by an absence of a protein called dystrophin, which helps keep muscle cells intact. Deflazacort is corticosteroid (cortisone-like medicine or steroid).

20x10 Tablets (BLISTER)

IVASYNC-7.5



Composition :

Each Film Coated Tablet Contains: Ivabradine Hydrochloride Eq. to Ivabradine 7.5mg.
Excipients q.s.

Indication: Genericart Ivabradine Hydrochloride 5mg Tablet is a medicine used for the treatment of angina (heart-related chest pain) and chronic (long-term) heart failure. It makes the heart work more efficiently by lowering the heart rate.

10X1X15 Tablets (BLISTER)

ATOREASE-80



Composition :


Each film coated tablet contains :
Atorvastatin 80mg.
Excipients q.s.

Indication: Atorvastatin is used along with a proper diet to help lower "bad" cholesterol and fats (such as LDL, triglycerides) and raise "good" cholesterol (HDL) in the blood. It belongs to a group of drugs known as "statins." It works by reducing the amount of cholesterol made by the liver.

20x10 Tablets (BLISTER)

UPCOMING PRODUCTS

CLONIDOSE-0.2



Composition :
Each Film Coated Tablet Contains:
Clonidine 0.2mg.
Excipients q.s.

Indication: Clonidine treats high blood pressure by decreasing your heart rate and relaxing the blood vessels so that blood can flow more easily through the body. Clonidine extended-release tablets may treat ADHD by affecting the part of the brain that controls attention and impulsivity.

10x10 (ALU-ALU)

THIOSEREN-8



Composition :
Each hard gelatin capsule contains:
Thiocolchicoside IP 8mg.
Excipients q.s.

Indication: THIOCOLCHICOSIDE belongs to a group of medicines called muscle relaxants used to reduce and relieve pain due to muscle spasms (painful muscular contractions) associated with degenerative vertebral disorders, vertebral static problems, dorsal pain, low back pain, and torticollis (neck muscle contractions).

10X1X10 Capsules (BLISTER)

PARASEREN-500




Composition :
Each uncoated tablet contains:
Paracetamol IP 500mg.
Excipients q.s.

Indication: This medicine contains paracetamol. It belongs to a group of medicines called analgesics (painkillers) and is used to treat pain (including headache, toothache, back and period pain) and cold or flu symptoms.

20X15 Tablets (BLISTER)

SHOCOLD



Composition :
Each Uncoated tablet contains :
Paracetamol 500mg
Phenylephrine Hcl 10mg
CPM 2mg
Excipients q.s.

Indication: PARACETAMOL+PHENYLEPHRINEHYDROCHLORIDE+CHLORPHENIRAMINE MALEATE belongs to the class of medication called 'cough and cold medications' primarily used to treat symptoms of the common cold and allergies like sneezing, runny/stuffy nose, fever, headache, body pains, congestion, or watery eyes.

6X5X10 Tablets (BLISTER)

ACARSAVE-25



Composition :
Each uncoated tablet contains:
Acarbose IP 25 mg.
Excipients q.s.

Indication: Acarbose is used (with diet only or diet and other medications) to treat type 2 diabetes (condition in which the body does not use insulin normally and therefore cannot control the amount of sugar in the blood).

10X10 Tablets (ALUMINIUM)

AMLOEASE-AT



Composition :
Each uncoated tablet contains:
Amlodipine Besylate IP
Eq. to Amlodipine 5mg
Atenolol IP 50mg
Excipients q.s.

Indication: This Tablet is used to treat hypertension (high blood pressure) and angina. This is a combination of two medicines that controls blood pressure when a single medication is not effective.

10X10 Tablets (ALUMINIUM)

UPCOMING PRODUCTS

NIMUGUD COLD PLUS



Composition :


Each Uncoated tablet contains :

Nimesulide	100mg.
Phenylephrine Hcl	10mg.
Caffeine	25mg.
Excipient	q.s.

Indication: Nimesulide+Paracetamol +Phenylephrine+Caffeine is used in the treatment of Common cold. Nimesulide is a non-steroidal anti-inflammatory drug (NSAID). It works by blocking the release of certain chemical messengers that cause pain and inflammation (redness and swelling).

10x2x10 (BLISTER)

RHUMAZOX-FORTE



Composition :


Each uncoated tablet contains:

Diclofenac Potassium	BP	50 mg.
Paracetamol	IP	325 mg.
Chlorzoxazone	USP	500 mg.
Excipient		q.s.

Indication: It is a pain reliever prescribed to treat a wide variety of conditions. The combination of medications makes it useful for relieving inflammation, relaxing muscle, and reducing both fevers and pains. It is commonly used to patients suffering from severe headaches, arthritis, swelling or skeletal muscle injuries.

10x2x10 (BLISTER)

NIMUGUD-COLD



Composition :

Each Uncoated tablet contains :

Nimesulide	100mg.
Phenylephrine Hcl	5mg.
Levocetirizine	5mg.
Excipient	q.s.

Indication: Nimesulide 100mg+ Phenylephrine 5mg + Levocetirizine 5mg Tablets. Nimesulide + Levocetirizine + Phenylephrine + Caffeine is a combination of four medicines: Nimesulide, Levocetirizine, Phenylephrine and Caffeine which relieve common cold symptoms.

10x2x10 (BLISTER)

ROSUEASE-F



Composition :

Rosuvastatin Calcium IP
Eq. to Rosuvastatin 10 mg.
Fenofibrate IP 160 mg.
Excipients q.s.

Indication: Rosuvastatin is used along with a proper diet to help lower "bad" cholesterol and fats and raise "good" cholesterol in the blood. It belongs to a group of drugs known as "statins." It works by reducing the amount of cholesterol made by the liver.

10x2x10 (BLISTER)

ROSUEASE-40



Composition :

Rosuvastatin Calcium IP
Eq. to Rosuvastatin 40 mg.
Excipients q.s.

Indication: Rosuvastatin is used along with a proper diet to help lower "bad" cholesterol and fats and raise "good" cholesterol in the blood. It belongs to a group of drugs known as "statins." It works by reducing the amount of cholesterol made by the liver.

10x2x10 (BLISTER)

RABIFOG-D



Composition :

Each enteric coated tablet contains:

Rabeprazole Sodium	IP	20mg.
Domperidone	IP	10mg.
Excipients		q.s.

Indication: RABEPRAZOLE SODIUM+DOMPERIDONE is used to treat acidity, heartburn, gastro-oesophageal reflux disease (GERD), Zollinger-Ellison syndrome, nausea, vomiting, the fullness of the stomach, bloating, gas, helicobacter pylori infection, gastric and duodenal ulcers.

20X10 Tablets (ALU-ALU)

UPCOMING PRODUCTS

RABIFOG-20



Composition :

Each enteric coated tablet contains:
Rabeprazole Sodium IP 20mg.
Excipients q.s.

Indication: Rabeprazole is used to treat the symptoms of gastroesophageal reflux disease (GERD), a condition in which backward flow of acid from the stomach causes heartburn and possible injury of the esophagus (the tube that connects the throat and stomach) in adults and children 12 year of age and older.

20X10 Tablets (ALU-ALU)

MEFCLIDE-500



Composition :

MEFANAMIC 500MG.
Excipients q.s.

Indication: Mefenamic acid is used to relieve mild to moderate pain, including menstrual pain. Mefenamic acid is in a class of medications called NSAIDs. It works by stopping the body's production of a substance that causes pain, fever, and inflammation.

20x10 (BLISTER)

RANIPLAY-DM



Composition :

Ranitidine HCL IP 150 mg.
Eq. to Ranitidine IP 150 mg.
Domperidone IP 10 mg.
Excipients q.s.

Indication: Domperidone+Ranitidine is used in the treatment of gastroesophageal reflux disease (acid reflux) and peptic ulcer disease.

20X10 Tablets (ALUMINIUM)

ENTEVEVE-1



Composition :

Each Film Coated Tablet Contains:
Entecavir IP 1mg.
(As monohydrate)
Excipients q.s.

Indication: Entecavir is used to treat long-term hepatitis B infection. Hepatitis B is an infection of the liver caused by the hepatitis B virus. Long-term infection can cause liver damage, rarely liver cancer, and liver failure. Entecavir helps to decrease the amount of hepatitis B virus in your body.

10x1x10 Tablets (BLISTER)

AZIMPACT-40



Composition :

Each Film Coated Tablet Contains:
Azilsartan Kamedoxomil
Eqv. To Azilsartan Medoxomil 40mg.
Excipients q.s.

Indication: Azilsartan is used to treat high blood pressure (hypertension). Lowering high blood pressure helps prevent strokes, heart attacks, and kidney problems. Azilsartan belongs to a class of drugs called angiotensin receptor blockers (ARBs). It works

10X10 Tablets (ALU-ALU)

CLARIPRESS-500



Composition :

Each film coated tablet contains:
Clarithromycin IP 500 mg,
Excipient q.s.

Indication: Clarithromycin is used to treat certain bacterial infections, such as pneumonia (a lung infection), bronchitis (infection of the tubes leading to the lungs), and infections of the ears, sinuses, skin, and throat.

10X10 Tablets (BLISTER)

UPCOMING PRODUCTS

ATOREASE-F



Composition :

Each Film Coated Tablet Contains:
 Atorvastatin Calcium IP
 Eq. to Atorvastatin 10mg.
 Fenofibrate IP 160mg.
 Excipients q.s.

Indication: Atorvastatin + Ezetimibe is a combination of two medicines: Atorvastatin and ezetimibe. Atorvastatin is a lipid-lowering medicine which prevents your body from making "bad" cholesterol (LDL) while raising "good" cholesterol (HDL) levels.

10x10 Tablets (ALU-ALU)

CLIGRA-50



Composition :

Each film coated tablet contains:
 sildenafil 50mg.
 Excipients q.s.

Indication: Sildenafil is used to treat men who have erectile dysfunction (also called sexual impotence). Sildenafil belongs to a group of medicines called phosphodiesterase 5 (PDE5) inhibitors. These medicines prevent an enzyme called phosphodiesterase type-5 from working too quickly.

20X1X4 Tablets (BLISTER)

CLONIDOSE-0.3



Composition :

Each Film Coated Tablet Contains:
 Clonidine 0.3mg.
 Excipients q.s.

Indication: Clonidine treats high blood pressure by decreasing your heart rate and relaxing the blood vessels so that blood can flow more easily through the body. Clonidine extended-release tablets may treat ADHD by affecting the part of the brain that controls attention and impulsivity.

10x10 (ALU-ALU)

OLMESPARK-10



Composition :

Each Film coated tablet contains :
 Olmesartan Medoxomil IP 10mg.
 Excipients q.s.

Indication: Olmesartan 10mg tablet is used to treat high blood pressure (hypertension). Lowering high blood pressure helps prevent strokes, heart attacks, and kidney problems. Olmesartan belongs to a class of drugs called angiotensin receptor blockers (ARBs).

10X15Tablets (ALU-ALU)

CLONIDOSE-0.1



Composition :

Each Film Coated Tablet Contains:
 Clonidine 0.1mg.
 Excipients q.s.

Indication: Clonidine treats high blood pressure by decreasing your heart rate and relaxing the blood vessels so that blood can flow more easily through the body. Clonidine extended-release tablets may treat ADHD by affecting the part of the brain that controls attention and impulsivity.

10x10 (ALU-ALU)

PROPRON-10



Composition :

Each Uncoated Tablet Contains:
 Propranolol Hydrochloride IP 10mg.
 Excipients q.s.

Indication: Propranolol is used alone or in combination with other medications to treat high blood pressure. It is also used to treat irregular heartbeats, pheochromocytoma, certain types of tremor, and hypertrophic subaortic stenosis.

4X5X10 Tablets (BLISTER)

UPCOMING PRODUCTS

S.No	COMPOSITION
1	Ademetionine 1, 4-Butane Disulfonate eg. To Ademetionine Iron 400 mg TAB
2	Sumatriptan Succinate BP Eq. to Sumatriptan 50 mg
3	Carbimazole IP 5 mg/10mg TAB
4	Sultamicillin Tosilate Dihydrate B.P. 375 mg (eq. to Sulbactam 147 mg and Ampicillin 220 mg) TAB
5	flupirtine Maleate USP 100mg + Paracetamol IP 325mg. TAB
6	Divalproex (500mg)
7	PIOGLITAZONE-7.5MG TAB
8	AZILSARTAN 40MG TAB
9	BACLOFEN 10MG TAB
10	CARVEDILOL 3.125MG/6.25MG/12.5MG TAB
11	ALBENDAZOLE 400MG + IVERMECTIN 6MG TAB
12	ALBENDAZOLE 400MG TAB
13	Ketorolac Tromethamine IP 10 mg TAB
14	Divalproex (500mg) TAB
15	OFLOXACIN 200MG TAB
16	PREGABALIN 75MG + DULOXETINE 20MG
17	PREGABALIN 50MG + DULOXETINE 20MG
18	BROMHEXINE HYDROCHLORIDE-4MG + GUAIPHENESIN-50MG/5ML + MENTHOL-2.5MG/5ML + TERBUTALINE SULPHATE-1.25MG/5ML
19	DICYCLOMINE 10MG + PARACETAMOL 325MG

UPCOMING PRODUCTS

S.No	COMPOSITION
20	DILTIAZEM 30MG/60MG/120MG SUSTAINED RELEASE
21	NORFLOXACIN + TINIDAZOLE TAB
22	ALBENDAZOLE 400MG + IVERMECTIN 6MG
23	ALBENDAZOLE 400MG
24	MEFANAMIC 500MG TAB
25	THIOLCHICOSIDE 4MG + KETOPROFEN 50MG TAB
26	OFLOXACIN IP 200 MG.
27	MULTIVITAMIN WITH GINSENG AND FOLIC ACID CAPSULE
28	LEVOFLOXACIN 500MG TAB
30	Acnecide Face 5% w/w TAB
31	CIPROFLOXACIN 500MG TAB
32	AZITHROMYCIN 250MG/500MG TAB
33	DOXOFYLLINE 400MG + ACEBROPHYLLINE 100MG
34	ETAMSYLATE 500MG TAB
35	DOXOFYLLINE 400MG + AMBROXOL HCL 30MG
36	Benzocaine (2.7% w/v) + Chlorbutol (5% w/v) + Paradichlorobenzene (2% w/v) + Turpentine Oil (15% w/v)
37	Extracts of Nimb 0.%, Majuphal 0.5%, Mulhethi 0.3%, Kulanjan 0.3%, Fennel 0.5%, Jeevanti 0.3%, Bakul 0.2%, Babool 0.5%
38	Lindane (1% w/v) + Cetrимide (0.1% w/v)
39	MUPIROCIN

UPCOMING PRODUCTS

S.No	COMPOSITION
40	Clobetasol (0.05% w/w) + Gentamicin (0.1% w/w) + Clotrimazole (1% w/w) + Clioquinol (Iodochlorhydroxyquin) (1% w/w) + Tolnaftate (1% w/w)
41	Ketaconazole Cream 2%
42	Clindamycin 1% & Nicotinamide 4% Gel
43	ALOEVERA CREAM 80 GM.
44	Betamethasone (NA) + Gentamicin (NA)
45	Polymyxin B (5000IU) + Chloramphenicol (1% w/v)
46	ATORVASTATIN 40MG + CLOPIDOGREL 75MG CAPSULE
47	Ciprofloxacin (0.3% w/v) + Betamethasone (0.01% w/v) + Phenyl Mercuric Nitrate (0.002% w/v)
48	CLIDE HAIR REMOVING CREAM 60 GM. (ROSE)
49	Ofloxacin 0.3 %W/V
50	PSORISES OINT. (25GM)
51	CLIDE CLITCH GUARD CREAM (25GM)
52	Acnecide Face 5% w/w
53	CLIDE KESAR BALM(10ML)
54	CLOPIDOGREL 150MG + ASPRIN 150MG
55	BORO BRIGHT CREAM (25GM)
56	SCARHIT CREAM (25GM)
57	PAIN DROP CREAM (25GM)
58	CLOPIDOGREL 75MG + ASPRIN 150MG

UPCOMING PRODUCTS

S.No	COMPOSITION
59	Levosulbutamol Sulphate IP 1 mg. Ambroxol Hydrochloride IP 30 mg. Guaiphenesin IP 50 mg.
60	Chlorpheniramine Maleate (2mg) + Dextromethorphan Hydrobromide (10mg)
61	Moxifloxacin (0.5% w/v) + Dexamethasone (0.1% w/v)
62	Ciprofloxacin (0.3% w/v) + Dexamethasone (0.1% w/v)
63	AMBROXOL
64	Sodium Picosulfate (3.33mg) + Liquid Paraffin (1.25ml) + Milk Of Magnesia (3.75ml)
65	Moxifloxacin (0.5% w/v)
66	Clindamycin (1% w/w)
67	Multivitamin, Multimineral & Antioxidant softgel capsules
68	Progesterone IP 300 mg. softgel capsules
69	Paracetamol 325mg. + Phenylepherine Hcl 10mg. + Cetrizine 5mg.
70	ketoconazole 200mg.
71	Atorvastatin 40mg. + Clopidogrel 75mg.
72	Rosuvastatin 40mg. + Clopidogrel 75mg.
73	Rosuvastatin 40mg. + Clopidogrel 75mg. + Aspirin 75mg. hard gelatin Capsule
74	Ceftriaxone Sodium I.P. (Sterile) Eq. to Ceftriaxone 1000 mg.
75	TELMISARTAN 40MG + AMLODIPINE 5MG + HYDROCHLOROTHIAZIDE 12.5MG
76	TELMISARTAN 80MG + AMLODIPINE 5MG + HYDROCHLOROTHIAZIDE 12.5MG
77	B. COMPLEX TABLET

UPCOMING PRODUCTS

S.No	COMPOSITION
78	Ondansetron Hydrochloride IP eq. to Ondansetron 2 mg. Flavoured Syrupy base q.s
79	Paracetamol IP 100 mg
80	Paracetamol I.P 125MG + Cetirizine HCL I.P 2.5MG + Phynlephrine HCL I.P 2.5MG
81	Dextromethorphan Hydrobromide IP 10 mg. + Chlorpheniramine Maleate IP 4 mg,
82	Terbutaline Sulphate I.P 1.25mg +Bromhexine Hydrochloride I.P 2mg + Guaiphenesin I.P 50mg + Menthol I.P 0.5mg
83	Ambroxol Hydrochloride IP 15 mg. + Levocetirizine Dihydrochloride 2.5 mg+ Menthol IP 0.5 mg
84	Levosulbutamol Sulphate I.P. 1 mg eq. to Levosalbutamol, + Ambroxol Hydrochloride I.P. 30 mg. + Guaiphenesin I.P. 50 mg.
85	Nimesulide BP 100mg +Paracetamol IP 325mg +Phenylepherine Hydrochloride IP 10mg +Caffeine (Anhydrous) IP 25mg
86	Moxifloxacin Hydrochloride IP 0.5%w/v
87	Hydroxyzine Hydrochloride I.P. 10 mg + Excipients q.s.
88	Hydroxyzine Hydrochloride I.P. 25 mg + Excipients q.s.
89	Calcitriol i.p 0.25mcg+ Calcium Carbonate i.p. 625 mg (equ. To elemental calcium 250 mg)+ Vitamin K2-7 45 mcg
90	PRE AND PRO BIOTIC SCAHET
91	LULICONAZOLE 2%
92	PREGABALIN 50MG
93	PREGABALIN 75MG + METHYLCOBALAMIN 1500MCG
94	Multivitamin, Multimineral & Antioxidant softgel capsules
95	KESH CLIDE CAPS. BLISTER (6X1X10)
96	Progesterone IP 300 mg.



Clidē



Clidē International

Clide International Pvt. Ltd.

(An ISO 9001 : 2015 Certified Co.)

Regd. Office : F-14/37, Third Floor,
Model Town - II, Delhi-110009, INDIA.

Customer Care No.: +91-011-35742839

E-Mail : Clide2023@gmail.com

Website : www.clideinternational.com

AUG 2024



एक कदम स्वच्छता की ओर



Catalogue No.4